

Resumen Ejecutivo de la Encuesta Nacional de Salud Sexual (2009)

***Executive Summary of the
National Survey of
Sexual Health (2009)***

Español

English

INDEX

1.- Introduction	Page 2
2.- Key questions and novel aspects	Page 4
3.- Objectives of the National Sexual Health Survey (ENSS)	Page 4
4.- Methodology	Page 5
5.- Data Mining	Page 9
6.- Results	Page 10
ANNEXES	Page 165

1.- Introduction

At present, there is regulatory framework that encourages the inclusion gender perspective in the production of information, from the Organic Law 3/2007 on 22 March for the effective equality between women and men. In Article 20, it specifically mentions the need to adapt the statistics and studies to the gender perspective. To guarantee the integration of this approach in the production of information systems, studies and statistics, the law states the following:

- a) *It systematically includes the sex variable in the statistics, surveys and the data collection which is carried out.*
- b) *It establishes and includes new statistical indicators in the operations that enable a better understanding of the differences in values, roles, situations, conditions, aspirations and the needs of women and men, and in reality their expressions and interactions that are going to be analyzed.*
- c) *It designs and introduces the indicators and mechanisms necessary to allow the understanding of the impact of other variables, whose presence generates situations of multiple discrimination in different areas of intervention.*
- d) *It performs a large enough sample that includes the diverse variables, which can be extrapolated and analyzed according to the sex variable.*
- e) *It extrapolates the available data in a way to show different situations, conditions, aspirations, and the needs of women and men in different areas of intervention.*
- f) *It reviews, and where appropriate, adapts existing statistical definitions in order to contribute to recognizing and valuing women's work and to avoid negative stereotyping of certain groups of women.*

In addition, the Observatory for Women's Health (OSM), whose objectives are to promote the reduction of gender inequalities, works in a participative and cooperative manner through information, research, communication, and training. In this sense, the OSM has generated recommendations for clinical practices, research, education and health policies, based on analysis and studies, and developed in collaboration with the social partners involved in each case. Ultimately, its purpose is to contribute to achieving equality in health, through improving the knowledge of the causes and determinants in the health of women, and promoting debate about how to eliminate inequalities, the cooperating with other institutions, and training and research.

Therefore, the OSM is responsible, within the Quality Plan of the National Health System, for raising awareness of the need to incorporate the perspective of gender into the Health Strategies and the Health Information Systems. Among the most important results in this area point out that the review which includes gender perspective in the National Health Survey 2006 is significant.

The Ministry of Health and Social Policy (MSPS), through the axis of the Promotion of Equality in the Quality Plan of the National Healthcare System (SNS), provides; **“To conduct a survey to generate knowledge about sexual health in women and men useful to the need for information and existing health care services.”**, as it is a field where there is little tradition of specific services and information. Therefore, it has emerged as the first population survey of sexual health, whose main results have been used in the area of Sexual Health in the National Strategy of Sexual Health and Reproductive Health of the National Healthcare System.

In general, studies about sexual health suffer some type of reduction when addressing the field of human relationships, as they are often marked with a reproductivist approach, putting the focus on physical issues, and decontextualizing sexual practices, the social, psychological,

cultural conditions, and the access to symbolic, economic, and political resources, which become inequalities between women and men. This view of sexual health can medicalise sexual health care.

Therefore, it has become necessary to review the orientation of the surveys already done in the distinct areas that address sexual health from a comprehensive perspective, and in collecting the issues related to women's sexual health from a gender perspective, beyond sexual dysfunctions.

So in the definitions and variables included in the National Sexual Health Survey (ENSS), there is an underlying conception of sexuality as a social construction that transcends biological drives, and which involves, among others, structural, political, economic, social, cultural, and personal factors. We are then faced with a multidimensional view of human sexuality, socially constructed, which is marked by differences of power, access to resources and social welfare, creating and transformation the symbolic, which imprints the gender roles on women and men.

2. - Key issues and novel aspects

- Spain is the first country in the European Region of the World Health Organization (WHO) to conduct a national survey about sexual health with gender perspective. There are various international and European research projects, for example in Ireland, France, and Sweden, that have conducted sexual health surveys, although not with the same approach.
- The novelty of making a sexual health survey lies not only in the subject itself, but also including the gender perspective in the design and in the treatment of the data. Performing a theoretical approach from a constructivist approach to sexuality, and taking into account gender relations that have served to understand the sexuality of women and men.
- The term "sexual relations" used in the design of this survey differs from those found elsewhere. Defined in the (ENSS) as:

"...The acts that are performed by two or more people of the same or opposite sex, for the purpose of getting sexual pleasure, which does not have to include coitus, or conclude with an orgasm".

- The inclusion in the sample of all age groups starting from 16 years. The definition of the different age groups is in response to the hypothesis that sexuality is experienced over a lifetime, that women and men of all ages are sexual beings and they maintain sexual practices. In this regard, the National Sexual Health Survey has been applied to the whole population 16 years of age and older showing the specifics by age group, and not limiting the age at the upper reaches of the population pyramid.
- The Centre for Sociological Research (CIS) conducted a briefing with the 57 territorial coordinators, to explain the steps to follow in the implementation of the questionnaire and a specific training session on gender sensitivity and sexuality. It was expected in turn that the territorial coordinators train the interviewers who will ultimately conduct the questionnaire at the respondents' homes. To reinforce the training we prepared a roadmap to help implement the questionnaire, which not only contained methodological questions, but also included basic definitions and concepts of gender theory, all with the purpose of guiding those who were conducting the interviews.

3.- Objectives of the ENSS

The overall objective of this survey is to promote an analysis of sexual health from a gender perspective, which is why all phases of the survey were designed from this perspective: sample, questionnaire design, implementation and analysis.

1. Obtaining a diagnosis about the type of sexual information that people want and the channels through which they would like to get it.
2. Knowing about the sexual experiences of the people interviewed, and about their motivations, expectations, feelings and situations of violence¹.
3. Gathering information to deconstruct the dichotomy about sex-gender identity and sexual options from the model of differential gender socialization.
4. Discovering the level of desirability and sexual fantasies.
5. Discovering the possible sources of sexual satisfaction and dissatisfaction.
6. Inquiring about consultations that people have made in their social/family network and/or to health and social care professionals, in relation to sexual health.

¹ There is a specific focus on knowledge about the extent of gender violence as a health problem, with the objective of improving the prevention, detection and care offered by the National Healthcare System to women who are at risk or suffer gender violence, including sexual violence.

4.- Methodology²

In carrying out the survey (ENSS), the methodological process below was followed:

4.1. An agreement of collaboration between Ministry of Health and Social Policy (MSPS,) through the OSM and the Centre of Sociological Research (CIS)

Because of the background and experience they have preparing surveys, the participation of the CIS in the process has been a key element at the methodological and technical levels. They have jointly determined the methodological aspects of the survey: age group, type of sample, interviewer and staff training environments in which the interviews would be conducted. In addition, the CIS has been supporting the development of the survey, it has done the implementation of the fieldwork and the tabulation of the data, as well as, the implementation of the pilot survey.

4.2. Establishing an ad-hoc working group.

Composed of organizations and experts from Scientific Societies of Sexology, areas of care, the academic field, and social and women's movements, to guide the contents of the questionnaire and the survey blocks.

4.3 The literature and statistical review

Carried out through secondary sources whether in surveys, studies and reports, articles, or in other surveys, with the objective of nurturing the design content of the questions in the questionnaire and comparing surveys conducted by other institutions.

The search for information has been based on the function of the key words: sexual health, male and female sexuality, gender and health, sexual and gender relations, gender studies and sexuality, and surveys about sexuality. The sources from which materials were consulted are from Medline, international organizations, through what the World Health Organisation (WHO) and Pan-American Health Organisation (PAHO) states about sexual health, at a national level through the Web portals of scientific societies, Institute for Women, Institute for Youth, women's associations, feminist newspapers and websites, and documentation given for the Diploma in Public Health and Gender at the National School of Public Health.

Furthermore, the studies done by the CIS related to the topic have been reviewed, as well as other national and international studies, although none of the studies that were used collects this integral aspect of sexual health with a gender perspective, or considers such a broad scope of study.

One of the reference studies is a telephone survey conducted by the CIS on Sexual Attitudes and Behaviours in early 2008. This was done with the Spanish population aged 18 years old and older, with a sample of 1500 people.

Studies were also analyzed by the CIS (monographs and barometers) that deal in sections with some of the issues addressed in this survey: gender violence, attitudes and opinions towards homosexuality, satisfaction with partners (factors that make a happy couple, such as sexual relations), or biographical experiences mainly related to fertility, etc. as well as specific questions in the studies of youth about sexual relations.

Other studies in Spain on Sexual Health have been taken into account in the design of this one. There are two studies by the Ministry of Health and National Institute of Statistics (MSC-INE): National Health Survey (ENS) in the year 2006, and the Survey of Health and Sexual Habits INE (ESHS) of 2003.

There are many countries whose main objective is to collect information to estimate the prevalence of certain diseases, specifically HIV. Three studies were analyzed: the Irish survey on *Attitudes and Sexual Knowledge*³; The British survey: the National Survey of Sexual

² To implement this section on methodology we have received the methodological report prepared by CIS for the ENSS. For more detailed information in this section refer to the following link:

http://www.cis.es/cis/opencms/-Archivos/Marginales/2780_2799/2780/informe_metodologico.pdf

³ Telephone survey of men and women aged 18 to 64 years. The actual sample is 7668 interviews.

Attitudes and Lifestyles (NATSAL⁴); and the French survey on French Sexuality, Gender and Health Practices⁵.

Therefore, the review of the main sources of information on a national and international level, reveals a picture of the absence of comprehensive studies on health and sexual and reproductive rights, with some heterogeneity in the treatment of the data by the various existing sources (depending on the ultimate goals that guide the collection of the information). And there are serious shortcomings with regard to gathering useful and relevant information for an approach to this field of health with a gender perspective, essential in determining the validity and appropriateness of the measures currently being applied and/or the need for new public action⁶.

The variety of theoretical approaches from which the issue of sexuality and sexual health has been addressed is due precisely to the number of topics and its multidisciplinary complexity. We find very extensive documental references, consisting of a multitude of analysis, research and insights, whose theoretical (and ideological) origin is also very diverse.

The review of various relevant research studies on the topic of surveys about sexuality, sexual health, and gender perspective, as well as an analysis of the most relevant statistical sources of the study, has allowed an overall view of the present state of affairs.

Given this, we have identified, classified and studied secondary sources on the issues of sexual health and gender perspective, which generated the questionnaire with the participation of the ad-hoc working group of experts.

4.4. The questionnaire

In designing the questionnaire, references were taken from the previous section. Also a pilot study was conducted (see section 4.4.1), after which the analysis and presentation during the training day (see section 4.6) These were incorporated into the amendments agreed upon and included some clarifications in order to make it easier to read and to administer the questionnaire.

The contents of the questionnaire were consistent with the thematic blocks and therefore with the objectives of the ENSS (see above). Thus, it starts with general questions about sexual information of the person being interviewed and advances to questions where they tell about sexual experiences from the first to the last. They also include questions about the perceived state of their health and their sexual health, and about seeking professional help. Finally, the questionnaire included socio-demographic questions, which in addition include those that are common in the CIS's own studies. A number of control variables have been included that were proposed by the OSM, considered essential for an analysis of sexual health from a gender perspective. These control questions are related to unpaid work, as jobs that are performed for the care of others, without compensation, and the number of hours devoted to these tasks⁷; There were questions about personal and emotional support, and were considered as predictors about the health and well-being of the people being interviewed⁸.

An important conceptual contribution in the development of the questionnaire content was making the difference between sexual identity, sexual orientation and sexual preference. To do this, a change was required in the formulation of the sex variable, as commonly asked in studies by the CIS (male/female). Therefore, this survey asks about sex as appears on the birth certificate of the respondent and in the corresponding sections of the interview.

Likewise, among the materials provided to interviewers a glossary of terms was added that had been prepared by the OSM and agreed to by the ad-hoc group of the survey in order to clarify some of the essential concepts in the study, asked in the questionnaire,(see Annex 2).

Finally, taking into account the intimate and sensitive nature of most of the questions, we chose a mixed method of administration: One part administered exclusively by the interviewers, and

⁴ The method of collecting the information from this survey is face to face with one part and also incorporates a self-administered part in the clinical measurements. The study group is women and men 16 to 44 years old. The actual sample is 12,110 interviews.

⁵ The last edition took place in 2006, a sample of 12,364 men and women between 18 and 69 years of age and living in France.

⁶ The main conclusion reached in the study "Approach to Sexual and Reproductive Health in Spain" (OSM, 2008).

⁷ Questions: 48, 60, 61a, 65 y 66.

⁸ Questions: 49 y 49a.

one part self-administered on paper. This method was tested in the pilot study, which proved the self-administered part of the questionnaire useful in achieving greater sincerity in the answers.

4.4.1. Pilot study

Considering the characteristics of the ENSS, we conducted a pilot study that led to persons 16 years and older, of both sexes, residing in Spain (Spanish or foreign). The fieldwork of the pilot study was performed between 16 - 24 October, 2008.

The analysis of field reports, as well as analysis tabulations by sex, from the results of the pilot study allowed the design the definitive study (questionnaire, sample, scope, and mode of application). We verified the following:

- The members of that field network agreed on the importance and effectiveness of delivering a letter signed by the President of the CIS, which had the general objective of the study and the collaboration between the CIS and the Ministry of Health. Showing the issue with a health perspective was fundamental in getting the collaboration from the people being interviewed.
- The general acceptance was positive both by the interviewers and the people being interviewed, regardless of the sex of the interviewer. In this study, the attitude of the interviewers, and their skills for the presentation of the study were particularly important, due to the subject and length of the interview.
- There was a higher resistance in responding to the interviews by the elderly, however, this was not a limitation and in fact it was decided not to limit the age of the interviewees in the design of the sample survey.
- Using the self-administered questionnaire was complex in some cases. It was necessary for the interviewers to ask directly all of the questions, which was a detriment to the confidentiality of responses. This was especially true among the elderly and people with a lower educational level and/or with reading difficulties.

4.5. Technical data of the ENSS

Scope:

Population: Women and men, over 16 years of age, residing in main family dwellings. The questionnaires were applied by personal interviews at the homes

Geographical: National / Temporal: 17 November 2008 to 29 January 2009.

Fieldwork: Centre for Sociological Research (CIS)

Sample size: Designed: 10,000 interviews / Conducted: 9,850 interviews

Affixation: Not proportional.

Sampling points: 789 municipalities and 52 provinces.

Sampling error: For a confidence level of 95.5% (two sigma), and $P = Q$, the real error is $\pm 1.01\%$ for the whole sample and assuming simple random sampling.

Sampling procedure:

Multi-staged cluster, with a selection of primary sampling units (municipalities) and secondary units (sections) in a proportionately random manner, and the last units (individuals) by random routes and and sex and age quotas.

The strata were formed by the cross-section of the 17 autonomous communities with habitat size divided into 7 categories: less than or equal to 2,000 inhabitants, from 2,001 to 10,000, from 10,001 to 50,000, from 50,001 to 100,000, from 100,001 to 400,000 ; from 400,001 to 1,000,000, and over 1,000,000+ inhabitants.

4.6. Field-work

Prior to the development of the field work a session was organized by the CIS and OSM during 7-8 November 2008, together with a training session for people who provincially coordinate the

CIS field network. Their objectives were not only to share the results of the pilot study, reading the questionnaire and the application of its rules, but also raising awareness about sexual health with a gender perspective.

Subsequently, the fieldwork was developed by the CIS and was conducted between 17 November, 2008 and 29 January, 2009. For more detailed information on how the questionnaire was administered, monitored and supervision of interviews, as well as incidents arising in the field, refer to: http://www.cis.es/cis/opencms/-Archivos/Marginales/2780_2799/2780/informe_metodologico.pdf.

4.7. The treatment of information and considerations for analysis

Upon receipt of the questionnaires, the CIS proceeded reviewing, coding, recording and filtering them.

Some aspects have to be considered for the reading, analysis and presentation of survey data that have to do with the way the questionnaire was administered, as well as the difficulties of the people being interviewed understanding some of the terms used and those with multiple meanings.

- The conceptual framework of the objective of the ENSS was to consider sexual relations in a broad sense. People being interviewed had their own concept of sexual relations in mind when responding, irrespective of the broader sense defined by the conceptual framework of the survey.
- Due to the length of the questionnaire time references can get lost when participants are responding and they may answer thinking about relationships they have maintained throughout their lives.
- In the process of preparation, training, organization, implementation, and completion of the field work, we saw a permanent confusion in designating men and women transsexuals, which is why the percentages for these categories are grouped into tabulations ("male/female transsexual").
- Regarding questions of rape and sexual relations against their will, according to the information collected in the field, respondents did not always differentiate between these types of sexual abuse.
- Response options to the question about the sex of the person you are attracted to (the same sex and/or opposite sex), by the respondent, has generated confusion.
- You have to carefully read the data referencing the transmission of sexually transmitted infections⁹. There are apparent inconsistencies and/or a lack of information in the questions on methods of preventing pregnancy and disease prevention methods: a contraceptive method is used and its function in preventing sexually transmitted infections is not recognized.

4.8. Limitations

- As this is a survey of the general population, it had to be limited to what could be statistically significant. We could not study all the situations that people have experienced relating to sexuality and sexual health. Consequently, to cope with these types of limitations qualitative research is recommended.
- In general, according to the CIS study No. 2676 of February 2007 on *The Perception of Surveys*¹⁰, there are issues that people respond to with more or less sincerity. In this sense, of all the questions that are asked regarding, culture, politics, employment status, religious beliefs and sexual habits, it is the latter that have the highest percentage of low sincerity in the responses.
- The location where the survey is completed is at home, and it could be the case that the respondent was in the presence of others when completing the questionnaire. This fact could decrease the level of sincerity in the responses.

⁹ The concept of "sexually transmitted diseases" appears in the questionnaire instead of "sexually transmitted infections" in order to facilitate the comprehension of the people interviewed.

¹⁰ This report was given to the group of experts when the planning of the survey's design was beginning

5.- Mining of the data:

Two types of variables have been taken into account:

- Dependents, those who are associated with sexual health.
- Independents, those who are not directly associated with the fundamental purpose of the survey, that is to say socio-demographic variables.

The data analysis has been done from a gender perspective so that all the tabulations presented are disaggregated for men and women, and for the rest of the classification variables collected.

The socio-demographic variables have been crossed with sexual practices, behaviours, motivations and feelings during sexual relations, also with satisfaction in respect to sexual health and the use of healthcare services related to sexual health.

A first approach focused on the descriptive analysis of the differences related to the sex variable. It also gave special importance to the variable "age", meaning that this could make differences in the ways that women and men conceive and live their sexuality together (inter-sex differences) and with regard to their sexual group (intra-sex differences).

A descriptive statistical analysis has been applied to the resulting data, based primarily on percentage differences as a means of contrasting the hypotheses about relationships among the variables under study.

6.-Results

This section includes the results of the ENSS sequentially, presenting the corresponding tables and charts, according to the annexed questionnaire at the end of this report,

Each of the questions is in line with the objectives of the ENSS which have been explained in section 3, for the purposes of interpretation of a later analysis with a gender perspective. These objectives fall into six major blocks, namely:

1. Sexual Information
2. Sexual experiences, age, and how sexuality is lived through
3. Gender Identity and sexual options
4. Worlds of desire and sexual fantasies
5. Satisfaction and dissatisfaction
6. Seeking help


QUESTIONS FOR EVERYBODY

Q1. Do you think the available information about sexuality is....?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very good	13,3%	16,2%	16,5%	15,0%	10,5%	6,4%	5,6%	12,0%	9,6%	22,2%	20,1%	15,5%	12,0%	7,5%	4,1%	12,8%
Good	65,6%	66,7%	66,7%	64,9%	65,2%	55,3%	42,6%	60,5%	66,3%	58,7%	62,5%	65,0%	58,3%	45,4%	35,2%	53,8%
Regular	17,9%	14,2%	12,6%	15,4%	18,8%	26,8%	29,1%	19,1%	20,5%	14,7%	13,5%	15,5%	19,9%	31,3%	28,9%	20,8%
Bad	2,1%	1,7%	3,0%	3,5%	4,1%	7,9%	14,4%	5,7%	3,0%	3,4%	2,9%	2,0%	7,0%	8,4%	18,8%	7,6%
Very bad	1,0%	1,0%	0,7%	0,9%	1,1%	2,2%	6,5%	2,0%	0,0%	0,5%	0,6%	1,3%	2,2%	6,3%	9,8%	3,7%
NO ANSWER	0,0%	0,2%	0,5%	0,2%	0,4%	1,4%	1,8%	0,7%	0,6%	0,5%	0,4%	0,7%	0,7%	1,2%	3,2%	1,2%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 1: The available information about sexuality is....



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 2: Availability of information about sexuality according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q2. If you could have chosen, from whom would you have liked to receive information about sexuality? From your....

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Mother	15,4%	13,1%	13,9%	12,5%	10,7%	13,1%	12,4%	12,7%	42,2%	47,9%	52,1%	57,9%	62,0%	64,4%	66,6%	58,9%
Father	23,1%	25,4%	31,9%	34,9%	40,5%	40,6%	40,6%	35,5%	1,8%	3,6%	3,3%	2,5%	1,0%	2,6%	1,9%	2,4%
Brother	6,2%	8,5%	3,5%	2,7%	3,2%	2,7%	2,2%	3,5%	1,8%	0,7%	0,9%	0,4%	0,1%	0,1%	0,2%	0,4%
Sister	0,5%	0,3%	0,8%	0,7%	0,1%	0,0%	0,5%	0,5%	4,2%	3,3%	3,3%	2,0%	1,8%	1,8%	1,2%	2,2%
Spouse/partner	0,0%	1,4%	1,4%	1,6%	1,2%	2,0%	1,8%	1,5%	0,6%	0,7%	1,2%	1,1%	0,7%	0,9%	2,5%	1,3%
Other relatives	0,5%	1,0%	0,7%	0,8%	0,4%	0,6%	0,6%	0,7%	1,8%	0,7%	0,6%	0,1%	0,1%	0,3%	0,6%	0,4%
Teachers at school	23,6%	20,6%	25,0%	22,6%	20,9%	18,7%	11,6%	20,3%	19,9%	18,6%	17,6%	17,0%	12,1%	11,2%	7,6%	13,8%
Male friends	12,8%	8,9%	4,7%	4,0%	3,2%	3,6%	4,6%	4,8%	2,4%	0,7%	1,3%	0,2%	0,1%	0,3%	0,4%	0,5%
Female friends	0,5%	1,2%	0,6%	0,4%	0,4%	0,6%	0,2%	0,5%	6,6%	3,4%	3,0%	1,8%	1,3%	1,8%	2,1%	2,3%
Medical staff	4,6%	8,0%	6,7%	8,0%	8,8%	6,5%	7,6%	7,5%	13,3%	10,9%	9,5%	10,3%	12,1%	6,8%	5,1%	9,0%
Women's associations	0,0%	0,2%	0,2%	0,0%	0,2%	0,1%	0,0%	0,1%	0,6%	1,5%	0,8%	2,0%	1,3%	0,6%	0,6%	1,1%
Self-help groups	0,0%	0,2%	0,1%	0,2%	0,1%	0,3%	0,0%	0,1%	0,0%	0,5%	0,4%	0,1%	0,4%	0,4%	0,0%	0,2%
Television/ video/ radio	0,5%	1,2%	0,7%	0,6%	0,5%	0,1%	0,2%	0,5%	0,0%	0,5%	0,6%	0,2%	0,4%	0,3%	0,2%	0,3%
Books/ magazines/ newspapers	0,0%	0,7%	0,9%	1,1%	1,0%	1,5%	1,1%	1,0%	0,0%	0,5%	0,6%	0,5%	1,0%	0,9%	0,7%	0,7%
Internet	2,6%	1,7%	0,6%	0,4%	0,2%	0,0%	0,1%	0,5%	0,0%	0,3%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Other answers	0,5%	1,5%	0,7%	0,9%	0,9%	1,4%	1,4%	1,1%	0,6%	0,8%	1,2%	0,7%	0,9%	0,8%	1,2%	0,9%
Mother and father	2,1%	1,5%	1,6%	2,2%	1,9%	2,4%	2,1%	2,0%	0,0%	0,7%	1,6%	0,8%	1,7%	0,9%	1,2%	1,2%
None (DO NOT READ)	3,1%	2,9%	2,5%	3,8%	2,8%	2,4%	5,9%	3,4%	0,6%	3,3%	1,2%	1,5%	1,5%	2,4%	3,4%	2,1%
DON'T KNOW	4,1%	1,2%	2,8%	2,0%	2,6%	2,8%	6,3%	3,1%	3,0%	1,5%	0,6%	0,6%	1,2%	3,2%	3,7%	1,9%
NO ANSWER	0,0%	0,3%	0,7%	0,6%	0,4%	0,4%	0,7%	0,5%	0,6%	0,2%	0,4%	0,2%	0,4%	0,3%	0,9%	0,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q3. In general, what subjects would you have liked to have received more information about? (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Love and romantic relationships	30,8%	32,4%	32,0%	35,3%	34,8%	38,0%	35,0%	34,4%	40,4%	32,0%	34,2%	35,1%	38,3%	43,7%	41,4%	37,8%
Contraceptive methods	43,1%	46,6%	48,0%	50,8%	52,8%	48,4%	40,0%	47,7%	64,5%	55,6%	55,0%	59,0%	61,0%	57,7%	46,9%	55,5%
Prevention of sexually transmitted infections, HIV/AIDS	54,4%	54,4%	57,2%	56,2%	53,5%	46,0%	33,8%	50,7%	53,0%	58,0%	52,1%	53,6%	50,7%	41,8%	29,3%	46,4%
Reproduction	14,4%	16,0%	19,4%	23,0%	21,9%	20,2%	17,9%	19,9%	23,5%	17,8%	24,9%	27,0%	26,7%	25,1%	23,5%	24,6%
Genital anatomy	13,3%	14,2%	16,9%	19,7%	18,9%	16,0%	14,9%	16,9%	19,3%	19,0%	18,3%	19,6%	21,6%	18,7%	15,1%	18,5%
Problems in sexual relations	33,3%	30,2%	33,1%	36,6%	37,0%	36,9%	30,6%	34,2%	34,9%	35,0%	40,6%	36,3%	40,9%	37,1%	28,2%	36,0%
Ways to get and give pleasure	27,7%	31,6%	28,3%	27,2%	31,2%	26,6%	20,9%	27,4%	20,5%	23,0%	25,9%	26,8%	25,9%	24,7%	15,5%	23,2%
Sexual orientation or preference	10,3%	13,7%	14,1%	14,5%	16,4%	11,9%	9,7%	13,4%	12,7%	12,7%	15,3%	13,4%	15,4%	12,5%	9,2%	13,0%
Pornography	5,1%	8,2%	9,5%	8,1%	7,0%	4,5%	3,6%	6,9%	6,6%	5,9%	6,4%	4,9%	7,0%	4,5%	3,2%	5,2%
Violence and/or sexual abuse	15,9%	14,2%	14,9%	12,7%	11,4%	7,8%	5,9%	11,4%	22,9%	19,3%	15,8%	16,1%	18,2%	13,4%	7,7%	14,6%
Prostitution	6,7%	7,2%	8,0%	7,5%	6,0%	4,5%	3,1%	6,2%	8,4%	6,9%	6,1%	5,2%	7,0%	4,9%	2,6%	5,2%
Other answers	0,0%	0,9%	0,2%	1,2%	0,9%	0,6%	1,0%	0,8%	0,0%	0,7%	0,9%	1,1%	0,9%	0,8%	1,3%	1,0%
All	0,5%	1,4%	0,7%	1,6%	1,9%	2,2%	1,4%	1,4%	1,2%	0,7%	0,9%	2,6%	2,0%	1,4%	2,0%	1,7%
None (DO NOT READ)	5,1%	5,8%	4,6%	5,5%	5,1%	6,7%	11,8%	6,5%	3,0%	4,9%	4,4%	3,6%	4,3%	4,6%	11,3%	5,8%
NO ANSWER	2,1%	0,5%	1,0%	0,8%	1,2%	3,1%	5,3%	2,0%	1,2%	1,1%	1,1%	1,1%	1,0%	3,0%	5,5%	2,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q4. To what extent do you think the information received has been helpful to cope with your sexuality?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very Useful	20,5%	19,1%	17,0%	13,1%	8,4%	7,2%	5,6%	12,0%	12,7%	23,5%	20,5%	13,3%	9,9%	7,3%	4,6%	12,4%
Useful	53,8%	59,7%	56,9%	51,8%	48,4%	39,8%	32,5%	48,4%	59,0%	53,4%	55,2%	52,6%	40,2%	30,5%	24,6%	42,4%
Moderately useful	13,8%	13,0%	15,0%	18,7%	21,1%	19,1%	20,7%	18,0%	12,7%	14,7%	15,5%	18,2%	21,3%	20,6%	19,0%	18,2%
A little bit useful	5,1%	5,3%	6,0%	8,5%	9,3%	10,8%	11,5%	8,5%	4,2%	4,4%	4,2%	7,2%	11,2%	13,7%	12,3%	8,8%
Not useful	0,5%	0,7%	1,7%	2,2%	2,1%	4,4%	3,9%	2,4%	3,6%	1,8%	1,9%	2,8%	4,4%	5,4%	8,2%	4,3%
Received no information	2,6%	1,2%	3,2%	5,3%	10,6%	17,9%	24,8%	10,1%	1,8%	1,1%	2,7%	5,6%	12,8%	21,5%	29,5%	13,0%
DON'T KNOW	3,6%	0,7%	0,1%	0,2%	0,1%	0,1%	0,8%	0,4%	4,2%	0,7%	0,1%	0,1%	0,0%	0,5%	1,3%	0,6%
NO ANSWER	0,0%	0,3%	0,0%	0,1%	0,0%	0,8%	0,4%	0,2%	1,8%	0,3%	0,0%	0,1%	0,1%	0,4%	0,6%	0,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 3: Usefulness of information received to cope with sexuality, according to sex




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q5. If you had to seek advice and assistance about your sexuality...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Would you prefer to be treated by a man?	32,8%	16,0%	14,6%	13,2%	14,4%	19,5%	24,8%	17,3%	1,8%	2,1%	3,6%	3,5%	1,8%	1,7%	2,1%	2,6%
Would you prefer to be treated by a woman?	11,8%	13,1%	13,1%	9,7%	9,6%	8,7%	11,2%	10,9%	65,7%	47,4%	39,6%	35,8%	36,8%	42,0%	52,9%	43,1%
It would not make a difference.	54,9%	70,5%	72,3%	76,7%	75,3%	71,3%	62,6%	71,1%	31,9%	49,8%	56,7%	60,3%	61,3%	55,9%	43,4%	53,8%
NO ANSWER	0,5%	0,3%	0,1%	0,5%	0,6%	0,5%	1,4%	0,6%	0,6%	0,7%	0,1%	0,4%	0,0%	0,4%	1,6%	0,6%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 4: Preference in counselling, according to sex





Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 5: Preference in counselling, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

**Graph 6: Preferences of the population surveyed, about the sex of the person who advises them when seeking help about sexuality...
in regard to sex and age**



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q6. I am going to read a series of statements related to sexuality. I would like you to tell me if you strongly agree, somewhat agree, somewhat disagree, or do not agree with each of them.

Q6.1 To have sexual relations you have to be in love with the person

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	15,4%	8,4%	9,2%	10,4%	15,2%	20,4%	26,4%	14,8%	27,1%	25,8%	25,1%	27,3%	33,8%	43,2%	57,6%	36,5%
Somewhat agree	24,1%	17,6%	19,4%	21,4%	20,1%	24,7%	32,4%	22,8%	36,7%	30,2%	28,2%	31,0%	34,5%	34,7%	29,4%	31,2%
Neither agree nor disagree	6,2%	7,2%	8,2%	7,5%	5,9%	8,6%	7,1%	7,4%	7,8%	7,4%	6,3%	5,4%	5,9%	4,3%	3,4%	5,3%
Somewhat disagree	25,1%	27,3%	22,8%	25,3%	25,4%	21,0%	15,7%	22,8%	16,9%	15,2%	17,8%	15,4%	12,3%	8,6%	4,7%	12,2%
Do not agree	27,2%	39,2%	40,1%	34,6%	32,6%	24,1%	16,1%	31,2%	9,6%	21,1%	22,1%	20,7%	12,9%	8,2%	2,5%	13,9%
DON'T KNOW	1,5%	0,2%	0,2%	0,4%	0,2%	0,6%	1,8%	0,6%	1,8%	0,0%	0,4%	0,0%	0,2%	0,1%	1,5%	0,5%
NO ANSWER	0,5%	0,2%	0,0%	0,4%	0,5%	0,6%	0,5%	0,3%	0,0%	0,3%	0,1%	0,2%	0,4%	0,9%	0,9%	0,5%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q6.2 Sexual relations between two women is a personal choice as respectable as the relations between a man and a woman

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	40,0%	48,3%	48,9%	48,8%	41,4%	30,2%	15,2%	39,3%	42,8%	56,7%	54,2%	55,6%	42,6%	35,1%	13,3%	41,1%
Somewhat agree	41,0%	32,6%	34,2%	34,3%	33,6%	31,4%	23,7%	32,0%	40,4%	29,7%	34,3%	30,8%	37,1%	29,9%	22,4%	30,6%
Neither agree nor disagree	3,6%	6,1%	3,5%	3,7%	5,7%	8,3%	7,0%	5,3%	4,2%	2,8%	2,5%	3,5%	6,3%	7,9%	9,9%	5,7%
Somewhat disagree	5,6%	5,3%	5,5%	5,7%	7,7%	14,1%	18,5%	9,1%	6,0%	4,4%	3,4%	4,2%	5,6%	11,5%	15,9%	7,9%
Do not agree	7,7%	6,8%	7,1%	6,7%	8,9%	12,7%	29,8%	11,9%	4,8%	4,7%	4,6%	4,0%	5,9%	12,2%	30,2%	11,4%
DON'T KNOW	1,0%	0,5%	0,5%	0,4%	1,6%	2,0%	3,9%	1,4%	1,2%	1,1%	0,7%	1,2%	1,6%	1,9%	6,5%	2,4%
NO ANSWER	1,0%	0,3%	0,3%	0,6%	1,2%	1,3%	1,9%	0,9%	0,6%	0,5%	0,4%	0,7%	1,0%	1,5%	1,8%	1,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q6.3 Men have more sexual desires than women

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	28,2%	24,4%	21,4%	22,3%	20,0%	20,4%	23,2%	22,0%	25,3%	24,7%	24,6%	26,1%	27,0%	30,3%	36,3%	28,6%
Somewhat agree	27,7%	25,8%	26,2%	27,1%	31,2%	33,7%	36,5%	29,9%	27,1%	24,2%	25,1%	25,3%	32,8%	32,0%	32,6%	28,8%
Neither agree nor disagree	15,9%	13,7%	13,3%	11,8%	12,6%	15,7%	12,8%	13,2%	10,8%	10,1%	9,3%	10,1%	11,3%	11,0%	9,0%	10,0%
Somewhat disagree	6,7%	13,7%	14,7%	15,2%	14,3%	12,9%	8,9%	13,2%	10,8%	15,5%	17,0%	14,5%	9,9%	10,2%	4,8%	11,5%
Do not agree	12,8%	18,1%	19,0%	17,8%	15,3%	10,4%	8,2%	15,0%	9,0%	21,2%	21,2%	20,4%	14,5%	9,7%	4,7%	14,6%
DON'T KNOW	7,7%	4,1%	5,0%	4,9%	5,4%	5,8%	9,5%	5,9%	15,7%	3,8%	2,6%	2,8%	3,7%	6,1%	10,4%	5,4%
NO ANSWER	1,0%	0,3%	0,5%	0,9%	1,1%	1,2%	0,8%	0,8%	1,2%	0,5%	0,4%	0,8%	0,9%	0,9%	2,3%	1,1%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q6.4 Over a lifetime, a person can vary his or her sexual option and have sex with men or with women.

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	19,0%	21,2%	20,6%	21,9%	18,6%	12,8%	5,9%	17,1%	23,5%	27,3%	25,4%	25,7%	18,0%	14,7%	5,0%	18,6%
Somewhat agree	36,9%	34,8%	38,8%	36,9%	30,0%	28,6%	21,3%	32,3%	38,6%	35,3%	36,9%	37,8%	36,7%	28,5%	18,1%	31,7%
Neither agree nor disagree	8,2%	12,3%	9,2%	10,1%	11,1%	10,9%	9,7%	10,3%	9,0%	9,6%	8,0%	8,9%	10,4%	9,7%	6,4%	8,6%
Somewhat disagree	14,9%	11,1%	12,3%	12,4%	15,1%	16,6%	17,3%	14,1%	9,6%	10,8%	12,5%	11,5%	12,2%	14,9%	15,4%	13,0%
Do not agree	14,4%	13,8%	13,3%	12,6%	15,6%	20,4%	32,0%	17,7%	9,6%	10,6%	11,7%	10,3%	12,1%	17,8%	32,1%	16,7%
DON'T KNOW	6,2%	6,3%	5,4%	5,3%	8,6%	9,5%	13,0%	7,8%	9,0%	5,7%	5,0%	4,9%	9,3%	12,8%	21,2%	10,4%
NO ANSWER	0,5%	0,5%	0,3%	0,8%	1,0%	1,3%	0,8%	0,8%	0,6%	0,7%	0,5%	0,7%	1,3%	1,7%	1,8%	1,1%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q6.5 In reality, homosexuality is a disease and it should be treated as such.

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	8,2%	5,3%	5,5%	4,4%	4,0%	6,9%	12,1%	6,4%	3,6%	2,6%	3,5%	2,9%	4,5%	5,3%	9,2%	5,0%
Somewhat agree	5,6%	8,0%	7,5%	6,9%	11,0%	14,1%	22,8%	11,4%	5,4%	3,8%	5,0%	6,0%	7,3%	11,6%	17,7%	9,1%
Neither agree nor disagree	4,6%	4,3%	3,7%	4,4%	7,2%	8,7%	8,3%	5,9%	1,2%	2,9%	2,7%	2,6%	4,1%	7,6%	9,0%	4,9%
Somewhat disagree	12,8%	11,9%	14,2%	13,8%	14,4%	16,6%	16,1%	14,5%	15,1%	10,0%	10,9%	12,1%	14,8%	16,1%	14,9%	13,3%
Do not agree	64,1%	67,1%	65,2%	66,3%	57,7%	44,7%	28,0%	55,5%	70,5%	78,3%	75,5%	72,7%	63,7%	47,6%	31,9%	60,0%
DON'T KNOW	3,1%	2,9%	3,7%	3,4%	4,4%	7,7%	10,9%	5,4%	3,6%	1,8%	1,9%	3,1%	4,5%	10,2%	15,9%	6,7%
NO ANSWER	1,5%	0,5%	0,1%	0,8%	1,4%	1,3%	1,8%	1,0%	0,6%	0,7%	0,5%	0,6%	1,1%	1,7%	1,4%	1,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q6.6 Sexual relations between two men is a choice as respectable as the relations between a man and a woman.

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	36,4%	44,4%	46,5%	45,8%	40,0%	27,9%	13,6%	36,9%	43,4%	55,7%	52,7%	54,9%	41,2%	36,2%	14,4%	40,8%
Somewhat agree	36,4%	33,6%	34,8%	34,3%	33,1%	31,5%	23,7%	32,1%	42,2%	31,0%	34,8%	31,3%	38,8%	30,2%	23,9%	31,6%
Neither agree nor disagree	5,1%	5,6%	4,0%	4,1%	5,7%	8,6%	8,0%	5,7%	3,6%	2,5%	2,5%	3,2%	5,6%	7,9%	9,3%	5,3%
Somewhat disagree	7,7%	5,6%	4,6%	5,5%	7,5%	12,3%	16,7%	8,5%	6,0%	4,2%	3,5%	4,0%	5,6%	9,8%	14,9%	7,4%
Do not agree	11,8%	9,2%	9,2%	8,6%	10,1%	15,6%	31,3%	13,9%	3,0%	4,7%	5,0%	4,6%	6,5%	11,7%	28,7%	11,2%
DON'T KNOW	1,5%	0,7%	0,3%	0,5%	1,5%	2,6%	4,7%	1,6%	1,2%	1,1%	1,1%	1,4%	1,5%	2,7%	7,2%	2,8%
NO ANSWER	1,0%	0,9%	0,5%	1,2%	2,1%	1,5%	2,1%	1,3%	0,6%	0,7%	0,5%	0,7%	0,9%	1,5%	1,5%	1,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q6.7 Sexuality is necessary for personal balance.

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	34,9%	46,8%	49,2%	52,2%	51,6%	43,3%	33,3%	46,1%	25,9%	40,2%	43,8%	49,9%	42,8%	33,0%	20,3%	37,4%
Somewhat agree	41,0%	36,9%	42,2%	36,9%	38,3%	44,4%	47,9%	41,2%	44,0%	37,9%	43,3%	38,5%	41,3%	38,8%	41,3%	40,6%
Neither agree nor disagree	8,2%	6,3%	4,0%	5,3%	4,4%	5,0%	8,9%	5,7%	8,4%	7,7%	5,4%	5,4%	7,8%	11,1%	12,8%	8,4%
Somewhat disagree	7,2%	5,6%	2,2%	2,2%	1,9%	3,5%	3,3%	3,0%	10,8%	6,4%	4,1%	2,7%	3,7%	8,5%	8,1%	5,6%
Do not agree	3,1%	2,4%	1,7%	1,4%	1,2%	1,8%	2,3%	1,8%	2,4%	3,8%	2,2%	1,6%	2,6%	3,0%	5,3%	3,1%
DON'T KNOW	4,6%	1,0%	0,5%	0,6%	0,9%	0,8%	3,1%	1,2%	7,8%	3,1%	0,5%	0,9%	0,7%	3,7%	9,9%	3,5%
NO ANSWER	1,0%	1,0%	0,1%	1,4%	1,7%	1,3%	1,1%	1,1%	0,6%	1,0%	0,7%	0,8%	1,1%	1,9%	2,3%	1,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q7. Which of the following statements come closer to your own sexual experiences?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
It is a means to seek pleasure and satisfy desire	32,8%	24,1%	14,6%	16,5%	14,6%	13,8%	14,1%	16,3%	13,9%	11,9%	9,7%	8,2%	5,9%	7,3%	4,2%	7,6%
It is mainly a means to have children	5,1%	4,9%	3,2%	4,4%	3,3%	8,3%	17,3%	6,7%	4,8%	3,8%	3,0%	3,9%	5,0%	10,6%	24,5%	9,3%
It is a means to seek communication, pleasure, tenderness	57,9%	69,1%	79,3%	77,0%	79,4%	74,9%	62,4%	73,8%	73,5%	81,9%	85,5%	85,8%	87,6%	77,2%	63,1%	79,2%
DON'T KNOW	3,6%	1,4%	1,2%	1,1%	1,2%	1,4%	4,0%	1,8%	6,0%	1,6%	0,7%	0,4%	0,9%	2,3%	5,5%	2,2%
NO ANSWER	0,5%	0,5%	1,7%	1,1%	1,5%	1,5%	2,2%	1,4%	1,8%	0,8%	1,1%	1,8%	0,7%	2,6%	2,7%	1,7%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 7: Opinions of the respondents about sexual experiences according to sex




Graph 8: Opinions of the respondents about sexual experiences according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 9: Opinion of respondents to the sexual experiences by sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q8. Nowadays, sexuality plays a very important, quite important, somewhat important, or is not an important part of your life?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very important	10,3%	21,0%	28,1%	24,5%	22,7%	13,6%	9,5%	20,3%	5,4%	17,8%	22,5%	20,6%	13,3%	6,8%	3,2%	13,6%
Quite important	55,9%	62,1%	61,0%	63,6%	64,4%	59,0%	33,6%	57,1%	36,1%	60,5%	63,7%	63,1%	55,9%	35,8%	18,2%	47,7%
Somewhat important	25,1%	14,2%	8,3%	8,6%	9,6%	21,1%	27,4%	14,5%	37,3%	14,4%	10,7%	12,3%	20,2%	31,6%	25,4%	19,4%
Not important	6,7%	1,7%	1,7%	1,4%	1,9%	4,9%	27,4%	6,6%	18,1%	4,9%	2,3%	2,2%	8,0%	22,3%	51,0%	17,2%
DON'T KNOW	1,0%	0,3%	0,2%	0,4%	0,2%	0,5%	0,6%	0,4%	1,8%	1,1%	0,2%	0,4%	0,5%	0,9%	0,4%	0,5%
NO ANSWER	1,0%	0,7%	0,6%	1,5%	1,1%	0,9%	1,4%	1,1%	1,2%	1,3%	0,6%	1,4%	2,1%	2,6%	1,9%	1,6%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 10: Opinion of the respondent about the place sexuality plays in their life, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 11: Opinion of the respondent about the place sexuality plays in their life, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q9. At any moment in your life have you ever felt discriminated against, have not been allowed to do something? Have you been bothered or made to feel inferior because of any of the following reasons? (Choose all that apply.)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Because of your sex	1,5%	0,9%	1,4%	1,2%	1,4%	0,6%	0,6%	1,1%	3,0%	6,7%	11,2%	12,5%	12,2%	8,5%	6,8%	9,6%
Because of your ethnicity or your country of origin	3,1%	4,3%	5,7%	4,9%	4,6%	1,7%	0,6%	3,8%	4,2%	5,9%	6,7%	5,1%	3,7%	1,2%	0,2%	3,6%
Because of your education or social class	3,1%	3,9%	4,4%	4,2%	5,7%	3,7%	3,5%	4,2%	2,4%	4,6%	4,0%	4,8%	5,7%	5,4%	3,7%	4,5%
Because of your sexual option or orientation	0,5%	1,9%	1,3%	1,2%	1,2%	0,4%	0,4%	1,0%	0,6%	0,7%	1,3%	0,5%	0,6%	0,4%	0,2%	0,6%
Suffering from a disability	0,5%	0,2%	0,1%	0,5%	1,5%	1,3%	0,6%	0,7%	0,6%	0,2%	0,6%	0,6%	1,2%	0,4%	0,2%	0,5%
Suffering from a chronic illness	0,0%	0,0%	0,6%	0,8%	0,7%	0,8%	0,5%	0,6%	0,0%	0,5%	0,7%	0,8%	0,9%	0,6%	0,6%	0,7%
Because of your physical appearance	5,1%	5,8%	5,5%	4,5%	4,1%	1,4%	0,5%	3,7%	5,4%	7,8%	9,4%	5,5%	3,7%	0,9%	0,6%	4,5%
For other reasons	0,5%	2,0%	2,5%	1,2%	3,1%	1,5%	2,4%	2,1%	2,4%	2,1%	2,6%	2,9%	2,1%	2,8%	2,8%	2,6%
None	86,2%	82,8%	81,3%	82,6%	81,2%	89,6%	91,3%	84,6%	82,5%	76,6%	70,6%	72,4%	75,0%	80,8%	84,6%	76,9%
NO ANSWER	1,0%	0,5%	0,7%	1,1%	0,9%	0,6%	0,8%	0,8%	1,2%	0,8%	0,7%	0,5%	0,9%	1,4%	1,5%	1,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

The questions below, ranging from **Q10 to Q22f**, are part of the self-administered Booklet 1 (CA1) that respondents filled out individually. However, not everybody completed the booklet by themselves, almost half of them were self-administered and a similar percentage were done by the interviewer⁹.

The series of questions in this booklet deal with the practices, feelings and contraceptive methods used during the first sexual relationship, sexual experiences throughout life and the satisfaction in them.

The results shown in the tables and graphs do not collect all the information of those surveyed but only those who have responded to these questions.

It also reminds the person administering the questionnaire, to explain what is meant by sexual relations in the investigation, namely:

“the sex of acts performed by two or more people for the purpose getting sexual pleasure, which does not have to include coitus or conclude with an orgasm”.

⁹For more detailed information see section 6.2.2 Mixed mode of administration in the methodological report of the CIS.: http://www.cis.es/cis/opencms/-Archivos/Marginales/2780_2799/2780/informe_metodologico.pdf

Q10. Among the following practices below, could you tell me which ones took place during your first sexual relationship?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Kisses and caresses	71,8%	91,6%	91,0%	90,5%	87,2%	86,6%	81,5%	87,5%	59,6%	91,2%	94,0%	94,1%	91,1%	89,3%	81,6%	89,1%
Masturbation in the presence of another person or other people	4,1%	3,9%	4,6%	5,7%	3,3%	2,9%	1,6%	3,8%	3,0%	1,6%	2,1%	1,8%	1,3%	0,9%	0,5%	1,4%
Mutual masturbation	28,7%	34,6%	34,3%	33,2%	28,9%	19,0%	10,1%	27,0%	10,8%	27,3%	25,5%	23,5%	17,9%	11,1%	4,8%	17,3%
Someone performed oral sex on you	12,3%	24,7%	19,9%	15,5%	11,2%	7,2%	3,3%	13,4%	4,2%	9,3%	10,9%	7,5%	4,6%	3,1%	0,8%	5,8%
You performed oral sex on another person	7,2%	20,1%	14,7%	11,5%	7,4%	4,4%	1,7%	9,7%	3,6%	7,7%	8,0%	7,3%	4,5%	1,9%	1,2%	4,9%
Someone performed anal sex on you	1,5%	1,7%	1,5%	0,8%	0,2%	0,3%	0,5%	0,9%	0,6%	1,0%	0,7%	1,2%	1,5%	1,2%	0,4%	0,9%
You performed anal sex on another person	1,0%	3,4%	3,4%	2,7%	2,3%	0,6%	1,2%	2,3%	0,0%	0,5%	0,9%	0,7%	0,0%	0,3%	0,2%	0,4%
Someone performed vaginal sex on you	0,0%	0,0%	0,1%	0,0%	0,1%	0,1%	0,2%	0,1%	22,9%	55,1%	55,0%	48,2%	48,4%	46,4%	46,2%	48,9%
You performed vaginal sex on another person	36,9%	53,9%	53,5%	48,3%	45,9%	47,2%	49,5%	49,3%	0,0%	0,0%	0,5%	0,0%	0,0%	0,1%	0,2%	0,2%
Group sex	0,5%	1,2%	0,6%	1,2%	0,4%	0,8%	0,2%	0,7%	0,6%	0,0%	0,0%	0,0%	0,1%	0,1%	0,0%	0,1%
Cybersex	0,5%	2,0%	0,7%	0,2%	0,2%	0,1%	0,0%	0,5%	1,2%	0,3%	0,2%	0,1%	0,0%	0,1%	0,0%	0,1%
Sadomasochistic acts	0,0%	0,3%	0,5%	0,1%	0,2%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%
Other answers	0,0%	0,5%	0,2%	0,1%	0,5%	0,4%	0,4%	0,3%	1,2%	0,2%	0,2%	0,4%	0,0%	0,3%	0,1%	0,2%
Have not had any kind of sexual relations	24,1%	4,4%	1,6%	2,6%	3,5%	4,5%	5,7%	4,2%	38,6%	6,5%	2,1%	2,8%	4,0%	6,3%	9,3%	6,0%
NO ANSWER	0,0%	0,2%	0,6%	0,5%	1,5%	1,7%	3,1%	1,2%	0,0%	0,5%	0,4%	0,0%	1,3%	1,5%	5,0%	1,6%
Total (N)	156	468	1030	975	775	603	821	4828	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q.10a What is the main reason that you have not had sexual relations?¹⁰

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Have chosen abstinence for religious reasons, ideological, etc...	0,0%	15,4%	7,1%	0,0%	0,0%	8,6%	4,3%	4,3%	3,1%	17,5%	16,7%	0,0%	3,0%	2,0%	6,3%	6,2%
Have not wanted to	12,8%	11,5%	0,0%	0,0%	0,0%	0,0%	0,0%	3,6%	35,9%	17,5%	0,0%	12,5%	3,0%	2,0%	7,5%	11,9%
Have not had the occasion or possibility	40,4%	23,1%	14,3%	0,0%	3,6%	5,7%	4,3%	13,4%	12,5%	10,0%	5,6%	0,0%	3,0%	0,0%	3,8%	5,0%
Have not found a sexual partner that I have liked	17,0%	19,2%	7,1%	4,5%	3,6%	0,0%	0,0%	6,8%	18,8%	17,5%	0,0%	8,3%	9,1%	6,1%	6,3%	9,5%
Because of fear	2,1%	3,8%	0,0%	0,0%	0,0%	0,0%	0,0%	0,8%	3,1%	5,0%	0,0%	0,0%	3,0%	2,0%	0,0%	1,6%
Due to a lack of confidence	2,1%	3,8%	0,0%	4,5%	0,0%	0,0%	0,0%	1,4%	4,7%	0,0%	0,0%	0,0%	0,0%	0,0%	1,3%	1,2%
Because of a chronic illness which prevents you from having them	0,0%	0,0%	0,0%	0,0%	3,6%	0,0%	0,0%	0,5%	0,0%	0,0%	0,0%	0,0%	3,0%	0,0%	0,0%	0,3%
Other answers	10,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	2,0%	9,4%	5,0%	5,6%	0,0%	0,0%	0,0%	3,8%	3,7%
NO ANSWER	14,9%	23,1%	71,4%	90,9%	89,3%	85,7%	91,5%	67,3%	12,5%	27,5%	72,2%	79,2%	75,8%	87,8%	71,3%	60,7%
Total (N)	37	20	16	25	26	27	46	197	48	30	20	26	31	39	104	298

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

¹⁰The data shown in the table are only those who have answered the previous question and have not had any type of sexual.

Q.11. Approximately how old were you when you had this first sexual relationship?

	Age Males							Age Females						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Average	15,84	16,88	17,01	17,30	17,93	19,12	17,33	16,34	18,04	18,26	18,93	20,54	22,34	19,23
Total (N)	552	986	909	698	542	706	4393	507	920	894	708	558	932	4520


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q12. The person you had your first sexual relationship with was...


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Your steady partner at the time	47,3%	45,2%	46,2%	46,9%	43,9%	45,8%	49,2%	46,3%	69,6%	78,8%	77,9%	83,4%	88,7%	92,7%	93,7%	85,9%
Sporadic or occasional partner	37,2%	39,5%	37,6%	37,6%	40,2%	34,0%	27,8%	36,1%	24,5%	16,8%	17,0%	13,9%	9,1%	4,8%	3,2%	10,8%
A person that you had just met	10,1%	11,3%	11,4%	8,1%	7,4%	5,5%	4,7%	8,2%	3,9%	1,6%	2,0%	1,2%	1,1%	0,8%	0,5%	1,2%
A person that you paid	0,0%	0,5%	1,4%	2,9%	4,5%	9,2%	13,3%	5,1%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%
Other answers	4,1%	2,5%	2,7%	3,7%	2,9%	4,2%	2,9%	3,2%	2,0%	2,3%	2,0%	1,0%	0,5%	1,2%	1,5%	1,4%
NO ANSWER	1,4%	1,1%	0,7%	0,7%	1,2%	1,2%	2,0%	1,1%	0,0%	0,5%	1,1%	0,4%	0,5%	0,4%	1,0%	0,7%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 12: Type of relationship that existed in their first sexual relation, according to sex




Graph 13: Type of relationship that existed in their first sexual relation, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 14: Type of relationship that existed in their first sexual relation, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q13. The person that you had your first sexual relationship with was...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Male	2,7%	3,2%	3,3%	2,3%	2,2%	1,5%	0,9%	2,3%	100,0%	99,0%	97,8%	99,2%	98,9%	99,2%	98,7%	98,7%
Female	95,9%	95,9%	96,2%	96,9%	96,7%	97,3%	98,6%	96,9%	0,0%	0,3%	1,4%	0,4%	1,0%	0,6%	0,8%	0,8%
Transsexual	0,0%	0,2%	0,1%	0,2%	0,1%	0,3%	0,1%	0,2%	0,0%	0,0%	0,1%	0,2%	0,0%	0,0%	0,0%	0,1%
Other answer	0,0%	0,2%	0,2%	0,0%	0,1%	0,4%	0,1%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%
NO ANSWER	1,4%	0,5%	0,1%	0,6%	0,9%	0,5%	0,3%	0,5%	0,0%	0,7%	0,6%	0,2%	0,1%	0,1%	0,5%	0,4%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q14. Do you remember if you or your partner used any form of protection to avoid pregnancy during that first sexual experience?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, I used it	56,1%	60,9%	51,5%	36,5%	26,2%	13,0%	10,0%	33,6%	3,9%	5,8%	8,7%	8,2%	8,3%	4,1%	1,4%	6,1%
Yes, my partner used it	0,7%	2,1%	1,5%	2,2%	1,8%	1,5%	0,8%	1,6%	43,1%	57,0%	45,8%	35,2%	20,6%	10,2%	4,5%	27,4%
Yes, we both used them	3,4%	3,6%	3,3%	1,9%	2,0%	1,1%	1,4%	2,2%	2,9%	6,6%	6,0%	4,0%	3,0%	3,2%	0,8%	3,7%
We did not use any protection	10,1%	13,0%	22,8%	35,2%	44,1%	55,6%	64,0%	38,5%	12,7%	11,5%	16,9%	27,1%	42,7%	55,0%	66,3%	37,8%
It was not necessary for the type of act	28,4%	18,9%	20,6%	23,2%	24,2%	26,7%	22,2%	22,8%	35,3%	17,7%	21,4%	24,7%	23,3%	26,0%	24,8%	23,5%
DON'T KNOW	0,0%	0,2%	0,1%	0,5%	0,9%	0,9%	0,6%	0,5%	1,0%	0,3%	0,1%	0,2%	0,8%	0,8%	1,0%	0,6%
NO ANSWER	1,4%	1,3%	0,2%	0,5%	0,8%	1,2%	1,0%	0,8%	1,0%	1,0%	1,1%	0,6%	1,4%	0,7%	1,2%	1,0%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 15: Use of contraception / pregnancy prevention methods during their first sexual relation, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 16: Use of contraception / pregnancy prevention methods during their first sexual relation, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q14a. What or which ones? ¹¹ (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
The Pill	2,2%	3,2%	5,6%	5,7%	7,7%	11,2%	7,4%	5,7%	5,9%	12,6%	14,4%	18,9%	24,3%	21,3%	7,7%	16,5%
Male condom	100,0%	93,8%	96,0%	91,7%	86,8%	69,8%	66,3%	90,7%	96,1%	94,5%	89,7%	81,1%	66,1%	53,5%	34,6%	81,1%
Female condom	1,1%	0,8%	0,2%	0,9%	1,7%	0,0%	2,1%	0,8%	2,0%	1,0%	1,0%	0,8%	0,0%	3,9%	1,9%	1,0%
The morning after pill	1,1%	1,3%	0,6%	0,3%	0,0%	0,0%	0,0%	0,5%	0,0%	1,3%	0,4%	0,3%	0,0%	0,0%	0,0%	0,4%
Early withdrawal (coitus interruptus)	0,0%	2,4%	2,3%	5,7%	11,5%	25,9%	32,6%	7,0%	2,0%	2,3%	3,2%	7,4%	15,9%	27,6%	51,9%	9,1%
Vasectomy	0,0%	0,0%	0,2%	0,0%	1,7%	0,0%	1,1%	0,3%	0,0%	0,0%	0,0%	0,0%	1,2%	0,0%	0,0%	0,2%
Tubal ligation	0,0%	0,0%	0,2%	0,3%	0,4%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,8%	1,6%	0,0%	0,2%
Other methods (spermicidal creams, diaphragm, IUD, etc...)	0,0%	0,3%	0,2%	0,6%	0,9%	0,0%	0,0%	0,4%	0,0%	0,8%	0,4%	0,8%	3,2%	5,5%	3,8%	1,4%
NO ANSWER	0,0%	2,1%	0,8%	0,6%	1,3%	0,9%	2,1%	1,1%	0,0%	0,3%	0,8%	2,0%	0,4%	3,1%	1,9%	1,1%
Total (N)	71	298	571	386	224	89	94	1733	39	303	571	429	237	103	67	1749

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


¹¹ The data presented in the table responds only to those who have had sexual relations and used a contraceptive method to prevent pregnancy

Q15. Did you or your partner use any protection to prevent the possible spread of sexually transmitted infections, HIV/AIDS, or hepatitis?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, I used it	54,7%	59,3%	49,7%	34,2%	24,2%	10,1%	6,9%	31,4%	2,9%	3,0%	4,3%	3,3%	2,7%	1,0%	0,1%	2,4%
Yes, my partner used it	0,7%	1,3%	1,3%	0,7%	0,6%	0,3%	0,4%	0,8%	44,1%	59,1%	47,7%	33,1%	17,0%	6,7%	1,4%	26,0%
Yes, we both used them	2,7%	3,6%	2,8%	1,6%	1,7%	0,4%	0,4%	1,7%	2,0%	4,7%	3,8%	3,3%	1,3%	0,8%	0,4%	2,3%
We did not use any protection	14,2%	16,4%	26,1%	40,9%	48,5%	63,4%	68,8%	43,3%	13,7%	15,9%	22,8%	34,7%	53,9%	64,5%	73,6%	45,4%
It was not necessary for the type of act	25,7%	18,2%	19,2%	21,0%	22,6%	22,7%	20,7%	20,9%	35,3%	16,3%	20,0%	24,1%	21,9%	24,3%	21,9%	21,9%
DON'T KNOW	1,4%	0,2%	0,4%	0,6%	1,5%	1,1%	0,4%	0,7%	0,0%	0,5%	0,1%	0,4%	1,1%	0,7%	0,6%	0,5%
NO ANSWER	0,7%	1,1%	0,6%	1,0%	0,9%	2,1%	2,4%	1,3%	2,0%	0,5%	1,2%	1,2%	2,2%	1,9%	1,9%	1,6%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 17: Use of methods in the prevention of STI's, HIV/AIDS, or hepatitis, during their first sexual relation, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 18: Use of methods in the prevention of STI's, HIV/AIDS, or hepatitis, during their first sexual relation, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

P15a. What or which ones? ¹²(Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Male condom	97,7%	98,3%	97,6%	97,4%	97,6%	96,3%	95,0%	97,5%	98,0%	98,2%	97,2%	97,0%	95,8%	90,3%	73,3%	96,6%
Female condom	1,2%	1,1%	0,9%	1,3%	1,4%	3,8%	3,3%	1,3%	2,0%	2,6%	1,7%	1,5%	1,8%	3,2%	6,7%	2,0%
Latex quadrant	0,0%	0,3%	0,0%	0,0%	0,5%	0,0%	0,0%	0,1%	0,0%	0,3%	0,4%	0,3%	0,0%	1,6%	0,0%	0,3%
Others	0,0%	0,3%	0,9%	0,3%	1,9%	0,0%	1,7%	0,7%	0,0%	0,5%	0,9%	1,2%	3,6%	1,6%	0,0%	1,2%
NO ANSWER	2,3%	0,8%	1,7%	1,7%	1,0%	1,3%	0,0%	1,4%	2,0%	0,8%	0,6%	0,9%	0,0%	3,2%	20,0%	1,1%
Total (N)	68	287	546	346	198	61	59	1565	38	292	527	359	155	50	19	1440

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

¹² The data presented in the table responds only to those who have had sexual relations and used a method of preventing STD's, HIV / AIDS, and/ or hepatitis

Q16. Which of the following reasons best describe what led you to have this first sexual relationship? (Choose a maximum of two.)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
I was curious about what it would be like	29,7%	34,1%	31,6%	30,2%	27,0%	28,4%	28,8%	29,9%	23,5%	22,6%	22,5%	18,3%	12,5%	13,9%	8,8%	16,1%
I got carried away by the emotion of the moment	48,6%	38,6%	36,3%	35,2%	31,2%	28,6%	21,5%	32,3%	44,1%	37,1%	33,3%	31,4%	25,8%	19,8%	13,3%	26,3%
It seemed liked a lot of people my age were doing it	6,8%	4,6%	4,3%	6,0%	6,4%	5,9%	8,8%	6,1%	3,9%	3,0%	3,9%	2,8%	1,8%	1,5%	0,9%	2,3%
I felt forced to have this sexual relationship	0,7%	1,1%	1,2%	0,7%	0,9%	1,6%	1,3%	1,1%	2,0%	1,6%	2,0%	1,2%	1,4%	1,5%	1,5%	1,6%
I was in love	28,4%	20,4%	25,6%	26,4%	29,2%	32,6%	36,0%	28,5%	48,0%	53,3%	55,7%	58,9%	64,9%	71,9%	71,4%	62,9%
I wanted to please my partner	8,1%	7,1%	4,8%	4,5%	6,5%	5,4%	5,0%	5,4%	4,9%	6,1%	6,8%	6,8%	10,9%	13,5%	13,3%	9,6%
It was a logical way to continue the relationship	4,7%	5,5%	8,2%	8,5%	8,3%	7,9%	6,8%	7,7%	0,0%	7,5%	9,1%	11,9%	12,7%	12,7%	13,9%	11,4%
I had been drinking or taking drugs	0,7%	1,8%	1,9%	0,6%	0,8%	0,5%	0,3%	1,0%	2,0%	1,4%	1,0%	0,4%	0,8%	0,1%	0,0%	0,6%
I wanted to lose my virginity	6,1%	10,9%	7,4%	5,2%	5,2%	5,1%	6,3%	6,4%	1,0%	3,8%	1,7%	1,9%	0,9%	0,7%	1,2%	1,6%
Sexual desires	19,6%	31,3%	32,2%	33,1%	31,8%	31,5%	25,6%	30,7%	12,7%	17,5%	16,3%	15,5%	11,8%	8,7%	3,3%	11,7%
Other answers	0,7%	0,5%	0,6%	1,0%	0,8%	1,7%	2,8%	1,2%	0,0%	0,3%	0,6%	1,0%	2,7%	4,4%	9,7%	3,4%
None of the above	0,0%	0,2%	0,0%	0,1%	0,3%	0,3%	0,1%	0,1%	0,0%	0,0%	0,1%	0,1%	0,0%	0,0%	0,3%	0,1%
NO ANSWER	2,7%	2,0%	1,1%	1,1%	2,4%	1,6%	4,1%	2,0%	1,0%	0,7%	1,1%	1,0%	2,3%	1,9%	3,3%	1,8%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q17a. Which, of the following two feelings that I am going to read, would best describe your mood after your first sexual relationship?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Satisfaction	85,8%	86,4%	85,5%	83,8%	84,9%	85,3%	86,4%	85,3%	64,7%	58,0%	57,3%	62,8%	64,0%	64,8%	62,4%	61,6%
Dissatisfaction	2,7%	6,3%	6,0%	5,2%	5,6%	5,2%	4,0%	5,3%	7,8%	21,5%	22,0%	18,4%	14,9%	16,2%	12,4%	17,1%
Neither (do not read)	10,1%	6,1%	7,6%	9,4%	7,4%	7,4%	5,8%	7,5%	23,5%	18,9%	19,0%	16,6%	17,9%	15,7%	16,6%	17,5%
NO ANSWER	1,4%	1,3%	0,8%	1,6%	2,0%	2,1%	3,8%	1,9%	3,9%	1,6%	1,7%	2,3%	3,2%	3,3%	8,6%	3,8%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Pain	4,7%	2,5%	3,6%	3,3%	1,9%	2,8%	2,6%	2,9%	31,4%	39,3%	36,5%	32,6%	27,3%	32,0%	33,6%	33,3%
Pleasure	83,1%	85,4%	86,0%	83,1%	83,6%	84,2%	82,5%	84,1%	41,2%	37,8%	39,7%	45,5%	48,4%	43,1%	40,9%	42,7%
Neither (do not read)	10,1%	10,5%	8,8%	12,0%	10,5%	9,7%	10,2%	10,3%	22,5%	21,0%	21,3%	19,2%	20,3%	19,9%	16,2%	19,5%
NO ANSWER	2,0%	1,6%	1,5%	1,7%	4,0%	3,4%	4,7%	2,7%	4,9%	1,9%	2,5%	2,7%	3,9%	5,0%	9,3%	4,5%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Well-being	81,1%	83,6%	80,3%	82,1%	78,1%	79,2%	75,5%	79,7%	60,8%	63,3%	60,0%	60,9%	59,3%	64,4%	65,5%	62,1%
Guilt	4,1%	4,8%	5,4%	5,2%	5,1%	5,6%	5,4%	5,2%	11,8%	8,6%	16,0%	15,6%	14,5%	10,5%	8,6%	12,6%
Neither (do not read)	13,5%	9,1%	12,8%	10,8%	12,3%	11,5%	13,2%	11,9%	20,6%	26,2%	21,5%	20,8%	22,4%	20,4%	17,0%	20,8%
NO ANSWER	1,4%	2,5%	1,5%	1,9%	4,5%	3,6%	5,9%	3,2%	6,9%	1,9%	2,4%	2,7%	3,8%	4,8%	8,9%	4,4%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Fear	13,5%	18,9%	18,1%	15,4%	15,0%	16,6%	11,0%	15,6%	32,4%	29,2%	33,3%	34,2%	30,0%	29,0%	26,4%	30,5%
Tranquility	66,9%	62,7%	60,3%	65,2%	63,8%	64,2%	65,7%	63,6%	40,2%	46,0%	42,0%	40,9%	43,7%	50,1%	51,4%	45,4%
Neither (do not read)	18,2%	15,9%	20,1%	17,7%	16,8%	15,3%	16,1%	17,3%	22,5%	22,6%	22,1%	21,5%	22,1%	16,2%	13,3%	19,4%
NO ANSWER	1,4%	2,5%	1,5%	1,8%	4,5%	3,9%	7,2%	3,4%	4,9%	2,3%	2,6%	3,4%	4,2%	4,7%	9,0%	4,7%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Joy	83,1%	84,6%	82,8%	82,5%	79,7%	80,2%	79,3%	81,5%	71,6%	66,6%	62,1%	63,2%	61,5%	69,2%	67,3%	64,8%
Sadness	0,0%	2,0%	2,6%	1,8%	2,6%	2,4%	1,8%	2,1%	4,9%	7,5%	10,4%	10,8%	7,2%	8,4%	5,3%	8,3%
Neither (do not read)	15,5%	11,1%	12,6%	13,4%	13,0%	13,4%	12,5%	12,9%	18,6%	23,6%	24,5%	22,9%	26,2%	17,2%	18,1%	22,0%
NO ANSWER	1,4%	2,3%	2,0%	2,3%	4,7%	4,0%	6,4%	3,5%	4,9%	2,3%	3,0%	3,1%	5,1%	5,2%	9,3%	4,9%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Distrust	8,8%	8,6%	9,2%	8,7%	9,7%	8,3%	9,0%	9,0%	10,8%	12,1%	17,5%	14,6%	13,3%	13,3%	8,6%	13,2%
Trust	70,9%	71,6%	68,7%	69,3%	68,9%	68,4%	65,6%	68,6%	58,8%	66,8%	57,2%	59,7%	59,7%	67,7%	69,4%	62,9%
Neither (do not read)	18,2%	17,5%	20,6%	19,6%	16,5%	18,9%	18,2%	18,7%	24,5%	19,4%	22,2%	22,6%	22,0%	14,0%	13,5%	19,1%
NO ANSWER	2,0%	2,3%	1,5%	2,4%	4,9%	4,4%	7,3%	3,7%	5,9%	1,7%	3,1%	3,0%	5,0%	5,0%	8,5%	4,7%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q18. Thinking now about the sexual relationships throughout your life; they have been....

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Only with women	95,9%	94,3%	94,1%	93,2%	93,7%	96,4%	96,8%	94,7%	0,0%	0,2%	1,0%	0,1%	0,3%	0,3%	0,4%	0,4%
More often with women	0,7%	0,5%	1,2%	2,7%	1,9%	1,3%	0,6%	1,5%	0,0%	0,3%	0,4%	0,5%	0,1%	0,0%	0,1%	0,2%
The same with men as with women	0,0%	0,0%	0,8%	0,6%	0,4%	0,1%	0,0%	0,4%	0,0%	0,9%	0,8%	0,2%	0,1%	0,0%	0,0%	0,3%
More often with men	0,0%	1,4%	1,1%	1,0%	0,9%	0,0%	0,1%	0,7%	1,0%	2,8%	3,6%	1,9%	2,9%	2,6%	1,0%	2,4%
Only with men	2,0%	1,8%	1,4%	1,2%	1,2%	0,8%	0,6%	1,2%	98,0%	95,3%	93,3%	95,6%	93,8%	95,5%	96,3%	95,0%
NO ANSWER	1,4%	2,0%	1,4%	1,3%	1,9%	1,3%	1,8%	1,6%	1,0%	0,5%	1,0%	1,6%	2,8%	1,7%	2,2%	1,7%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19. How would you measure the satisfaction produced in your sexual life (or produced when you had sexual relations) by each of the following acts?

Q19.1. Watching shows, movies; reading magazines and books with erotic or pornographic content

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	10,1%	11,3%	11,3%	11,1%	10,0%	7,4%	4,2%	9,3%	1,0%	2,4%	4,2%	5,0%	3,4%	1,2%	0,6%	2,9%
Quite a bit of satisfaction	31,8%	34,6%	36,7%	38,3%	31,5%	29,0%	18,6%	31,9%	8,8%	13,3%	19,7%	17,2%	14,0%	9,9%	3,0%	12,7%
A little bit of satisfaction	34,5%	30,7%	28,1%	28,2%	29,2%	21,7%	13,4%	25,5%	15,7%	23,4%	26,2%	25,4%	18,6%	9,6%	5,0%	17,8%
No satisfaction	4,7%	9,5%	6,7%	6,7%	8,4%	8,7%	10,2%	8,0%	15,7%	17,5%	14,4%	14,6%	16,1%	17,5%	14,2%	15,4%
Not applicable (not done)	17,6%	10,7%	14,2%	12,7%	14,7%	26,3%	46,0%	20,5%	56,9%	40,2%	30,7%	32,4%	41,0%	55,2%	70,1%	45,5%
DON'T KNOW	0,0%	0,0%	0,1%	0,1%	0,0%	0,1%	0,3%	0,1%	0,0%	0,0%	0,2%	0,4%	0,3%	0,1%	1,3%	0,5%
NO ANSWER	1,4%	3,2%	2,9%	2,9%	6,3%	6,8%	7,3%	4,7%	2,0%	3,1%	4,5%	5,1%	6,6%	6,5%	5,8%	5,3%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19.2. Undressing your partner

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	34,5%	46,8%	48,4%	42,9%	35,7%	30,6%	19,7%	37,7%	14,7%	26,2%	27,6%	23,1%	13,7%	8,9%	3,3%	16,7%
Quite a bit of satisfaction	36,5%	40,9%	43,6%	45,5%	49,6%	44,5%	38,9%	43,8%	38,2%	52,4%	50,4%	48,9%	44,5%	29,6%	21,9%	40,4%
A little bit of satisfaction	8,8%	5,7%	3,3%	5,3%	5,4%	7,8%	7,4%	5,7%	18,6%	11,7%	11,4%	14,0%	14,7%	15,7%	13,6%	13,6%
No satisfaction	2,7%	1,4%	1,2%	1,5%	1,5%	2,4%	5,8%	2,3%	1,0%	1,7%	2,4%	2,7%	5,5%	10,5%	10,4%	5,6%
Not applicable (not done)	14,2%	2,5%	1,3%	2,5%	2,8%	8,6%	20,4%	6,3%	25,5%	4,5%	3,5%	6,7%	13,3%	26,4%	39,5%	16,7%
DON'T KNOW	0,7%	0,0%	0,0%	0,1%	0,3%	0,0%	1,0%	0,3%	0,0%	0,0%	0,2%	0,0%	0,8%	0,8%	2,4%	0,8%
NO ANSWER	2,7%	2,7%	2,2%	2,2%	4,7%	6,2%	6,8%	3,9%	2,0%	3,3%	4,5%	4,7%	7,5%	8,1%	8,8%	6,2%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19.3. Your partner undressing you

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	33,8%	47,3%	47,0%	40,7%	32,0%	27,3%	16,9%	35,5%	19,6%	39,2%	39,4%	33,5%	22,0%	14,0%	4,9%	24,6%
Quite a bit of satisfaction	35,8%	37,9%	40,9%	41,1%	48,1%	40,5%	35,7%	40,8%	40,2%	45,5%	45,6%	47,5%	45,2%	34,4%	28,6%	40,7%
A little bit of satisfaction	12,2%	7,1%	5,9%	9,6%	7,3%	10,3%	9,3%	8,3%	13,7%	8,4%	7,2%	8,5%	10,5%	12,7%	10,7%	9,6%
No satisfaction	0,7%	2,0%	1,9%	2,3%	2,8%	3,2%	5,5%	2,9%	2,0%	0,9%	1,1%	2,2%	4,6%	9,5%	9,8%	4,8%
Not applicable (not done)	14,2%	2,7%	1,8%	3,6%	3,7%	11,0%	23,7%	7,7%	22,5%	2,8%	2,8%	4,2%	10,7%	22,1%	35,5%	14,1%
DON'T KNOW	0,7%	0,0%	0,0%	0,0%	0,3%	0,0%	1,2%	0,3%	0,0%	0,0%	0,1%	0,0%	0,6%	0,7%	2,2%	0,7%
NO ANSWER	2,7%	3,0%	2,6%	2,7%	5,9%	7,6%	7,7%	4,7%	2,0%	3,3%	3,9%	4,1%	6,4%	6,6%	8,4%	5,6%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19.4. Caressing your partner's genitals with hands, mouth, tongue

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	34,5%	52,3%	53,9%	50,9%	43,4%	38,3%	23,4%	43,9%	11,8%	29,0%	35,5%	32,3%	21,7%	12,2%	5,5%	22,4%
Quite a bit of satisfaction	32,4%	31,4%	35,8%	38,7%	41,2%	41,2%	38,4%	37,9%	29,4%	45,3%	42,2%	45,5%	42,7%	37,8%	26,0%	39,0%
A little bit of satisfaction	10,8%	8,0%	4,8%	3,1%	3,8%	4,4%	5,0%	4,8%	18,6%	12,4%	10,9%	8,6%	12,5%	13,3%	11,1%	11,3%
No satisfaction	1,4%	1,6%	0,9%	1,5%	1,9%	1,5%	3,2%	1,7%	3,9%	4,0%	2,2%	3,3%	3,8%	7,0%	9,9%	5,1%
Not applicable (not done)	17,6%	3,6%	2,4%	2,5%	3,6%	6,8%	19,1%	6,5%	32,4%	6,1%	4,3%	5,1%	10,0%	18,4%	32,2%	13,8%
DON'T KNOW	0,7%	0,0%	0,0%	0,1%	0,4%	0,1%	0,5%	0,2%	0,0%	0,0%	0,1%	0,0%	0,6%	1,7%	2,4%	0,9%
NO ANSWER	2,7%	3,0%	2,1%	3,1%	5,8%	7,6%	10,4%	5,1%	3,9%	3,1%	4,8%	5,3%	8,6%	9,5%	12,9%	7,7%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19.5. Your partner caressing your genitals with hands, mouth, tongue

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	48,6%	60,4%	60,6%	57,1%	47,2%	40,9%	25,6%	49,1%	17,6%	42,5%	44,7%	41,1%	30,1%	17,5%	8,5%	29,9%
Quite a bit of satisfaction	27,0%	28,0%	30,7%	34,3%	38,1%	37,7%	37,5%	34,3%	30,4%	39,0%	38,8%	42,9%	43,2%	39,8%	28,3%	38,0%
A little bit of satisfaction	4,1%	4,5%	3,1%	2,3%	3,7%	4,3%	3,7%	3,4%	9,8%	7,0%	7,1%	4,8%	7,0%	10,0%	9,5%	7,6%
No satisfaction	1,4%	1,3%	1,2%	1,2%	1,5%	1,6%	2,7%	1,6%	4,9%	3,3%	1,3%	2,2%	2,7%	5,1%	9,0%	4,1%
Not applicable (not done)	15,5%	3,0%	2,0%	2,2%	3,5%	7,2%	18,8%	6,2%	32,4%	5,2%	3,6%	3,9%	8,8%	17,2%	30,4%	12,6%
DON'T KNOW	0,7%	0,0%	0,0%	0,1%	0,5%	0,1%	0,6%	0,2%	0,0%	0,0%	0,1%	0,0%	0,5%	1,5%	2,4%	0,8%
NO ANSWER	2,7%	2,9%	2,5%	2,8%	5,5%	8,2%	11,0%	5,2%	4,9%	3,0%	4,4%	5,1%	7,8%	8,9%	11,8%	7,1%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19.6. Caressing your partner's body with hands, mouth, tongue

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	42,6%	59,5%	58,5%	54,8%	46,2%	41,6%	29,7%	48,5%	25,5%	42,1%	44,4%	40,3%	29,2%	18,7%	10,8%	30,2%
Quite a bit of satisfaction	38,5%	33,4%	37,1%	38,7%	42,2%	44,2%	46,1%	40,3%	43,1%	45,3%	45,2%	45,3%	49,9%	49,1%	42,2%	45,8%
A little bit of satisfaction	2,0%	3,6%	1,6%	2,4%	2,7%	3,8%	3,6%	2,8%	11,8%	5,8%	3,9%	6,3%	6,4%	9,9%	9,4%	7,0%
No satisfaction	0,7%	1,1%	0,6%	0,2%	0,5%	0,5%	1,0%	0,6%	2,0%	1,4%	0,8%	2,2%	1,7%	3,7%	4,9%	2,5%
Not applicable (not done)	12,2%	0,9%	0,7%	1,0%	2,2%	3,2%	10,8%	3,3%	14,7%	3,0%	1,2%	1,5%	4,7%	9,5%	20,5%	7,4%
DON'T KNOW	0,7%	0,2%	0,0%	0,0%	0,5%	0,0%	0,8%	0,2%	0,0%	0,0%	0,1%	0,0%	0,3%	1,4%	2,1%	0,7%
NO ANSWER	3,4%	1,4%	1,4%	2,9%	5,8%	6,7%	8,1%	4,2%	2,9%	2,4%	4,3%	4,5%	7,9%	7,7%	10,2%	6,4%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19.7. Your partner caressing your body with hands, mouth, tongue

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	46,6%	61,8%	61,6%	56,0%	48,5%	43,2%	29,1%	50,2%	28,4%	52,4%	52,3%	46,9%	34,6%	22,6%	11,8%	35,6%
Quite a bit of satisfaction	34,5%	31,6%	32,8%	37,2%	40,4%	42,1%	46,9%	38,4%	43,1%	38,3%	38,9%	42,2%	48,2%	49,7%	47,0%	44,1%
A little bit of satisfaction	2,7%	2,3%	2,5%	2,4%	2,2%	3,4%	3,1%	2,6%	8,8%	3,1%	2,6%	3,5%	4,3%	8,0%	7,1%	4,8%
No satisfaction	0,7%	0,5%	0,5%	0,2%	0,5%	0,8%	1,2%	0,6%	2,0%	0,9%	0,8%	1,2%	1,3%	3,6%	4,2%	2,1%
Not applicable (not done)	10,8%	1,4%	0,8%	1,3%	2,0%	2,9%	10,2%	3,3%	14,7%	2,6%	1,2%	1,8%	4,2%	7,6%	17,9%	6,5%
DON'T KNOW	0,7%	0,0%	0,0%	0,0%	0,5%	0,0%	0,6%	0,2%	0,0%	0,0%	0,1%	0,0%	0,3%	1,0%	2,2%	0,7%
NO ANSWER	4,1%	2,3%	1,9%	2,8%	5,9%	7,6%	9,0%	4,7%	2,9%	2,6%	4,1%	4,4%	7,2%	7,7%	9,8%	6,2%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q19.8. Kissing passionately

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	58,8%	61,8%	58,8%	54,7%	49,9%	48,1%	38,9%	52,1%	54,9%	67,1%	63,4%	57,8%	48,7%	38,9%	31,4%	50,3%
Quite a bit of satisfaction	32,4%	30,9%	36,4%	38,0%	40,5%	42,4%	45,8%	39,1%	33,3%	28,3%	30,5%	36,0%	40,9%	44,2%	42,2%	37,3%
A little bit of satisfaction	3,4%	3,9%	2,0%	3,3%	2,8%	1,9%	2,4%	2,7%	4,9%	1,6%	1,3%	2,1%	1,9%	4,1%	5,0%	2,8%
No satisfaction	0,0%	0,7%	0,4%	0,4%	0,4%	0,4%	1,0%	0,5%	0,0%	0,2%	0,6%	0,4%	1,0%	2,1%	2,8%	1,2%
Not applicable (not done)	2,7%	0,5%	0,4%	1,1%	1,3%	1,7%	5,2%	1,7%	5,9%	0,2%	0,8%	1,1%	2,7%	5,0%	9,9%	3,7%
DON'T KNOW	0,0%	0,0%	0,0%	0,0%	0,3%	0,0%	0,3%	0,1%	0,0%	0,0%	0,1%	0,0%	0,1%	0,3%	1,3%	0,4%
NO ANSWER	2,7%	2,1%	2,1%	2,7%	4,9%	5,5%	6,3%	3,8%	1,0%	2,6%	3,2%	2,7%	4,7%	5,5%	7,3%	4,4%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q20. Overall, how satisfied are you with the sexual life you have had?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very satisfied	27,7%	40,9%	41,6%	35,1%	31,7%	29,5%	28,4%	34,5%	23,5%	43,2%	41,5%	35,3%	26,8%	22,4%	20,6%	31,0%
Quite satisfied	54,7%	47,0%	48,6%	55,3%	57,3%	58,2%	56,3%	53,9%	52,0%	47,6%	49,5%	53,4%	57,2%	54,9%	51,1%	52,4%
Neither satisfied nor unsatisfied	11,5%	9,1%	8,5%	7,1%	7,4%	8,6%	10,2%	8,5%	18,6%	6,8%	5,6%	6,9%	10,3%	14,3%	17,2%	10,5%
Quite unsatisfied	1,4%	1,3%	0,9%	1,1%	2,0%	1,6%	1,8%	1,4%	2,9%	0,9%	1,6%	1,9%	2,8%	3,9%	4,8%	2,8%
Very unsatisfied	2,0%	1,1%	0,4%	0,8%	1,0%	1,2%	1,0%	0,9%	0,0%	0,3%	1,0%	1,6%	2,0%	3,4%	3,3%	2,0%
NO ANSWER	2,7%	0,7%	0,0%	0,6%	0,5%	0,9%	2,2%	0,8%	2,9%	1,2%	0,8%	0,8%	0,9%	1,1%	3,0%	1,4%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 19: Satisfaction with the sexual life they have had, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 20: Satisfaction with the sexual life they have had, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q21. Which of the following statements best identifies how you feel? ¹³

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
I am only attracted to people of my own sex	1,4%	2,3%	2,4%	1,6%	2,0%	1,1%	0,4%	1,6%	0,0%	0,3%	0,8%	0,5%	0,3%	0,4%	0,9%	0,6%
I am usually attracted to people of my own sex	0,7%	2,0%	1,5%	2,1%	1,3%	0,3%	0,3%	1,2%	2,0%	1,9%	3,2%	1,2%	1,1%	0,3%	0,0%	1,3%
I am attracted to people regardless if they are the same sex or the opposite sex	1,4%	0,4%	0,9%	0,6%	1,3%	0,1%	0,5%	0,7%	0,0%	0,9%	1,2%	0,8%	0,8%	1,2%	1,2%	1,0%
I am usually attracted to people of the opposite sex	0,7%	1,3%	2,4%	1,2%	0,8%	0,8%	0,8%	1,3%	1,0%	4,4%	3,7%	2,3%	1,9%	1,1%	0,3%	2,1%
I am only attracted to people of the opposite sex	93,9%	93,4%	92,6%	93,9%	93,5%	96,6%	97,3%	94,4%	97,1%	92,1%	90,4%	94,3%	94,7%	95,2%	96,1%	93,9%
NO ANSWER	2,0%	0,7%	0,2%	0,6%	1,2%	1,1%	0,8%	0,7%	0,0%	0,3%	0,6%	0,8%	1,3%	1,8%	1,5%	1,1%
Total (N)	118	448	1015	949	748	576	774	4628	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

¹³ Data only from those who answered yes to having sex relations

Q22.01. Throughout your life...

...have you ever paid to have sexual relations?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, once	5,4%	7,9%	10,8%	11,0%	10,2%	10,9%	10,1%	10,2%	0,0%	0,2%	0,4%	0,0%	0,1%	0,0%	0,1%	0,1%
Yes, more than once	0,7%	10,2%	18,3%	22,2%	23,5%	27,7%	30,3%	21,9%	0,0%	0,5%	0,1%	0,2%	0,0%	0,1%	0,1%	0,2%
No, never	92,6%	80,7%	70,2%	65,4%	64,5%	59,7%	56,5%	66,3%	100,0%	98,6%	98,3%	99,0%	99,0%	98,3%	99,0%	98,8%
NO ANSWER	1,4%	1,3%	0,7%	1,3%	1,8%	1,7%	3,1%	1,6%	0,0%	0,7%	1,2%	0,7%	0,9%	1,5%	0,8%	0,9%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22a. The person you paid to have sexual relations with was a...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Man	11,1%	1,0%	1,2%	1,8%	0,8%	1,0%	0,6%	1,2%	0,0%	25,0%	100,0%	0,0%	100,0%	0,0%	0,0%	44,0%
Woman	88,9%	89,1%	90,3%	89,5%	92,0%	95,1%	94,9%	92,0%	0,0%	25,0%	0,0%	50,0%	0,0%	0,0%	50,0%	22,4%
Transsexual	0,0%	5,9%	2,8%	2,9%	2,7%	1,0%	1,9%	2,5%	0,0%	0,0%	0,0%	50,0%	0,0%	0,0%	0,0%	7,7%
Other answer	0,0%	0,0%	0,0%	0,0%	0,4%	0,0%	0,0%	0,1%	0,0%	25,0%	0,0%	0,0%	0,0%	0,0%	0,0%	5,4%
NO ANSWER	0,0%	4,0%	5,6%	5,8%	4,2%	2,8%	2,5%	4,2%	0,0%	25,0%	0,0%	0,0%	0,0%	100,0%	50,0%	20,4%
Total (N)	7	80	295	316	252	223	313	1486	0	4	4	2	1	1	2	14

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22.02. Throughout your life...

...have you ever been paid to have sexual relations?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, once	0,7%	2,0%	2,7%	1,3%	1,2%	0,7%	0,4%	1,4%	0,0%	0,3%	0,7%	0,6%	0,1%	0,1%	0,0%	0,3%
Yes, more than once	0,7%	1,1%	2,5%	1,9%	1,9%	1,2%	1,2%	1,7%	0,0%	0,7%	0,2%	0,4%	0,5%	0,1%	0,3%	0,3%
No, never	96,6%	94,8%	93,4%	94,6%	94,2%	95,8%	96,2%	94,8%	98,0%	97,9%	97,1%	97,2%	97,6%	97,5%	98,8%	97,7%
NO ANSWER	2,0%	2,1%	1,4%	2,2%	2,7%	2,3%	2,3%	2,1%	2,0%	1,0%	1,9%	1,8%	1,8%	2,2%	0,9%	1,6%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22b. The person who paid to have sexual relations with you was a...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Man	50,0%	11,8%	18,2%	3,7%	0,0%	0,0%	8,3%	9,8%	0,0%	83,3%	50,0%	75,0%	80,0%	50,0%	50,0%	66,4%
Woman	0,0%	70,6%	52,3%	63,0%	70,8%	78,6%	41,7%	59,8%	0,0%	0,0%	12,5%	0,0%	0,0%	0,0%	0,0%	3,6%
Transsexual	50,0%	11,8%	13,6%	7,4%	16,7%	7,1%	8,3%	12,1%	0,0%	0,0%	12,5%	12,5%	20,0%	0,0%	0,0%	10,1%
NO ANSWER	0,0%	5,9%	15,9%	25,9%	12,5%	14,3%	41,7%	18,4%	0,0%	16,7%	25,0%	12,5%	0,0%	50,0%	50,0%	19,9%
Total (N)	2	13	52	31	23	11	11	143	0	5	9	8	4	2	2	30

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22.03. Throughout your life...have you ever suffered any sexual abuse and/or rape?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, once	0,7%	0,7%	0,7%	1,8%	1,3%	1,6%	0,4%	1,1%	0,0%	3,1%	3,5%	4,1%	3,7%	2,2%	1,0%	2,9%
Yes, more than once	0,0%	0,0%	0,6%	0,6%	0,5%	1,2%	0,6%	0,6%	0,0%	1,7%	2,0%	3,5%	2,7%	2,3%	1,7%	2,3%
No, never	97,3%	97,1%	96,9%	95,9%	95,4%	95,0%	96,8%	96,2%	98,0%	93,9%	92,1%	90,3%	91,6%	92,8%	96,0%	92,9%
NO ANSWER	2,0%	2,1%	1,8%	1,7%	2,8%	2,1%	2,2%	2,1%	2,0%	1,2%	2,4%	2,1%	2,0%	2,6%	1,3%	1,9%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22c. The person who sexually abused and/or raped you was a...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Man	0,0%	50,0%	45,5%	60,0%	78,6%	81,0%	62,5%	65,4%	0,0%	82,1%	87,0%	88,9%	90,0%	93,9%	90,5%	88,8%
Woman	0,0%	25,0%	45,5%	35,0%	7,1%	19,0%	25,0%	26,8%	0,0%	3,6%	0,0%	1,6%	4,0%	0,0%	0,0%	1,5%
Transsexual	0,0%	0,0%	0,0%	0,0%	7,1%	0,0%	0,0%	1,2%	0,0%	7,1%	4,3%	1,6%	0,0%	0,0%	0,0%	2,0%
Other answer	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	2,2%	0,0%	2,0%	0,0%	0,0%	0,9%
NO ANSWER	0,0%	25,0%	9,1%	5,0%	7,1%	0,0%	12,5%	6,6%	0,0%	7,1%	6,5%	7,9%	4,0%	6,1%	9,5%	6,8%
Total (N)	0	4	13	23	13	16	8	77	0	21	52	69	47	27	27	243

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22d. What type of relationship did you have with this person?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Stable partner	0,0%	20,0%	0,0%	0,0%	0,0%	4,8%	25,0%	4,6%	0,0%	17,9%	17,4%	14,2%	28,0%	24,2%	28,5%	20,6%
Occasional partner	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	3,6%	4,3%	1,6%	0,0%	6,1%	0,0%	2,4%
Ex-partner	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	2,2%	1,6%	0,0%	3,0%	4,8%	1,8%
Relative	0,0%	20,0%	9,1%	15,0%	28,6%	9,5%	12,5%	15,2%	0,0%	21,4%	23,9%	30,2%	22,0%	21,2%	28,6%	25,3%
A known person	0,0%	0,0%	54,5%	45,0%	35,7%	71,4%	25,0%	46,2%	0,0%	39,3%	26,1%	27,0%	24,0%	24,2%	23,8%	26,6%
An unknown person	0,0%	40,0%	18,2%	25,0%	28,6%	14,3%	25,0%	23,0%	0,0%	10,7%	15,2%	15,9%	26,0%	15,2%	4,8%	15,9%
NO ANSWER	0,0%	20,0%	18,2%	15,0%	7,1%	0,0%	12,5%	11,0%	0,0%	7,1%	10,9%	9,5%	0,0%	6,1%	9,5%	7,4%
Total (N)	0	4	13	23	13	16	8	77	0	21	52	69	47	27	27	243

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22.04. Throughout your life...have you ever had sexual relations against your will?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, once	2,7%	3,0%	3,1%	2,7%	2,2%	0,8%	0,6%	2,1%	1,0%	3,1%	3,0%	3,1%	2,7%	1,8%	1,2%	2,4%
Yes, more than once	0,0%	1,3%	1,8%	1,5%	1,5%	1,6%	1,0%	1,4%	0,0%	2,1%	3,0%	4,6%	6,1%	8,4%	6,0%	5,0%
No, never	95,3%	93,9%	93,2%	94,2%	94,0%	95,4%	96,2%	94,4%	96,1%	93,2%	91,0%	89,8%	89,7%	87,6%	91,1%	90,5%
NO ANSWER	2,0%	1,8%	2,0%	1,7%	2,3%	2,1%	2,2%	2,0%	2,9%	1,6%	3,0%	2,4%	1,5%	2,2%	1,7%	2,1%
Total (N)	118	448	1015	950	748	576	774	4629	78	437	943	905	743	593	1013	4712

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22e. The person that made you have sexual relations against your will was a...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Man	50,0%	25,0%	9,8%	8,8%	13,8%	16,7%	0,0%	12,6%	100,0%	96,7%	86,0%	90,6%	91,3%	93,2%	94,6%	91,7%
Woman	25,0%	45,8%	61,0%	58,8%	55,2%	66,7%	46,2%	56,4%	0,0%	0,0%	2,0%	0,0%	0,0%	0,0%	0,0%	0,3%
Transsexual	0,0%	0,0%	2,4%	2,9%	0,0%	0,0%	0,0%	1,4%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	25,0%	29,2%	26,8%	29,4%	31,0%	16,7%	53,8%	29,6%	0,0%	3,3%	12,0%	9,4%	8,7%	6,8%	5,4%	8,0%
Total (N)	4	19	49	39	28	14	13	166	1	23	56	70	65	60	73	348

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q22f. What type of relationship did you have with the person who made you have sexual relations against your will?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Stable partner	25,0%	37,5%	24,4%	44,1%	20,7%	27,8%	38,5%	31,4%	100,0%	36,7%	50,0%	48,4%	62,3%	85,1%	82,1%	64,0%
Occasional partner	25,0%	16,7%	34,1%	17,6%	13,8%	5,6%	7,7%	20,1%	0,0%	13,3%	8,0%	7,8%	2,9%	4,1%	1,8%	5,4%
Ex-partner	0,0%	12,5%	9,8%	0,0%	13,8%	5,6%	0,0%	7,1%	0,0%	10,0%	12,0%	1,6%	7,2%	1,4%	3,6%	5,2%
Relative	0,0%	12,5%	0,0%	0,0%	3,4%	5,6%	0,0%	2,5%	0,0%	3,3%	6,0%	17,2%	5,8%	1,4%	3,6%	6,7%
A known person	25,0%	8,3%	14,6%	14,7%	24,1%	33,3%	0,0%	16,2%	0,0%	30,0%	10,0%	10,9%	13,0%	2,7%	3,6%	9,4%
An unknown person	0,0%	4,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,5%	0,0%	0,0%	0,0%	3,1%	1,4%	0,0%	0,0%	0,9%
NO ANSWER	25,0%	8,3%	17,1%	23,5%	24,1%	22,2%	53,8%	22,2%	0,0%	6,7%	14,0%	10,9%	7,2%	5,4%	5,4%	8,3%
Total (N)	4	19	49	39	28	14	13	166	1	23	56	70	65	60	73	348

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

QUESTIONS FOR EVERYBODY (Q23,24,25 and 26)

Q23. Could you express if you strongly agree, or somewhat agree, or somewhat disagree, or do not agree with the following statements?

Q23.1. I consider myself fairly attractive

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	7,2%	12,3%	10,8%	5,7%	5,9%	5,2%	7,1%	7,7%	12,7%	13,6%	13,1%	8,6%	7,6%	6,2%	6,3%	9,1%
Somewhat agree	51,8%	53,2%	51,3%	47,5%	40,0%	37,3%	31,6%	43,8%	45,8%	56,0%	53,9%	51,1%	47,9%	43,8%	37,1%	47,4%
Somewhat disagree	30,8%	27,3%	30,8%	36,0%	38,6%	38,9%	33,7%	34,3%	29,5%	23,4%	26,7%	31,5%	32,7%	35,4%	30,8%	30,3%
Do not agree	5,1%	3,8%	3,1%	5,4%	8,6%	13,4%	19,3%	8,6%	6,0%	2,9%	3,3%	4,7%	6,8%	8,6%	17,9%	8,1%
DON'T KNOW	4,6%	2,6%	3,4%	4,0%	4,4%	4,0%	5,1%	4,0%	5,4%	3,1%	1,4%	2,6%	3,5%	4,5%	6,3%	3,7%
NO ANSWER	0,5%	0,9%	0,7%	1,4%	2,3%	1,2%	3,1%	1,6%	0,6%	1,0%	1,6%	1,5%	1,5%	1,4%	1,6%	1,5%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q23.2. “Real” sex includes penetration and orgasm

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	21,0%	24,2%	18,8%	17,3%	21,0%	23,2%	29,0%	21,7%	16,9%	16,0%	13,5%	13,7%	15,6%	15,3%	15,1%	14,8%
Somewhat agree	40,0%	34,3%	35,6%	33,5%	36,3%	43,3%	42,8%	37,5%	30,1%	30,7%	28,6%	26,1%	28,7%	34,0%	33,0%	30,0%
Somewhat disagree	17,4%	23,0%	23,8%	26,0%	22,8%	17,2%	10,4%	20,7%	25,3%	27,3%	28,9%	29,5%	27,1%	22,0%	14,2%	24,4%
Do not agree	12,8%	15,7%	20,7%	21,4%	17,5%	12,7%	8,7%	16,6%	15,7%	23,0%	26,3%	27,8%	24,4%	18,8%	13,0%	21,8%
DON'T KNOW	7,7%	2,0%	0,2%	0,6%	1,4%	1,7%	5,3%	1,9%	10,8%	1,3%	1,4%	1,2%	2,3%	6,2%	18,0%	6,0%
NO ANSWER	1,0%	0,7%	0,8%	1,2%	1,0%	2,0%	3,9%	1,6%	1,2%	1,6%	1,3%	1,6%	2,0%	3,6%	6,8%	3,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q23.3. My religious beliefs influence the way I live my sexual life

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	3,6%	4,6%	3,9%	4,6%	3,8%	4,4%	7,9%	4,8%	3,0%	4,1%	4,9%	4,8%	5,7%	8,8%	18,8%	8,5%
Somewhat agree	6,2%	5,3%	7,9%	7,5%	9,0%	11,9%	19,8%	10,2%	6,6%	6,7%	8,4%	10,1%	13,9%	18,3%	29,6%	15,3%
Somewhat disagree	10,8%	9,7%	11,3%	11,5%	14,0%	13,3%	16,4%	12,7%	15,1%	12,4%	13,5%	15,0%	12,6%	16,5%	13,2%	13,9%
Do not agree	75,9%	78,2%	76,0%	74,6%	71,1%	68,0%	51,3%	69,9%	70,5%	75,5%	71,7%	69,1%	65,6%	53,5%	32,7%	59,6%
DON'T KNOW	2,1%	1,7%	0,1%	0,6%	0,9%	0,9%	2,7%	1,1%	2,4%	0,8%	0,7%	0,4%	0,9%	2,1%	3,9%	1,6%
NO ANSWER	1,5%	0,5%	0,8%	1,2%	1,2%	1,5%	1,9%	1,2%	2,4%	0,5%	0,8%	0,6%	1,3%	0,9%	1,9%	1,1%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q23.4. I can only have sexual relations with someone if I am in love with that person.

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	10,8%	7,5%	8,8%	10,4%	15,4%	17,4%	23,9%	13,8%	35,5%	28,3%	29,5%	34,0%	45,0%	50,5%	59,0%	42,0%
Somewhat agree	16,4%	12,3%	17,3%	22,6%	21,9%	27,8%	30,8%	22,2%	22,9%	29,1%	29,7%	30,7%	31,6%	32,9%	32,0%	30,9%
Somewhat disagree	22,1%	22,7%	22,5%	21,9%	22,0%	20,6%	18,4%	21,4%	19,3%	16,2%	15,9%	12,5%	8,2%	7,1%	2,1%	10,0%
Do not agree	47,2%	56,0%	50,1%	43,8%	38,8%	31,1%	21,5%	40,2%	18,1%	24,0%	23,0%	20,4%	12,2%	7,1%	2,8%	14,3%
DON'T KNOW	3,1%	1,2%	0,7%	0,7%	0,9%	1,4%	3,0%	1,3%	3,6%	1,8%	0,9%	1,9%	1,8%	1,0%	2,0%	1,6%
NO ANSWER	0,5%	0,3%	0,6%	0,6%	1,1%	1,7%	2,4%	1,1%	0,6%	0,7%	0,9%	0,6%	1,2%	1,4%	2,1%	1,2%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q23.5. I dare not speak about my sexual desires

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	11,3%	6,0%	4,0%	5,7%	5,2%	5,9%	8,0%	5,9%	8,4%	9,2%	5,0%	5,3%	7,3%	9,4%	18,1%	9,4%
Somewhat agree	17,9%	11,1%	11,8%	11,7%	13,8%	16,5%	20,9%	14,4%	25,9%	14,2%	13,9%	14,0%	18,0%	24,4%	30,0%	19,8%
Somewhat disagree	20,0%	23,0%	22,2%	23,8%	26,2%	29,3%	29,1%	25,2%	24,7%	28,9%	23,9%	23,6%	25,1%	25,5%	19,0%	23,6%
Do not agree	46,2%	57,2%	60,5%	56,8%	51,4%	44,4%	33,1%	50,8%	36,7%	46,4%	55,0%	54,5%	45,6%	35,8%	21,5%	42,3%
DON'T KNOW	2,6%	1,7%	0,5%	1,1%	1,7%	2,3%	4,2%	1,8%	3,0%	0,5%	0,6%	1,2%	1,2%	2,8%	6,1%	2,4%
NO ANSWER	2,1%	1,0%	1,0%	1,1%	1,7%	1,5%	4,7%	1,9%	1,2%	0,8%	1,5%	1,4%	2,7%	2,1%	5,4%	2,5%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q23.6. I feel good about myself

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Strongly agree	41,5%	51,7%	47,5%	45,2%	41,4%	40,2%	34,3%	43,1%	50,6%	47,1%	45,7%	43,6%	39,8%	39,2%	37,0%	41,9%
Somewhat agree	46,7%	42,2%	46,6%	48,5%	49,5%	49,4%	52,2%	48,3%	41,0%	45,4%	45,9%	47,2%	48,2%	48,7%	50,5%	47,7%
Somewhat disagree	10,3%	3,4%	3,6%	4,0%	6,3%	7,2%	9,5%	5,8%	7,2%	5,4%	6,6%	7,2%	7,9%	8,1%	7,5%	7,2%
Do not agree	1,0%	2,0%	1,3%	1,2%	2,1%	1,8%	1,3%	1,5%	0,6%	1,6%	1,2%	1,1%	2,8%	2,4%	2,6%	1,9%
DON'T KNOW	0,5%	0,3%	0,3%	0,1%	0,1%	0,8%	1,2%	0,5%	0,0%	0,0%	0,1%	0,4%	0,5%	0,6%	0,8%	0,4%
NO ANSWER	0,0%	0,3%	0,7%	0,9%	0,6%	0,6%	1,4%	0,8%	0,6%	0,5%	0,6%	0,6%	0,9%	0,9%	1,6%	0,9%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q24. How well do you know how your body reacts in receiving and giving pleasure?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
know perfectly	11,8%	27,0%	26,5%	28,5%	23,7%	19,7%	15,6%	23,3%	12,7%	23,2%	28,1%	27,8%	23,2%	18,0%	10,6%	21,3%
know quite well	49,7%	54,4%	59,4%	59,7%	58,4%	58,9%	52,9%	57,3%	30,7%	52,8%	54,4%	57,0%	54,0%	44,6%	29,9%	47,4%
know approximately	23,1%	15,4%	12,6%	9,0%	14,9%	16,8%	20,9%	14,8%	33,7%	17,5%	14,9%	12,7%	18,4%	24,1%	31,2%	20,5%
barely know	9,2%	2,2%	0,8%	1,4%	1,2%	2,3%	4,5%	2,2%	13,9%	5,1%	1,2%	1,6%	2,3%	7,9%	13,5%	5,7%
do not know at all	4,1%	0,5%	0,1%	0,1%	0,4%	0,9%	1,4%	0,6%	4,2%	0,3%	0,4%	0,0%	0,9%	1,9%	5,0%	1,7%
NO ANSWER	2,1%	0,5%	0,6%	1,3%	1,4%	1,4%	4,7%	1,7%	4,8%	1,1%	1,1%	0,8%	1,2%	3,5%	9,8%	3,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 21: How well the respondent know how their body reacts in receiving and giving pleasure, according to sex




Graph 22: How well the respondent know how their body reacts in receiving and giving pleasure, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 23: How well the respondent know how their body reacts in receiving and giving pleasure, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q25. Here is a list of reasons why people have sex. (Choose up to a maximum of three responses)

Which ones are most important to you, in your case, **the most important?**

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
The need to meet and connect with another person	22,1%	23,5%	28,3%	27,0%	24,6%	20,6%	17,6%	24,0%	21,1%	30,6%	27,3%	28,0%	25,2%	18,4%	14,5%	23,3%
To make a conquest	6,2%	3,9%	1,8%	2,2%	3,1%	2,0%	1,2%	2,4%	1,8%	0,7%	1,1%	0,5%	0,9%	0,5%	0,1%	0,6%
To have children	5,6%	5,8%	6,8%	7,3%	5,7%	10,5%	15,9%	8,6%	7,2%	3,8%	5,5%	6,1%	7,9%	14,6%	27,0%	11,8%
To love and be loved	25,6%	22,7%	26,6%	30,2%	36,3%	38,2%	37,4%	31,7%	39,8%	40,5%	45,2%	45,6%	47,9%	50,4%	43,6%	45,4%
The need to feel dominated	0,0%	0,0%	0,1%	0,1%	0,1%	0,3%	0,1%	0,1%	0,0%	0,2%	0,1%	0,4%	0,1%	0,6%	0,1%	0,2%
To have fun	10,3%	10,2%	6,1%	5,5%	3,2%	1,5%	2,3%	4,8%	9,0%	5,1%	3,0%	2,1%	2,2%	2,2%	0,9%	2,5%
The desire for security	0,5%	1,0%	0,2%	0,4%	0,4%	0,5%	0,6%	0,5%	0,6%	0,2%	0,2%	0,5%	0,7%	0,5%	0,4%	0,4%
To have a healthy life	0,5%	1,7%	3,0%	3,3%	4,1%	3,2%	2,2%	2,9%	0,0%	1,6%	2,1%	2,2%	3,2%	1,5%	1,1%	1,9%
For sexual desire	21,0%	25,6%	22,3%	20,1%	18,3%	17,8%	15,1%	19,7%	11,4%	12,1%	11,1%	10,7%	7,2%	4,4%	2,7%	7,8%
To be desired	0,5%	0,5%	1,3%	0,6%	0,2%	1,4%	0,7%	0,8%	3,0%	1,6%	1,3%	1,2%	1,7%	1,9%	1,1%	1,4%
The desire to take a risk	0,0%	0,2%	0,0%	0,1%	0,2%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
To feel powerful	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
The need to experience emotions	4,1%	2,0%	1,8%	0,6%	0,7%	0,3%	0,7%	1,1%	0,6%	1,6%	0,6%	0,8%	0,2%	0,6%	0,5%	0,7%
To know your own body	0,0%	0,7%	0,0%	0,6%	0,1%	0,1%	0,0%	0,2%	0,0%	0,3%	0,6%	0,4%	0,1%	0,0%	0,0%	0,2%
Because, I have to	0,0%	0,2%	0,0%	0,1%	0,0%	0,1%	0,1%	0,1%	0,0%	0,0%	0,0%	0,0%	0,1%	0,3%	0,7%	0,2%
Another reason	0,0%	0,2%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,0%	0,0%	0,1%	0,0%	0,1%	0,1%	0,5%	0,2%
None of these	1,5%	0,3%	0,1%	0,1%	0,7%	0,0%	0,5%	0,3%	0,0%	0,0%	0,2%	0,2%	0,4%	0,3%	1,3%	0,5%
NO ANSWER	2,1%	1,4%	1,3%	1,6%	2,1%	3,2%	5,3%	2,4%	5,4%	1,8%	1,5%	1,4%	2,0%	3,6%	5,7%	2,9%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Second most important?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
The need to meet and connect with another person	12,3%	12,3%	11,4%	12,8%	13,2%	13,1%	12,8%	12,6%	10,2%	14,9%	15,1%	15,9%	14,4%	13,4%	11,2%	13,9%
To make a conquest	3,1%	4,6%	3,0%	1,8%	2,6%	2,3%	1,7%	2,5%	2,4%	1,6%	1,2%	1,5%	1,0%	0,9%	0,8%	1,2%
To have children	6,7%	7,8%	12,0%	13,1%	14,7%	16,0%	26,1%	15,0%	10,8%	11,1%	14,3%	14,7%	17,3%	24,5%	30,6%	19,4%
To love and be loved	18,5%	20,6%	20,9%	22,9%	20,5%	22,0%	19,2%	21,0%	21,7%	21,9%	23,0%	23,4%	22,1%	21,3%	26,7%	23,4%
The need to feel dominated	0,0%	0,3%	0,6%	0,5%	0,6%	0,3%	0,5%	0,5%	0,6%	0,3%	0,7%	0,4%	0,4%	0,1%	0,5%	0,4%
To have fun	10,8%	16,0%	12,5%	8,1%	7,9%	6,1%	4,5%	9,0%	6,6%	10,3%	9,0%	6,1%	4,9%	3,9%	1,4%	5,5%
The desire for security	2,6%	1,2%	1,6%	1,5%	1,1%	1,8%	1,2%	1,5%	1,2%	2,1%	2,5%	2,8%	2,9%	2,1%	2,3%	2,5%
To have a healthy life	5,1%	4,9%	9,1%	6,4%	8,1%	8,5%	6,4%	7,3%	4,2%	2,9%	5,3%	7,2%	7,8%	7,7%	5,7%	6,2%
For sexual desire	21,5%	18,6%	18,3%	19,8%	20,7%	16,5%	15,1%	18,4%	19,3%	19,3%	16,9%	16,6%	15,2%	9,9%	5,0%	13,3%
To be desired	6,7%	3,9%	3,6%	3,8%	2,6%	2,2%	1,3%	3,0%	3,6%	5,7%	4,9%	4,7%	4,3%	4,0%	1,9%	4,0%
The desire to take a risk	0,5%	0,2%	0,0%	0,1%	0,0%	0,1%	0,0%	0,1%	0,0%	0,0%	0,1%	0,2%	0,1%	0,0%	0,2%	0,1%
To feel powerful	0,0%	0,2%	0,3%	0,5%	0,1%	0,3%	0,1%	0,3%	0,6%	0,2%	0,2%	0,0%	0,0%	0,1%	0,0%	0,1%
The need to experience emotions	3,6%	4,9%	3,5%	3,8%	2,0%	2,4%	1,1%	2,9%	6,6%	3,9%	2,0%	2,0%	2,1%	1,8%	0,5%	1,9%
To know your own body	2,6%	1,4%	0,5%	0,6%	0,6%	0,9%	0,1%	0,7%	1,2%	2,3%	1,2%	1,4%	0,9%	0,8%	0,5%	1,1%
Because, I have to	0,0%	0,0%	0,0%	0,2%	0,0%	0,1%	0,0%	0,1%	0,6%	0,2%	0,2%	0,1%	0,2%	1,0%	0,8%	0,4%
Another reason	0,0%	0,0%	0,1%	0,1%	0,4%	0,1%	0,2%	0,2%	0,0%	0,2%	0,0%	0,1%	0,0%	0,1%	0,0%	0,1%
None of these	2,6%	0,5%	0,3%	0,8%	1,0%	0,8%	1,2%	0,8%	0,6%	0,5%	0,6%	0,8%	2,0%	1,3%	2,9%	1,4%
NO ANSWER	3,6%	2,4%	2,2%	3,3%	3,8%	6,5%	8,5%	4,3%	9,6%	2,6%	2,9%	2,1%	4,5%	7,1%	9,0%	5,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

The third most important?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
The need to meet and connect with another person	10,3%	11,3%	12,7%	11,3%	13,0%	13,3%	12,4%	12,3%	12,0%	9,8%	12,8%	11,5%	12,1%	15,7%	16,5%	13,3%
To make a conquest	5,6%	3,2%	2,5%	1,4%	1,9%	1,7%	1,7%	2,1%	0,6%	1,0%	1,1%	0,5%	0,5%	1,3%	0,2%	0,7%
To have children	10,3%	10,1%	13,8%	12,1%	14,0%	13,3%	15,2%	13,2%	12,0%	16,0%	13,3%	16,3%	13,2%	12,5%	11,2%	13,5%
To love and be loved	9,7%	13,0%	12,7%	11,4%	10,5%	9,7%	11,8%	11,5%	7,2%	9,3%	10,5%	9,4%	8,9%	8,1%	8,2%	9,0%
The need to feel dominated	0,5%	0,3%	0,3%	0,5%	0,5%	0,6%	0,2%	0,4%	0,6%	0,2%	0,2%	0,2%	0,2%	0,4%	0,1%	0,2%
To have fun	12,8%	11,6%	8,4%	7,7%	6,0%	5,8%	4,2%	7,3%	8,4%	10,0%	8,9%	7,6%	5,9%	3,1%	2,6%	6,1%
The desire for security	2,6%	1,7%	2,0%	2,1%	2,0%	2,3%	1,0%	1,9%	1,2%	2,0%	1,9%	2,9%	2,6%	2,8%	3,9%	2,7%
To have a healthy life	4,6%	4,8%	7,5%	10,4%	8,5%	10,2%	9,7%	8,6%	1,8%	8,0%	9,0%	10,1%	11,7%	10,6%	8,4%	9,4%
For sexual desire	15,9%	14,2%	16,1%	19,0%	17,4%	17,5%	14,7%	16,6%	15,7%	15,7%	17,0%	17,0%	14,6%	12,0%	7,9%	13,8%
To be desired	5,6%	8,7%	5,4%	5,3%	4,7%	5,8%	3,0%	5,2%	6,6%	8,2%	9,4%	7,5%	7,9%	7,0%	6,0%	7,6%
The desire to take a risk	0,0%	0,5%	0,1%	0,4%	0,2%	0,0%	0,4%	0,2%	0,6%	0,3%	0,4%	0,0%	0,1%	0,0%	0,4%	0,2%
To feel powerful	1,0%	0,5%	0,1%	0,6%	0,1%	0,0%	0,4%	0,3%	0,0%	0,3%	0,2%	0,1%	0,2%	0,1%	0,2%	0,2%
The need to experience emotions	8,2%	9,7%	7,9%	6,1%	5,9%	4,4%	3,1%	6,2%	9,6%	7,5%	5,0%	4,6%	5,0%	4,1%	2,5%	4,6%
To know your own body	1,5%	3,1%	2,3%	2,1%	1,2%	0,9%	1,2%	1,8%	5,4%	4,1%	2,3%	2,1%	2,2%	0,8%	0,5%	1,9%
Because, I have to	0,5%	0,0%	0,3%	0,0%	0,2%	0,0%	0,2%	0,2%	0,6%	0,0%	0,2%	0,6%	0,5%	1,8%	2,1%	0,9%
Another reason	0,5%	0,2%	0,1%	0,6%	0,2%	0,1%	0,4%	0,3%	0,0%	0,2%	0,2%	0,5%	0,4%	0,3%	0,7%	0,4%
None of these	3,1%	1,5%	1,4%	1,9%	3,1%	2,6%	3,4%	2,3%	3,6%	1,5%	1,6%	2,7%	4,0%	4,9%	7,2%	3,9%
NO ANSWER	7,2%	5,6%	6,2%	7,2%	10,5%	11,8%	16,9%	9,6%	13,9%	6,0%	5,9%	6,2%	10,0%	14,6%	21,6%	11,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q26. What physical characteristics, personalities, or material things, do you sexually desire in another person(s)? (Spontaneous response)
(Choose a maximum of two answers)

	Edad Hombres							Edad Mujeres						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
The way the person is, personality	13,7%	17,9%	16,4%	14,2%	11,4%	8,9%	13,8%	15,3%	17,2%	17,3%	15,9%	13,0%	10,0%	14,8%
Sympathy, joy	14,1%	11,3%	9,8%	7,4%	8,7%	6,9%	9,7%	14,0%	10,7%	8,7%	8,4%	7,0%	4,7%	8,9%
Tenderness, sensitivity	2,4%	4,2%	5,5%	6,2%	5,6%	5,8%	5,0%	8,2%	9,6%	9,6%	12,8%	14,8%	9,2%	10,7%
That they are nice, kind, quiet	2,0%	2,8%	1,9%	4,0%	5,1%	3,5%	3,2%	3,6%	4,0%	5,1%	4,5%	4,3%	4,4%	4,3%
That they are an interesting person	0,4%	0,1%	0,6%	0,1%	0,1%	0,0%	0,2%	0,1%	1,1%	0,7%	0,6%	0,6%	0,2%	0,6%
Intelligence, education,culture	4,7%	5,2%	5,1%	5,3%	3,5%	2,4%	4,4%	4,4%	5,0%	4,7%	4,5%	3,5%	2,2%	4,1%
Politeness, good manners	0,1%	0,9%	0,6%	1,0%	1,2%	1,8%	0,9%	1,8%	2,8%	2,4%	3,5%	5,2%	4,3%	3,3%
Kindness, integrity	5,8%	7,9%	7,1%	8,1%	9,6%	8,6%	7,8%	11,4%	11,1%	10,5%	14,0%	14,6%	18,3%	13,3%
That they are an active, hard-working person	0,9%	0,2%	0,2%	0,1%	0,1%	1,0%	0,4%	0,3%	0,5%	0,4%	1,1%	1,7%	2,2%	1,0%
That they are clean	0,1%	0,3%	0,2%	0,6%	0,3%	0,5%	0,3%	0,3%	0,8%	1,4%	2,4%	1,2%	0,8%	1,2%
That they are docile	0,1%	0,2%	0,4%	0,4%	0,4%	0,2%	0,3%	0,1%	0,0%	0,4%	0,2%	0,0%	0,2%	0,2%
Self-confident person	1,0%	2,3%	1,4%	1,0%	0,6%	0,5%	1,2%	1,5%	2,2%	1,6%	1,2%	0,6%	0,8%	1,4%
Fidelity	0,6%	0,5%	0,8%	0,4%	0,4%	0,6%	0,5%	1,4%	0,4%	0,4%	0,9%	0,4%	0,7%	0,7%
Simple, humble person	0,0%	0,3%	0,5%	0,1%	0,9%	0,5%	0,4%	0,1%	0,5%	0,1%	0,4%	0,4%	0,2%	0,3%
That they are fiery, passionate, sensual	1,2%	1,0%	1,5%	1,1%	0,4%	0,5%	1,0%	0,6%	0,2%	0,5%	0,7%	0,1%	0,1%	0,4%
Physical appearance, beauty	32,0%	29,4%	27,2%	24,9%	26,1%	22,5%	27,0%	24,6%	16,5%	17,3%	14,4%	12,6%	11,4%	16,1%
That they have a good body	14,3%	13,2%	11,7%	10,6%	9,2%	7,2%	11,1%	9,8%	7,1%	5,9%	5,6%	3,5%	2,9%	5,8%
That they are attractive	6,1%	5,1%	6,9%	6,8%	5,0%	3,4%	5,6%	5,5%	4,8%	4,0%	4,6%	2,7%	1,5%	3,8%
Genitals	0,1%	0,1%	0,1%	0,0%	0,0%	0,1%	0,1%	0,0%	0,5%	0,1%	0,0%	0,3%	0,1%	0,2%
Chest, breasts	9,3%	8,1%	7,7%	6,8%	8,2%	7,6%	7,9%	0,0%	0,0%	0,4%	0,1%	0,0%	0,0%	0,1%
Butt, buttocks	7,8%	6,2%	6,1%	4,2%	4,0%	2,3%	5,1%	2,6%	2,9%	3,4%	1,0%	0,5%	0,4%	1,8%
Legs and hips	1,2%	0,9%	0,9%	1,6%	1,8%	1,4%	1,3%	0,0%	0,1%	0,2%	0,2%	0,0%	0,0%	0,1%
Face	7,2%	7,1%	5,1%	3,8%	2,3%	3,9%	4,9%	3,7%	3,3%	2,5%	2,7%	1,5%	1,2%	2,5%
Eyes	6,0%	4,9%	5,1%	4,2%	3,1%	1,9%	4,2%	10,3%	8,4%	7,8%	5,7%	3,2%	3,2%	6,4%
Mouth	1,7%	1,0%	1,4%	1,1%	0,8%	0,6%	1,1%	2,3%	1,5%	1,4%	1,0%	0,6%	0,4%	1,2%
Hair	1,9%	1,4%	0,9%	1,4%	0,4%	0,6%	1,1%	0,1%	0,5%	0,2%	0,2%	0,4%	0,2%	0,3%
Hands	0,8%	0,8%	0,8%	0,4%	0,3%	0,2%	0,5%	2,2%	3,2%	3,3%	1,7%	1,3%	0,8%	2,1%

Following..

	Edad Hombres							Edad Mujeres						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Voice, the look, smell, walk	1,6%	2,4%	1,7%	2,5%	3,0%	1,0%	2,0%	3,4%	4,0%	3,3%	3,5%	4,1%	0,9%	3,1%
Feet	0,0%	0,1%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%
That they are tanned, or have a dark complexion	1,1%	1,3%	0,8%	0,5%	0,3%	0,6%	0,8%	2,0%	0,9%	0,6%	0,9%	0,6%	0,2%	0,8%
That there is an attraction, "feeling"	1,3%	4,0%	3,4%	3,5%	3,5%	2,2%	3,1%	2,4%	5,5%	5,2%	2,8%	4,1%	3,2%	4,0%
That they are a good lover	0,0%	0,0%	0,2%	0,0%	0,3%	0,4%	0,1%	0,3%	0,2%	0,1%	0,0%	0,0%	0,1%	0,1%
That they are a seducer	0,3%	0,2%	0,2%	0,0%	0,0%	0,0%	0,1%	0,2%	0,2%	0,1%	0,0%	0,2%	0,0%	0,1%
That they are romantic	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,2%	0,2%	0,1%	0,4%	0,0%	0,1%	0,2%
That they are feminine	0,0%	0,8%	0,9%	0,5%	0,7%	1,5%	0,8%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
That they are masculine	0,0%	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%	0,3%	0,7%	0,6%	0,1%	0,9%	0,5%	0,6%
That they are admirable	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,2%	0,0%	0,0%	0,2%	0,1%
That we feel we are in love with each other	1,9%	2,2%	2,8%	4,0%	3,0%	2,9%	2,8%	5,0%	6,4%	7,5%	7,6%	6,3%	5,4%	6,4%
We have ideological affinity	0,0%	0,2%	0,1%	0,1%	0,2%	0,4%	0,2%	0,2%	0,2%	0,3%	0,3%	0,3%	0,3%	0,3%
That we have common interests	0,0%	0,1%	0,3%	0,4%	0,2%	0,4%	0,2%	0,0%	0,7%	0,9%	0,4%	0,5%	0,1%	0,4%
That we share the idea of an ideal partner	0,0%	0,1%	0,0%	0,1%	0,0%	0,5%	0,1%	0,0%	0,1%	0,1%	0,0%	0,0%	0,1%	0,1%
That they are a rich person	0,0%	0,1%	0,2%	0,0%	0,2%	0,1%	0,1%	0,0%	0,1%	0,4%	0,1%	0,2%	0,4%	0,2%
The way they dress	0,6%	0,3%	1,2%	0,1%	0,5%	0,6%	0,6%	0,5%	0,2%	0,2%	0,6%	0,2%	0,4%	0,4%
Everything	1,1%	0,9%	1,1%	1,7%	1,0%	1,1%	1,1%	0,5%	0,2%	1,2%	0,4%	0,3%	1,0%	0,6%
Other answers	0,6%	0,7%	1,8%	0,4%	0,7%	0,7%	0,9%	0,5%	0,7%	1,3%	0,5%	1,3%	0,8%	0,9%
Nothing	0,0%	0,4%	0,2%	0,6%	0,2%	0,5%	0,3%	0,0%	0,4%	0,2%	0,6%	1,1%	1,5%	0,7%
DON'T KNOW	9,2%	7,6%	10,1%	12,5%	14,0%	22,8%	12,5%	10,2%	10,7%	12,2%	13,9%	19,1%	25,7%	15,8%
NO ANSWER	45,3%	44,6%	48,4%	56,0%	61,3%	70,0%	53,7%	48,5%	52,7%	54,8%	58,0%	65,7%	77,9%	60,7%
Total (N)	624	1031	975	775	603	821	4829	594	964	931	774	633	1117	5013

Fuente: Elaboración propia a partir de los datos de la ENSS 2009 (MSPS – CIS: estudio nº 2780)

The questions below, ranging from **Q2710 to Q42b**, are part of the self-administered Booklet 2 (CA2) that respondents filled out individually. However, not everybody completed the booklet by themselves, almost half the were self-administered and a similar percentage were done by the interviewer¹⁴.

The series of questions in this booklet deal with the practices, feelings and contraceptive methods used during in the last twelve months sexual of their sexual relations, sexual experiences throughout life and the satisfaction in them.

The results shown in the tables and graphs do not collect all the information of those surveyed, but only those who have responded to these questions.

It also reminds the person administering the questionnaire, to explain what is meant by sexual relations in the investigation, namely:

¹⁴For more detailed information see section 6.2.2 Mixed mode of administration in the methodological report of the CIS.: http://www.cis.es/cis/opencms/-Archivos/Marginales/2780_2799/2780/informe_metodologico.pdf

Q27. Could you tell me what sexual practices you have done in the last twelve months? (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Kisses and caresses	62,1%	84,5%	86,7%	86,9%	78,8%	71,9%	50,6%	76,5%	50,0%	85,3%	87,0%	84,3%	72,3%	55,4%	25,8%	65,5%
Masturbation in the presence of other people	4,1%	13,5%	11,2%	9,0%	6,2%	2,6%	0,7%	7,1%	2,4%	5,7%	6,3%	5,2%	2,9%	0,9%	0,6%	3,5%
Mutual masturbation	33,3%	56,0%	56,3%	52,5%	42,0%	27,6%	9,2%	40,9%	18,7%	54,7%	50,8%	50,1%	30,9%	15,6%	3,7%	32,2%
Someone performed oral sex on you	21,0%	55,6%	57,6%	56,4%	39,6%	21,3%	4,5%	39,5%	15,1%	44,3%	50,2%	46,2%	26,7%	9,1%	1,1%	28,3%
You performed oral sex on another person	12,8%	47,6%	51,8%	51,1%	36,7%	17,2%	3,6%	35,1%	17,5%	45,9%	46,6%	45,9%	24,5%	9,9%	1,4%	27,6%
Someone performed anal sex on you	1,0%	4,3%	5,9%	4,0%	4,2%	1,3%	0,5%	3,4%	0,6%	10,5%	10,8%	8,9%	5,5%	1,4%	0,2%	5,8%
You performed anal sex on another person	4,6%	14,8%	16,4%	12,6%	7,9%	3,2%	0,7%	9,4%	0,6%	2,5%	1,5%	2,1%	1,6%	0,1%	0,1%	1,2%
Someone performed vaginal sex on you	0,0%	0,0%	0,1%	0,0%	0,2%	0,1%	0,0%	0,1%	28,9%	72,2%	79,4%	78,7%	70,0%	49,7%	20,7%	59,0%
You performed vaginal sex on another person	44,6%	71,7%	78,3%	77,3%	74,1%	66,7%	41,1%	67,9%	0,0%	0,2%	0,6%	0,1%	0,0%	0,1%	0,2%	0,2%
Group sex	1,5%	2,6%	2,2%	2,0%	1,0%	0,6%	0,6%	1,5%	0,6%	1,1%	0,2%	0,8%	0,1%	0,0%	0,2%	0,4%
Cybersex	2,6%	4,1%	3,2%	2,6%	1,1%	0,4%	0,0%	1,9%	1,2%	1,6%	0,9%	0,8%	0,5%	0,0%	0,0%	0,6%
Sadomasochistic acts	0,0%	1,4%	0,8%	0,1%	0,0%	0,0%	0,1%	0,3%	0,0%	0,5%	0,1%	0,1%	0,1%	0,1%	0,0%	0,1%
Other answers	0,0%	1,4%	0,3%	0,5%	0,0%	0,4%	0,4%	0,4%	0,0%	0,3%	0,8%	0,5%	0,2%	0,3%	0,0%	0,3%
Have not had sexual relations in the last twelve months	17,9%	6,1%	3,9%	4,4%	7,0%	12,1%	37,7%	11,9%	22,9%	5,2%	5,3%	6,3%	15,2%	31,6%	62,7%	23,6%
NO ANSWER	18,5%	4,4%	3,0%	3,3%	5,9%	8,2%	7,4%	5,6%	25,9%	6,4%	4,0%	4,3%	7,2%	8,6%	9,8%	7,2%
Total (N)	156	468	1031	975	775	602	821	4828	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q27a.What is the main reason that you have not had sexual relations during the last twelve months?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Have chosen abstinence for ideological reasons	0,0%	2,8%	2,9%	5,4%	1,8%	0,0%	0,3%	1,1%	2,6%	15,6%	6,7%	0,0%	1,6%	1,2%	0,7%	1,5%
Have not wanted to	20,0%	11,1%	11,8%	5,4%	8,8%	9,6%	3,2%	6,5%	31,6%	6,3%	8,9%	9,3%	18,4%	9,4%	6,0%	8,7%
Have not had an occasion or possibility	37,1%	41,7%	29,4%	27,0%	22,8%	9,6%	3,2%	13,0%	10,5%	12,5%	8,9%	7,4%	9,6%	2,4%	2,4%	4,1%
Have not found a sexual companion that I have liked	20,0%	22,2%	23,5%	8,1%	14,0%	3,2%	2,6%	7,4%	15,8%	15,6%	33,3%	20,4%	10,4%	8,6%	1,9%	6,8%
Because of fear	2,9%	2,8%	0,0%	0,0%	0,0%	0,0%	0,6%	0,6%	0,0%	3,1%	0,0%	0,0%	2,4%	0,0%	0,2%	0,4%
Because of a bad experience in previous relationships	0,0%	0,0%	2,9%	10,8%	5,3%	0,0%	0,0%	1,5%	2,6%	6,3%	8,9%	5,6%	4,0%	2,0%	0,4%	1,8%
Due to a lack of sexual desire	0,0%	0,0%	0,0%	0,0%	7,0%	13,8%	21,8%	14,1%	0,0%	0,0%	2,2%	1,9%	5,6%	11,4%	9,3%	8,2%
Due to a lack of confidence	5,7%	0,0%	0,0%	2,7%	0,0%	1,1%	0,0%	0,6%	15,8%	3,1%	0,0%	3,7%	1,6%	0,0%	0,4%	1,0%
Because of a chronic illness which prevents me	0,0%	0,0%	0,0%	0,0%	10,5%	14,9%	16,7%	11,8%	0,0%	0,0%	0,0%	1,9%	4,0%	4,9%	3,4%	3,3%
Because of your partner's illness	0,0%	0,0%	0,0%	2,7%	5,3%	13,8%	14,7%	10,4%	0,0%	0,0%	0,0%	0,0%	5,6%	10,6%	9,9%	8,2%
Widow/er	0,0%	0,0%	0,0%	0,0%	0,0%	14,9%	19,6%	12,4%	0,0%	0,0%	2,2%	5,6%	16,0%	31,4%	50,3%	37,1%
Because I have not found the ideal partner	5,7%	8,3%	17,6%	5,4%	12,3%	3,2%	1,0%	4,4%	10,5%	25,0%	13,3%	22,2%	13,6%	7,3%	1,5%	5,9%
Do not like to	0,0%	2,8%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,8%	0,8%	0,7%	0,7%
Another reason	0,0%	0,0%	5,9%	18,9%	7,0%	12,8%	14,1%	11,7%	0,0%	6,3%	8,9%	13,0%	3,2%	5,3%	8,8%	7,6%
DON'T KNOW	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,4%	0,0%	0,1%
NO ANSWER	8,6%	8,3%	5,9%	13,5%	5,3%	3,2%	2,2%	4,3%	10,5%	6,3%	6,7%	9,3%	3,2%	4,1%	4,3%	4,7%
Total (N)	28	28	40	42	54	72	309	573	29	24	50	59	118	199	700	1179


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 24: Main reason for not having sexual relations during the last twelve months, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 25: Main reason for not having sexual relations during the last twelve months, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q28. Generally, in your sexual relations, How often: always, almost always, sometimes or never...?

Q28.1. Do you take the initiative in sexual relations?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	16,1%	16,4%	15,8%	17,3%	20,1%	25,8%	37,8%	20,6%	3,5%	4,4%	2,8%	1,7%	3,0%	1,3%	3,0%	2,6%
Almost always	44,4%	52,0%	48,2%	52,3%	52,4%	51,8%	40,7%	49,7%	11,8%	19,0%	16,1%	14,3%	8,9%	6,0%	4,6%	12,6%
Sometimes	37,9%	29,7%	33,5%	28,4%	25,2%	19,7%	16,7%	27,1%	69,4%	71,2%	75,2%	77,4%	75,4%	59,5%	48,1%	71,0%
Never	1,6%	1,1%	1,1%	0,6%	0,6%	1,0%	1,3%	0,9%	14,1%	5,0%	5,0%	4,6%	10,0%	28,2%	42,2%	11,8%
NO ANSWER	0,0%	0,8%	1,4%	1,3%	1,7%	1,6%	3,5%	1,6%	1,2%	0,4%	0,9%	2,0%	2,7%	5,0%	2,1%	2,0%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q28.2. Is penetration the final objective of your sexual activity?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	18,5%	21,1%	18,4%	20,2%	22,5%	25,8%	30,5%	22,1%	16,3%	19,0%	19,7%	17,9%	18,8%	19,2%	18,6%	18,9%
Almost always	27,4%	44,0%	42,5%	42,7%	44,5%	41,4%	31,6%	41,3%	25,7%	38,0%	37,1%	37,5%	34,9%	29,5%	27,4%	35,2%
Sometimes	31,5%	26,5%	31,4%	29,0%	23,1%	23,9%	20,7%	26,8%	34,0%	29,4%	33,7%	33,3%	31,7%	33,4%	30,4%	32,3%
Never	16,9%	6,1%	5,5%	4,0%	6,4%	4,8%	9,7%	6,0%	19,0%	11,7%	7,2%	8,2%	9,1%	10,6%	16,0%	9,5%
NO ANSWER	5,6%	2,3%	2,2%	4,2%	3,5%	4,0%	7,5%	3,8%	5,0%	1,9%	2,3%	3,2%	5,5%	7,3%	7,6%	4,1%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q28.3. Do you try to satisfy the desires of your partner over those of your own?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	31,6%	32,7%	33,4%	33,4%	29,6%	35,2%	31,6%	32,7%	19,7%	18,1%	17,8%	17,5%	18,9%	22,2%	26,6%	19,2%
Almost always	34,5%	35,6%	37,0%	38,8%	40,8%	36,1%	35,0%	37,5%	32,3%	31,8%	29,9%	29,9%	31,2%	34,9%	35,0%	31,4%
Sometimes	26,6%	25,6%	22,6%	20,3%	23,0%	21,8%	24,2%	22,6%	34,0%	35,6%	39,9%	37,8%	33,9%	29,5%	26,2%	35,4%
Never	5,0%	4,1%	4,5%	4,8%	2,4%	2,9%	3,7%	3,9%	11,0%	13,2%	9,8%	11,8%	12,4%	8,2%	7,6%	10,9%
NO ANSWER	2,3%	2,0%	2,5%	2,7%	4,2%	4,0%	5,5%	3,3%	3,0%	1,3%	2,6%	3,0%	3,6%	5,2%	4,6%	3,1%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

28.4. Do you repress and/or inhibit your sexual desires and pleasure?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	1,9%	1,7%	2,4%	2,2%	2,0%	1,6%	3,3%	2,2%	2,4%	2,6%	1,8%	1,6%	1,4%	2,2%	4,3%	2,0%
Almost always	7,1%	7,7%	5,5%	5,1%	6,1%	5,3%	5,3%	5,7%	6,8%	6,2%	2,7%	4,1%	3,5%	7,8%	12,2%	5,0%
Sometimes	35,2%	37,8%	34,1%	38,0%	40,0%	34,8%	33,0%	36,4%	27,8%	28,9%	30,8%	27,5%	30,0%	33,2%	29,1%	29,7%
Never	51,8%	48,0%	54,0%	50,4%	46,0%	51,4%	44,4%	49,7%	59,0%	58,1%	59,8%	61,7%	57,9%	50,0%	45,1%	57,3%
NO ANSWER	4,0%	4,8%	4,0%	4,3%	5,9%	6,9%	14,0%	6,0%	4,0%	4,2%	4,9%	5,1%	7,2%	6,8%	9,3%	6,0%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

28.5. Do you think about seductive fantasies and images to increase your desire and excitement?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	7,1%	6,5%	6,6%	6,5%	5,8%	5,0%	3,1%	5,9%	3,8%	3,8%	3,9%	3,8%	4,1%	1,5%	1,3%	3,4%
Almost always	16,5%	15,1%	14,3%	15,9%	15,0%	13,0%	10,0%	14,2%	9,8%	9,4%	12,0%	10,0%	6,1%	5,6%	1,7%	8,5%
Sometimes	35,8%	37,6%	38,5%	42,5%	40,0%	35,0%	25,7%	37,6%	39,0%	38,7%	42,3%	40,5%	32,2%	23,1%	13,9%	35,0%
Never	37,9%	39,1%	38,3%	31,9%	34,4%	42,0%	51,8%	38,3%	45,9%	46,5%	38,9%	42,4%	51,8%	62,7%	77,2%	49,0%
NO ANSWER	2,7%	1,7%	2,3%	3,2%	4,8%	5,0%	9,4%	4,0%	1,5%	1,6%	2,9%	3,3%	5,8%	7,1%	5,9%	4,1%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

28.6. Do you take any medication, alcohol, or other substances to sexually stimulate yourself?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	0,1%	0,3%	0,9%	0,5%	0,3%	0,5%	1,0%	0,6%	0,1%	0,5%	0,4%	0,4%	0,5%	0,2%	0,4%	0,4%
Almost always	1,5%	2,2%	1,5%	1,7%	1,1%	1,0%	2,0%	1,5%	1,2%	1,0%	0,5%	0,7%	0,2%	0,2%	0,8%	0,5%
Sometimes	13,9%	17,3%	13,2%	11,6%	11,3%	7,2%	5,9%	11,5%	11,8%	12,0%	7,3%	7,2%	4,6%	4,7%	0,4%	6,6%
Never	81,7%	78,0%	82,0%	82,9%	83,3%	85,7%	83,4%	82,5%	85,7%	84,7%	89,1%	89,1%	88,7%	87,4%	94,5%	88,8%
NO ANSWER	2,8%	2,2%	2,4%	3,3%	4,0%	5,6%	7,7%	3,9%	1,2%	1,8%	2,7%	2,6%	6,0%	7,5%	3,9%	3,7%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

28.7. Do you use erotic sex toys to help you during sexual relations?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	0,3%	0,3%	0,7%	1,0%	0,7%	0,0%	0,0%	0,6%	1,2%	1,3%	1,0%	1,3%	0,9%	0,0%	0,4%	1,0%
Almost always	2,7%	2,6%	2,1%	3,4%	1,4%	0,6%	0,0%	1,9%	2,9%	3,8%	4,0%	2,4%	0,8%	0,2%	0,0%	2,3%
Sometimes	16,4%	18,2%	25,0%	17,9%	11,8%	6,6%	1,5%	15,4%	20,0%	21,9%	25,2%	21,1%	11,0%	6,3%	1,3%	17,1%
Never	78,0%	76,6%	69,3%	73,2%	81,0%	86,1%	90,4%	77,5%	74,7%	71,1%	65,4%	70,9%	79,5%	86,2%	94,1%	74,7%
NO ANSWER	2,6%	2,3%	2,9%	4,5%	5,1%	6,7%	8,1%	4,6%	1,2%	1,9%	4,4%	4,3%	7,8%	7,3%	4,2%	4,9%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

28.8. Do you believe, "the sooner it's over, the better"?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	0,0%	0,3%	0,5%	0,6%	0,4%	0,8%	0,2%	0,5%	0,2%	0,3%	0,5%	0,9%	0,9%	3,9%	5,1%	1,4%
Almost always	0,3%	0,9%	0,7%	1,1%	0,6%	0,3%	0,7%	0,8%	1,0%	1,0%	1,0%	1,3%	2,2%	3,9%	6,3%	2,0%
Sometimes	8,1%	8,5%	7,9%	4,8%	7,4%	4,8%	6,6%	6,7%	17,0%	16,1%	19,3%	22,5%	23,5%	31,7%	42,2%	23,8%
Never	89,2%	88,4%	88,3%	90,2%	87,5%	88,5%	83,3%	88,0%	79,8%	81,5%	76,2%	72,5%	68,1%	53,2%	40,1%	69,0%
NO ANSWER	2,4%	1,8%	2,6%	3,3%	4,1%	5,6%	9,2%	4,0%	2,0%	1,1%	3,0%	2,8%	5,3%	7,3%	6,3%	3,8%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q29. How often have you had sexual relations in the last twelve months?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Daily	3,2%	5,9%	5,5%	4,1%	2,0%	0,8%	0,9%	3,5%	4,7%	8,7%	4,1%	3,2%	1,7%	0,6%	3,0%	3,5%
Every two or three days	16,1%	34,5%	49,6%	45,3%	36,8%	19,7%	6,4%	35,5%	32,9%	45,8%	45,9%	43,2%	29,4%	13,4%	7,2%	35,2%
Once a week	28,2%	25,0%	24,8%	28,6%	39,2%	41,3%	28,1%	30,6%	17,6%	25,3%	30,4%	35,8%	37,2%	34,1%	17,7%	31,3%
Once every two or three weeks	16,1%	14,1%	9,8%	11,2%	11,5%	20,1%	24,2%	13,9%	16,5%	8,1%	8,2%	7,8%	18,7%	23,3%	19,8%	12,7%
Once a month	10,5%	7,6%	3,4%	5,0%	4,1%	8,8%	16,5%	6,6%	7,1%	3,5%	2,4%	3,4%	3,8%	12,7%	24,5%	6,2%
Less than once a month	19,4%	9,3%	5,0%	3,7%	4,0%	6,7%	16,7%	6,9%	15,3%	5,9%	4,9%	3,6%	5,3%	12,7%	18,6%	7,0%
Another answer	3,2%	2,5%	0,9%	1,1%	1,3%	1,6%	2,6%	1,5%	2,4%	2,0%	2,8%	1,8%	2,0%	1,1%	4,2%	2,3%
NO ANSWER	3,2%	1,1%	1,1%	1,0%	1,1%	1,0%	4,6%	1,5%	3,5%	0,6%	1,2%	1,3%	1,9%	2,2%	5,1%	1,7%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q30. Would you like to have sex...?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Less often	2,4%	2,7%	2,1%	1,5%	2,0%	1,6%	1,1%	1,8%	3,5%	2,2%	2,1%	3,0%	4,2%	6,0%	9,7%	3,8%
With the same frequency	37,1%	35,4%	47,7%	46,3%	45,8%	45,7%	41,3%	44,5%	44,7%	57,5%	55,1%	56,6%	59,8%	55,2%	46,8%	55,6%
More often	50,8%	51,0%	41,7%	45,8%	45,5%	44,8%	43,3%	45,0%	22,4%	26,1%	31,8%	26,8%	20,7%	13,4%	9,3%	23,8%
Is indifferent, does not care	8,1%	9,9%	7,6%	5,4%	5,9%	6,9%	10,1%	7,3%	29,4%	13,7%	10,0%	12,6%	14,0%	22,6%	30,0%	15,3%
NO ANSWER	1,6%	1,0%	0,9%	1,0%	0,8%	1,0%	4,2%	1,3%	0,0%	0,6%	1,0%	0,9%	1,3%	2,8%	4,2%	1,4%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 26: Would they like to have sexual relations...? According to sex





Graph 27: Would they like to have sexual relations...? According to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 28: Would they like to have sexual relations...? According to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q31. During this time (the last twelve months)

Which of the two feelings I am going to read to you would best define your mood after having sexual relations?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Dissatisfaction	3,2%	3,8%	3,0%	2,7%	2,7%	4,2%	3,5%	3,2%	2,4%	2,0%	2,3%	3,8%	5,0%	8,2%	11,0%	4,5%
Satisfaction	90,3%	93,9%	94,2%	95,5%	95,0%	93,6%	89,7%	93,9%	85,9%	94,3%	95,5%	93,7%	88,7%	83,8%	70,5%	90,1%
Neither (DO NOT READ)	6,5%	2,1%	2,2%	1,4%	1,3%	1,4%	3,1%	2,0%	10,6%	2,8%	1,8%	1,8%	4,9%	6,3%	13,1%	4,1%
NO ANSWER	0,0%	0,2%	0,6%	0,4%	1,0%	0,8%	3,7%	0,9%	1,2%	0,9%	0,4%	0,7%	1,4%	1,7%	5,5%	1,3%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Pleasure	94,4%	94,9%	95,3%	95,7%	95,2%	94,9%	90,5%	94,7%	75,3%	89,6%	94,7%	94,2%	90,1%	81,3%	70,5%	89,5%
Pain	0,0%	1,5%	1,2%	1,3%	1,0%	1,1%	0,9%	1,2%	5,9%	2,1%	1,9%	1,2%	1,9%	5,0%	3,0%	2,2%
Neither (DO NOT READ)	5,6%	3,2%	2,4%	2,3%	1,7%	2,6%	4,4%	2,6%	16,5%	6,7%	2,4%	3,3%	5,8%	10,6%	19,4%	6,2%
NO ANSWER	0,0%	0,8%	1,1%	0,8%	2,1%	1,4%	4,2%	1,5%	2,4%	1,5%	0,9%	1,3%	2,2%	3,2%	7,2%	2,1%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Guilt	0,0%	1,5%	0,9%	1,4%	1,1%	1,6%	0,9%	1,2%	4,7%	0,9%	1,2%	1,1%	0,9%	1,3%	3,8%	1,4%
Well-being	90,3%	90,9%	91,8%	93,6%	92,9%	90,5%	86,4%	91,5%	75,3%	91,7%	93,2%	92,0%	88,7%	83,2%	73,8%	88,8%
Neither (DO NOT READ)	8,9%	6,3%	6,2%	4,0%	3,8%	5,9%	7,9%	5,5%	17,6%	6,1%	4,9%	5,3%	8,0%	12,5%	15,6%	7,7%
NO ANSWER	0,8%	1,3%	1,1%	1,0%	2,1%	1,9%	4,8%	1,8%	2,4%	1,3%	0,8%	1,7%	2,4%	3,0%	6,8%	2,1%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Tranquility	83,9%	86,7%	88,0%	88,9%	89,7%	88,3%	85,1%	87,9%	78,8%	84,1%	88,7%	87,8%	86,5%	84,3%	78,9%	86,0%
Fear	4,8%	2,7%	1,7%	1,9%	0,8%	1,6%	1,1%	1,7%	3,5%	2,4%	2,2%	1,6%	0,9%	1,7%	2,1%	1,8%
Neither (DO NOT READ)	10,5%	9,1%	9,1%	7,7%	6,9%	7,5%	8,6%	8,2%	16,5%	12,0%	7,7%	8,7%	8,8%	10,6%	13,5%	9,6%
NO ANSWER	0,8%	1,5%	1,2%	1,5%	2,5%	2,6%	5,3%	2,2%	1,2%	1,5%	1,4%	2,0%	3,8%	3,4%	5,5%	2,5%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Sadness	1,6%	2,1%	1,5%	2,0%	2,4%	2,1%	2,0%	2,0%	2,4%	1,1%	2,7%	2,8%	3,9%	2,8%	4,6%	2,9%
Joy	85,5%	88,0%	89,3%	87,8%	87,0%	85,7%	80,9%	86,9%	81,2%	88,2%	87,9%	85,1%	78,0%	74,6%	67,5%	82,2%
Neither (DO NOT READ)	12,1%	8,6%	7,8%	8,3%	7,9%	9,1%	11,0%	8,7%	14,1%	9,6%	8,0%	10,1%	14,8%	19,0%	21,5%	12,4%
NO ANSWER	0,8%	1,3%	1,4%	1,9%	2,7%	3,0%	6,2%	2,4%	2,4%	1,1%	1,4%	2,0%	3,3%	3,7%	6,3%	2,5%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Trust	83,9%	83,0%	87,3%	85,6%	87,7%	87,2%	82,2%	85,9%	80,0%	87,1%	88,3%	86,3%	83,2%	82,8%	76,8%	85,0%
Mistrust	1,6%	4,0%	1,5%	2,4%	1,8%	1,4%	1,3%	2,0%	4,7%	2,2%	2,3%	1,3%	3,3%	2,8%	4,6%	2,5%
Neither (DO NOT READ)	12,9%	11,4%	9,7%	10,1%	7,9%	8,7%	10,3%	9,7%	12,9%	9,6%	8,0%	10,0%	10,2%	10,3%	12,7%	9,8%
NO ANSWER	1,6%	1,5%	1,5%	1,9%	2,5%	2,7%	6,2%	2,4%	2,4%	1,1%	1,4%	2,4%	3,3%	4,1%	5,9%	2,6%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q32. How many people have you had sexual relations with during the last twelve months?

	Age Males							Age Females						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Average	2,76	2,03	1,61	1,47	1,25	1,12	1,74	1,50	1,21	1,13	1,11	1,03	1,04	1,18
N	506	948	865	655	468	426	3868	467	859	816	592	367	301	3403

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q33. Was the person(s) you have had sexual relations with the during the last twelve months ...? (choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Your stable partner/s	71,0%	74,9%	85,2%	89,7%	92,5%	92,0%	94,3%	87,9%	83,5%	91,5%	93,7%	96,1%	97,3%	97,4%	96,6%	95,1%
Sporadic or casual partner/s	51,6%	48,0%	28,2%	17,9%	16,0%	10,0%	5,5%	21,7%	29,4%	18,7%	11,8%	5,5%	4,2%	4,5%	1,7%	8,5%
Person(s) who you have paid	4,8%	5,3%	4,7%	5,1%	4,8%	4,3%	2,4%	4,6%	0,0%	0,0%	0,3%	0,0%	0,2%	0,4%	0,0%	0,1%
Person or people who have paid you	0,8%	1,3%	1,1%	0,5%	0,4%	0,2%	0,0%	0,6%	0,0%	0,7%	0,4%	0,5%	0,3%	0,0%	0,0%	0,4%
NO ANSWER	4,0%	2,1%	1,0%	0,6%	0,8%	1,3%	2,6%	1,3%	3,5%	1,7%	1,4%	2,0%	1,4%	0,9%	2,5%	1,7%
Total (N)	99	420	960	900	675	481	451	3986	65	413	877	832	601	378	309	3475

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


Q34. In general, in these sexual relations you have had with your stable partner, did you feel...? ¹⁵

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	40,9%	53,7%	54,1%	44,1%	38,6%	33,2%	28,4%	43,0%	40,8%	49,7%	48,5%	39,9%	30,2%	21,5%	21,4%	37,7%
Quite a bit of satisfaction	44,3%	34,1%	31,8%	38,5%	46,2%	48,0%	55,7%	41,3%	47,9%	34,3%	37,2%	41,6%	48,4%	51,1%	46,3%	42,5%
Some satisfaction	5,7%	2,3%	2,6%	2,0%	3,8%	4,9%	8,2%	3,7%	5,6%	3,0%	2,6%	3,7%	5,5%	11,1%	15,7%	5,6%
A little satisfaction	1,1%	1,0%	0,3%	0,3%	0,3%	1,0%	1,9%	0,7%	0,0%	0,8%	0,4%	0,4%	1,8%	3,8%	7,4%	1,7%
No satisfaction at all	0,0%	0,3%	0,3%	0,0%	0,2%	0,7%	0,2%	0,2%	0,0%	0,2%	0,1%	0,1%	0,5%	2,4%	4,4%	0,8%
NO ANSWER	8,0%	8,7%	10,9%	15,1%	10,9%	12,2%	5,6%	11,1%	5,6%	11,9%	11,1%	14,2%	13,7%	10,2%	4,8%	11,7%
Total (N)	70	314	818	807	624	442	425	3500	54	378	821	799	585	368	298	3303


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

¹⁵Data from those who have had sexual relations in the last twelve months with a regular partner.

Graph 29: Satisfaction in sexual relations with a stable partner, according to sex




Graph 30: Satisfaction in sexual relations with a stable partner, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 31: Satisfaction in sexual relations with a stable partner, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q35. Your stable partner is...?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Male	1,1%	2,0%	3,2%	1,8%	1,7%	0,9%	0,5%	1,8%	97,2%	97,4%	95,6%	97,8%	98,1%	96,9%	96,1%	97,0%
Female	96,6%	95,9%	94,9%	96,6%	96,3%	96,2%	97,2%	96,1%	0,0%	0,8%	2,2%	1,0%	0,3%	0,7%	1,7%	1,2%
Transsexual	0,0%	0,0%	0,1%	0,4%	0,5%	0,2%	0,2%	0,3%	0,0%	0,2%	0,5%	0,4%	0,0%	0,0%	0,0%	0,3%
Other	0,0%	0,5%	0,1%	0,1%	0,5%	0,2%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%
NO ANSWER	2,3%	1,5%	1,6%	1,0%	1,1%	2,6%	2,1%	1,6%	2,8%	1,6%	1,6%	0,8%	1,6%	2,2%	2,2%	1,6%
Total (N)	70	314	818	807	624	442	425	3500	54	378	821	799	585	368	298	3303

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q36. How old is your partner?

	Age Males							Age Females						
	18 24	25 34	35 44	45 54	55 64	65+	Total	18 24	25 34	35 44	45 54	55 64	65+	Total
Average	20,13	28,71	36,70	45,38	55,30	67,03	0,41	24,20	32,76	41,43	51,24	61,44	72,43	43,77
N	369	807	791	611	433	405	3415	426	808	790	575	361	293	3253


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q37. How often have you used contraceptive methods during sexual relations with your stable partner in the last twelve months?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	63,6%	62,1%	56,6%	49,6%	42,7%	16,2%	2,8%	41,5%	54,9%	69,1%	60,4%	60,0%	40,8%	8,0%	2,2%	46,6%
Almost always	14,8%	16,5%	14,9%	13,7%	8,9%	3,3%	0,5%	10,5%	12,7%	13,1%	13,0%	10,4%	6,1%	1,8%	0,0%	8,8%
Sometimes	4,5%	6,6%	7,6%	10,0%	6,6%	4,0%	1,4%	6,6%	1,4%	5,3%	5,8%	5,2%	5,5%	2,0%	0,4%	4,5%
Almost never	5,7%	4,6%	5,1%	6,1%	4,6%	4,7%	2,3%	4,8%	5,6%	3,2%	4,0%	4,0%	3,2%	0,9%	0,9%	3,2%
Never	1,1%	6,9%	14,9%	17,8%	28,5%	42,1%	48,3%	24,5%	9,9%	6,5%	14,0%	16,8%	31,3%	46,7%	48,5%	23,6%
It was not necessary for the type of act	6,8%	1,5%	0,6%	2,0%	7,7%	28,6%	43,4%	11,1%	9,9%	2,2%	1,1%	2,7%	12,3%	38,9%	47,2%	12,1%
DON'T KNOW	0,0%	0,5%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,1%	0,0%	0,2%	0,4%	0,1%
NO ANSWER	3,4%	1,3%	0,4%	0,9%	1,1%	1,0%	1,4%	1,0%	5,6%	0,6%	1,5%	0,7%	0,8%	1,5%	0,4%	1,1%
Total (N)	70	314	818	807	624	442	425	3500	54	378	821	799	585	368	298	3303


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 32: How often are contraceptive methods used in sexual relations with a stable partner in the last twelve months, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 33: How often are contraceptive methods used in sexual relations with a stable partner in the last twelve months, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q37a. What or which ones do you usually use? ¹⁶ (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
The Pill	10,3%	27,2%	31,7%	23,1%	12,4%	12,3%	6,7%	23,2%	13,2%	41,2%	39,9%	24,1%	12,2%	15,8%	0,0%	29,7%
Male condom	94,9%	77,6%	67,1%	57,3%	48,3%	39,5%	50,0%	61,3%	84,9%	66,8%	56,6%	46,6%	39,4%	43,9%	25,0%	52,7%
Female condom	0,0%	3,1%	2,3%	1,3%	0,2%	1,9%	0,0%	1,6%	1,9%	1,1%	0,8%	1,2%	1,2%	0,0%	0,0%	1,0%
The morning after pill	1,3%	1,4%	0,7%	0,4%	0,2%	0,0%	0,0%	0,6%	0,0%	1,1%	0,7%	0,3%	0,0%	0,0%	0,0%	0,5%
Early withdrawal (<i>coitus interruptus</i>)	5,1%	4,8%	5,7%	6,6%	5,6%	7,4%	10,0%	6,0%	1,9%	4,2%	5,0%	5,9%	6,1%	3,5%	0,0%	5,2%
Vasectomy	0,0%	0,0%	0,9%	12,4%	20,7%	20,4%	13,3%	8,8%	0,0%	0,2%	1,8%	12,2%	16,5%	14,0%	0,0%	7,2%
Tubal ligation	0,0%	0,3%	1,2%	3,6%	8,5%	16,0%	10,0%	4,0%	0,0%	0,0%	1,3%	9,3%	18,3%	21,1%	37,5%	6,8%
IUD	0,0%	2,3%	2,9%	6,5%	7,3%	1,9%	0,0%	4,5%	1,9%	1,8%	5,3%	9,5%	9,3%	5,3%	0,0%	6,5%
Other methods (spermicidal creams, diaphragm, ...)	0,0%	1,7%	5,0%	2,9%	2,0%	1,2%	0,0%	3,0%	5,7%	4,7%	4,1%	2,9%	0,9%	3,5%	25,0%	3,5%
NO ANSWER	1,3%	0,6%	1,4%	1,6%	1,5%	6,2%	10,0%	1,7%	1,9%	1,8%	1,2%	1,4%	3,5%	5,3%	12,5%	1,9%
Total (N)	62	282	688	641	392	125	29	2219	40	343	684	636	326	46	10	2085

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


Q37b. And who decides or decided to use this / these method(s)?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
You	22,1%	15,1%	9,6%	11,7%	17,7%	22,5%	13,8%	13,4%	18,9%	23,0%	26,3%	23,3%	23,5%	27,8%	37,5%	24,4%
Your partner	3,9%	9,0%	13,0%	14,5%	14,2%	13,2%	10,3%	12,8%	3,8%	3,6%	2,4%	5,8%	9,2%	9,3%	0,0%	4,9%
You jointly agree	68,8%	73,5%	71,9%	68,6%	60,8%	53,0%	58,6%	67,9%	75,5%	68,8%	67,3%	66,4%	59,0%	53,7%	50,0%	65,8%
NO ANSWER	5,2%	2,3%	5,5%	5,3%	7,3%	11,3%	17,2%	5,8%	1,9%	4,6%	4,0%	4,5%	8,3%	9,3%	12,5%	5,0%
Total (N)	61	275	671	611	378	116	28	2140	40	335	655	602	309	44	10	1995


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

¹⁶ Data from those who have had sexual relations in the last twelve months with a regular partner, and used some type of contraceptive method

Graph 34: The person who decides the use of contraception in a stable couple, according to sex




Graph 35: The person who decides the use of contraception in a stable couple, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 36: The person who decides the use of contraception in a stable couple, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q38. How often have you used methods for preventing the spread of sexually transmitted infections, HIV / AIDS or hepatitis, in sexual relations with your stable partner?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Always	61,4%	52,9%	35,7%	23,8%	17,0%	5,4%	1,4%	23,7%	50,7%	42,8%	32,0%	19,7%	10,3%	2,2%	0,0%	20,5%
Almost always	12,5%	10,2%	8,7%	8,3%	4,9%	1,9%	0,0%	6,2%	8,5%	10,7%	7,4%	5,9%	3,9%	1,1%	0,4%	5,5%
Sometimes	2,3%	6,6%	5,8%	5,8%	4,4%	2,3%	1,2%	4,6%	2,8%	6,3%	6,2%	3,4%	2,6%	2,0%	0,4%	3,8%
Almost never	4,5%	3,8%	5,4%	6,4%	5,4%	2,6%	1,6%	4,7%	5,6%	3,2%	4,8%	4,0%	2,3%	1,8%	0,4%	3,3%
Never	8,0%	21,1%	39,1%	48,5%	57,4%	78,7%	81,4%	52,4%	15,5%	26,9%	41,6%	56,4%	68,2%	79,4%	87,8%	56,2%
It was not necessary for the type of act	5,7%	2,0%	0,7%	1,4%	3,4%	4,2%	11,2%	3,3%	8,5%	2,6%	1,8%	1,4%	2,7%	6,6%	9,2%	3,3%
DON'T KNOW	0,0%	0,3%	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,4%	0,3%	0,1%	0,5%	0,0%	0,4%	0,3%
NO ANSWER	5,7%	3,1%	4,5%	5,8%	7,5%	4,7%	3,3%	5,1%	8,5%	7,1%	5,9%	9,0%	9,5%	6,9%	1,3%	7,2%
Total (N)	70	314	818	807	624	442	425	3500	54	378	821	799	585	368	298	3303

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 37: How often are methods used to prevent STI's, HIV-AIDS, or hepatitis, in sexual relations of stable partners, according to sex




Graph 38: How often are methods used to prevent STI's, HIV-AIDS, or hepatitis, in sexual relations of stable partners, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 39: How often are methods used to prevent STI's, HIV-AIDS, or hepatitis, in sexual relations of stable partners, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q38a. What or which ones? (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Male condom	95,8%	93,4%	91,4%	90,7%	87,4%	88,6%	88,9%	91,0%	89,6%	94,9%	88,0%	90,0%	83,1%	81,3%	66,7%	89,3%
Female condom	1,4%	4,2%	2,6%	1,9%	3,4%	0,0%	0,0%	2,6%	4,2%	1,9%	4,1%	2,5%	2,5%	3,1%	0,0%	3,0%
Latex quadrants	0,0%	0,3%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,3%	0,0%	0,0%	0,0%	0,0%	0,1%
Others	0,0%	2,1%	3,1%	5,1%	4,8%	5,7%	0,0%	3,7%	4,2%	3,2%	2,5%	3,7%	4,2%	6,3%	0,0%	3,2%
NO ANSWER	4,2%	4,2%	4,2%	4,2%	6,3%	5,7%	11,1%	4,6%	4,2%	1,6%	6,0%	4,1%	10,2%	12,5%	33,3%	5,2%
Total (N)	56	231	455	357	198	54	17	1368	36	238	414	263	111	26	3	1091


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q38b. Who decides the use of this / these method(s) to prevent sexually transmitted infections?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
You	28,2%	18,7%	13,9%	14,8%	20,3%	22,9%	27,8%	17,0%	14,6%	12,2%	12,3%	12,0%	9,3%	28,1%	66,7%	12,5%
Your partner	1,4%	3,1%	3,1%	5,5%	9,2%	7,1%	11,1%	4,8%	0,0%	4,2%	3,8%	4,6%	5,9%	3,1%	0,0%	4,1%
You jointly agree	63,4%	74,0%	77,5%	73,3%	63,3%	57,1%	50,0%	72,0%	85,4%	80,1%	79,3%	75,9%	73,7%	56,3%	0,0%	77,5%
NO ANSWER	7,0%	4,2%	5,5%	6,4%	7,2%	12,9%	11,1%	6,2%	0,0%	3,5%	4,6%	7,5%	11,0%	12,5%	33,3%	5,9%
Total (N)	56	231	455	357	198	54	17	1368	36	238	414	263	111	26	3	1091


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 40: The person who decides what methods to use to prevent STI's during sexual relations in a stable couple, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 41: The person who decides what methods to use to prevent STI's during sexual relations in a stable couple, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q39. This / these sporadic or casual partner(s) is / are...?¹⁷

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Men	3,1%	3,6%	7,0%	9,3%	9,7%	4,8%	8,0%	6,7%	100,0%	94,1%	94,6%	88,1%	85,2%	85,7%	75,0%	92,1%
Women	95,3%	92,9%	89,9%	88,6%	85,0%	91,9%	92,0%	90,2%	0,0%	2,0%	1,1%	2,4%	0,0%	4,8%	25,0%	2,0%
Men and women	0,0%	0,8%	0,9%	0,0%	0,9%	1,6%	0,0%	0,7%	0,0%	4,0%	2,2%	4,8%	11,1%	0,0%	0,0%	3,5%
Transsexuals	0,0%	0,4%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Other	0,0%	0,4%	0,0%	0,0%	0,9%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	2,4%	0,0%	0,0%	0,0%	0,4%
NO ANSWER	1,6%	2,0%	2,2%	2,1%	3,5%	1,6%	0,0%	2,2%	0,0%	0,0%	2,2%	2,4%	3,7%	9,5%	0,0%	2,0%
Total (N)	51	201	270	160	108	47	24	861	19	77	103	45	25	17	5	291

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


Q40. Thinking about the last time you had sexual relations with a sporadic or casual partner, did you feel?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
A lot of satisfaction	25,0%	34,5%	34,8%	40,7%	26,5%	29,0%	28,0%	33,7%	24,0%	34,7%	32,6%	38,1%	22,2%	28,6%	25,0%	32,2%
Quite a bit of satisfaction	57,8%	51,2%	51,5%	45,7%	51,3%	59,7%	56,0%	51,3%	52,0%	43,6%	45,7%	38,1%	66,7%	38,1%	25,0%	45,4%
Some satisfaction	10,9%	9,1%	7,9%	7,1%	12,4%	8,1%	8,0%	8,8%	12,0%	15,8%	14,1%	14,3%	0,0%	14,3%	0,0%	13,0%
A little satisfaction	1,6%	3,6%	2,6%	4,3%	3,5%	1,6%	4,0%	3,2%	8,0%	4,0%	3,3%	7,1%	7,4%	4,8%	25,0%	5,2%
No satisfaction at all	1,6%	0,0%	0,9%	0,7%	0,9%	0,0%	4,0%	0,7%	0,0%	1,0%	0,0%	0,0%	0,0%	4,8%	25,0%	1,0%
NO ANSWER	3,1%	1,6%	2,2%	1,4%	5,3%	1,6%	0,0%	2,3%	4,0%	1,0%	4,3%	2,4%	3,7%	9,5%	0,0%	3,3%
Total (N)	51	201	270	160	108	47	24	861	19	77	103	45	25	17	5	291


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

¹⁷ Sequence of data that corresponds to those who have had sex in the last twelve months with a sporadic or occasional partner, even if they had a stable partner.

Graph 42: Felt satisfaction the last time they had sexual relations with a sporadic or occasional partner, according to sex




Graph 43: Felt satisfaction the last time they had sexual relations with a sporadic or occasional partner, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 44: Felt satisfaction the last time they had sexual relations with a sporadic or occasional partner, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q41. This last time you had sexual relations with your sporadic or casual partner, did you use any birth control method?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	65,6%	84,9%	79,7%	72,1%	69,9%	58,1%	40,0%	75,1%	64,0%	79,2%	83,7%	83,3%	70,4%	33,3%	0,0%	75,6%
No	14,1%	7,9%	15,0%	20,7%	21,2%	29,0%	48,0%	16,9%	8,0%	8,9%	8,7%	7,1%	22,2%	28,6%	75,0%	12,0%
It was not necessary for the type of act	14,1%	4,8%	2,6%	3,6%	3,5%	8,1%	8,0%	4,6%	24,0%	9,9%	2,2%	2,4%	3,7%	28,6%	25,0%	7,7%
DON'T KNOW	1,6%	0,8%	0,4%	0,7%	0,0%	0,0%	0,0%	0,5%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	4,7%	1,6%	2,2%	2,9%	5,3%	4,8%	4,0%	2,9%	4,0%	2,0%	5,4%	7,1%	3,7%	9,5%	0,0%	4,7%
Total (N)	51	201	270	160	108	47	24	861	19	77	103	45	25	17	5	291


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 45: Used contraceptives in the their last sexual relation with a sporadic or occasional partner, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 46: Used contraceptives in the their last sexual relation with a sporadic or occasional partner, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q41a. What or which ones? (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
The Pill	0,0%	7,0%	10,5%	5,9%	7,6%	5,6%	0,0%	7,5%	12,5%	32,5%	27,3%	5,7%	15,8%	14,3%	0,0%	22,9%
Male condom	100,0%	93,9%	94,5%	89,1%	83,5%	88,9%	90,0%	92,1%	93,8%	85,0%	89,6%	82,9%	68,4%	71,4%	0,0%	85,2%
Female condom	0,0%	1,9%	0,6%	0,0%	0,0%	0,0%	0,0%	0,7%	0,0%	2,5%	1,3%	2,9%	0,0%	0,0%	0,0%	1,7%
The morning after pill	0,0%	0,5%	0,6%	0,0%	0,0%	0,0%	0,0%	0,3%	0,0%	1,3%	0,0%	0,0%	0,0%	0,0%	0,0%	0,3%
Early withdrawal (<i>coitus interruptus</i>)	0,0%	1,4%	0,6%	3,0%	1,3%	5,6%	0,0%	1,5%	0,0%	1,3%	5,2%	2,9%	0,0%	0,0%	0,0%	2,9%
Vasectomy	0,0%	0,0%	0,0%	4,0%	5,1%	2,8%	0,0%	1,4%	0,0%	0,0%	0,0%	5,7%	5,3%	0,0%	0,0%	1,4%
Tubal ligation	0,0%	0,0%	0,6%	0,0%	3,8%	0,0%	0,0%	0,6%	0,0%	0,0%	0,0%	14,3%	15,8%	14,3%	0,0%	4,1%
IUD	0,0%	0,9%	0,0%	1,0%	1,3%	0,0%	0,0%	0,6%	0,0%	1,3%	2,6%	2,9%	5,3%	0,0%	0,0%	2,3%
Other methods (spermicidal creams, diaphragm, IUD, ...)	0,0%	0,0%	1,7%	2,0%	0,0%	0,0%	0,0%	0,9%	6,3%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,3%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	3,8%	0,0%	10,0%	0,6%	0,0%	0,0%	0,0%	0,0%	0,0%	14,3%	0,0%	0,4%
Total (N)	33	171	215	116	75	27	9	646	12	61	86	38	17	5	0	219


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q41b. Who decided to use this / these method(s)?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
You	58,5%	39,6%	45,3%	55,4%	35,9%	47,2%	50,0%	45,4%	6,3%	24,1%	22,4%	35,3%	47,4%	71,4%	0,0%	27,4%
Your sporadic or casual partner	0,0%	5,7%	7,3%	6,9%	12,8%	8,3%	10,0%	7,1%	6,3%	6,3%	6,6%	0,0%	0,0%	0,0%	0,0%	4,7%
You jointly agreed	41,5%	53,3%	46,4%	35,6%	47,4%	38,9%	30,0%	45,6%	87,5%	68,4%	68,4%	61,8%	52,6%	28,6%	0,0%	66,0%
NO ANSWER	0,0%	1,4%	1,1%	2,0%	3,8%	5,6%	10,0%	1,9%	0,0%	1,3%	2,6%	2,9%	0,0%	0,0%	0,0%	1,9%
Total (N)	32	169	213	116	74	27	9	640	12	60	85	37	17	5	0	216



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 47: Person who decided to use contraceptives with a sporadic or occasional partner, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 48: Person who decided to use contraceptives with a sporadic or occasional partner, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q42. And this last time you had sexual relations with your sporadic or casual partner, **did you use any method to prevent the spread of sexually transmitted infections, HIV / AIDS or hepatitis?**

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	60,9%	80,2%	77,1%	71,4%	69,9%	51,6%	36,0%	72,3%	64,0%	74,3%	82,6%	69,0%	48,1%	23,8%	0,0%	69,2%
No	26,6%	14,3%	18,9%	23,6%	23,0%	41,9%	60,0%	22,1%	8,0%	12,9%	6,5%	23,8%	44,4%	52,4%	100,0%	18,6%
It was not necessary for the type of act	9,4%	3,6%	1,3%	2,9%	1,8%	3,2%	0,0%	2,7%	28,0%	8,9%	7,6%	4,8%	0,0%	9,5%	0,0%	8,1%
DON'T KNOW	0,0%	0,8%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	3,1%	1,2%	2,6%	2,1%	5,3%	3,2%	4,0%	2,6%	0,0%	4,0%	3,3%	2,4%	7,4%	14,3%	0,0%	4,0%
Total (N)	51	201	270	160	108	47	24	861	19	77	103	45	25	17	5	291


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 49: Used some method in the prevention of STD's, HIV-AIDS or hepatitis, in their last sexual relations with a sporadic or occasional partner, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 50: Used some method in the prevention of STI's, HIV-AIDS or hepatitis, in their last sexual relations with a sporadic or occasional partner, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q42a. What or which ones? (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Male condom	97,4%	98,0%	97,7%	97,0%	95,9%	100,0%	99,1%	96,8%	100,0%	94,5%	96,0%	92,9%	100,0%	100,0%	0,0%	95,3%
Female condom	0,0%	1,5%	1,7%	1,0%	1,3%	0,0%	0,0%	1,3%	0,0%	3,3%	1,3%	7,1%	0,0%	0,0%	0,0%	2,8%
Latex quadrants	0,0%	0,0%	0,0%	0,0%	1,3%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Others	0,0%	0,5%	0,6%	2,0%	1,5%	0,0%	0,0%	1,0%	0,0%	2,2%	2,7%	0,0%	0,0%	0,0%	0,0%	1,9%
NO ANSWER	2,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,9%	0,7%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	31	161	208	114	75	24	8	621	12	57	85	31	11	4	0	200


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q42b. Who decided to use this / these method(s) in the prevention of sexually transmitted infections?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
You	53,8%	39,6%	44,0%	56,0%	45,6%	53,1%	55,6%	46,3%	0,0%	16,0%	21,1%	27,6%	23,1%	40,0%	0,0%	19,9%
Your sporadic or casual partner	0,0%	2,5%	3,4%	9,0%	7,6%	3,1%	11,1%	4,6%	6,3%	5,3%	2,6%	0,0%	0,0%	0,0%	0,0%	3,0%
Jointly agreed	46,2%	56,9%	51,4%	34,0%	46,8%	43,8%	33,3%	48,3%	93,8%	77,3%	75,0%	69,0%	76,9%	40,0%	0,0%	75,3%
NO ANSWER	0,0%	1,0%	1,1%	1,0%	0,0%	0,0%	0,0%	0,8%	0,0%	1,3%	1,3%	3,4%	0,0%	20,0%	0,0%	1,9%
Total (N)	31	161	208	114	75	24	8	621	12	57	85	31	12	4	0	201


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 51: Person who decided to use some method of prevention of STI's, in their last sexual relations with sporadic or occasional partner, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 52: Person who decided to use some method in the prevention of STI's, in their last sexual relations with sporadic or occasional partner, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


Questions 43 to 49 relate to the general state of health, specifically to sexual health, as well as seeking help, level of satisfaction with health services or , and opinion about everyday life situations.

Q43. At any point in your life have you ever felt worried about your sex life?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	19,5%	22,2%	26,2%	27,6%	28,5%	24,2%	20,8%	25,1%	15,7%	23,7%	30,4%	33,0%	29,3%	21,4%	12,3%	24,5%
No	79,5%	77,6%	73,2%	71,8%	70,4%	74,3%	77,4%	74,0%	81,9%	75,0%	68,7%	66,2%	69,8%	78,0%	84,5%	74,0%
Do not remember	1,0%	0,0%	0,5%	0,2%	0,7%	1,2%	1,1%	0,6%	0,0%	1,0%	0,5%	0,6%	1,0%	0,4%	2,6%	1,1%
NO ANSWER	0,0%	0,2%	0,1%	0,4%	0,4%	0,4%	0,7%	0,3%	2,4%	0,3%	0,4%	0,2%	0,0%	0,3%	0,7%	0,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 53: Felt worried about sex life at some point in life, according to sex




Graph 54: Felt worried about sex life at some point in life, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 55: Felt worried about sex life at some point in life, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


Q43a. When? ¹⁸

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Less than a year ago	57,9%	27,7%	20,3%	16,7%	17,3%	21,2%	13,4%	19,6%	61,5%	30,3%	17,7%	15,3%	22,5%	12,7%	9,5%	18,4%
Between 1 and 3 years	31,6%	33,8%	18,5%	15,8%	17,3%	20,1%	16,3%	19,2%	34,6%	42,8%	31,5%	16,4%	17,5%	14,5%	5,7%	21,5%
More than 3 years ago	5,3%	32,3%	52,9%	59,4%	55,0%	51,3%	58,7%	52,4%	0,0%	21,4%	46,5%	62,6%	54,6%	63,9%	68,6%	53,4%
Do not remember	5,3%	4,6%	7,9%	6,4%	7,8%	6,9%	7,0%	7,0%	3,8%	4,8%	2,7%	3,9%	4,2%	7,2%	12,4%	5,1%
NO ANSWER	0,0%	1,5%	0,4%	1,7%	2,6%	0,5%	4,7%	1,8%	0,0%	0,7%	1,5%	1,8%	1,3%	1,8%	3,8%	1,7%
Total (N)	30	104	271	269	221	146	171	1212	19	110	294	308	227	136	137	1231

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


¹⁸ Data only of those who have felt worried about their sex life at some point in their life

Graph 56: Time when they worried about their sex life, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 57: Time when they worried about their sex life, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q43b. What was/were the reason(s)?¹⁹ (Choose a maximum of three answers)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Lack of experience	57,9%	39,2%	30,8%	24,4%	21,2%	7,4%	8,7%	23,1%	46,2%	35,2%	22,3%	21,0%	12,5%	16,3%	17,1%	20,5%
Did not have a sexual partner	42,1%	40,8%	34,8%	26,5%	22,5%	12,2%	8,7%	25,0%	11,5%	11,0%	11,5%	11,7%	10,4%	8,4%	10,5%	10,9%
Because of mistreatment, abuse, assault	0,0%	0,0%	0,4%	0,9%	0,4%	1,1%	0,0%	0,5%	0,0%	0,7%	3,1%	6,8%	5,0%	3,6%	4,8%	4,3%
Bad previous experiences	5,3%	8,5%	10,1%	6,8%	7,8%	4,2%	1,7%	6,8%	15,4%	9,7%	13,8%	7,5%	5,0%	3,6%	1,9%	7,8%
Due to my own illness	0,0%	4,6%	3,5%	10,3%	11,3%	23,8%	37,2%	13,6%	7,7%	6,9%	7,7%	5,3%	11,3%	13,3%	9,5%	8,5%
Due to my partner's illness	2,6%	2,3%	2,6%	3,0%	5,2%	5,3%	8,7%	4,3%	0,0%	2,1%	3,8%	2,8%	6,3%	15,1%	8,6%	5,6%
Loss of sexual desire	0,0%	3,1%	9,3%	9,0%	16,0%	21,7%	20,9%	12,8%	11,5%	15,2%	27,3%	26,3%	35,0%	32,5%	22,9%	27,2%
Fear of pregnancy	10,5%	12,3%	9,7%	6,0%	5,6%	3,2%	5,2%	7,0%	38,5%	33,8%	20,4%	17,8%	9,6%	13,3%	22,9%	18,7%
Insecurity, lack of confidence in oneself	26,3%	21,5%	20,7%	16,7%	16,0%	7,4%	9,9%	16,0%	11,5%	20,0%	18,8%	17,1%	12,5%	9,0%	5,7%	14,7%
Fear of not satisfying my partner	13,2%	11,5%	11,0%	9,0%	9,5%	10,6%	7,0%	9,8%	23,1%	9,0%	8,8%	5,3%	4,2%	6,6%	6,7%	6,9%
Crisis with your partner	2,6%	4,6%	9,7%	12,0%	17,7%	19,0%	7,6%	11,9%	7,7%	19,3%	20,8%	20,3%	20,0%	14,5%	10,5%	18,3%
Lack of communication between partners, routine	2,6%	5,4%	8,4%	11,1%	10,8%	9,0%	7,0%	8,9%	7,7%	9,0%	10,8%	14,2%	11,7%	10,2%	10,5%	11,5%
Job stress	0,0%	3,8%	7,9%	12,0%	11,7%	13,8%	1,7%	8,8%	0,0%	2,1%	10,8%	8,5%	7,9%	4,2%	1,0%	6,9%
Due to excessive workload or housework	0,0%	3,1%	3,1%	6,8%	4,3%	4,8%	1,2%	4,0%	0,0%	2,1%	8,5%	7,1%	2,5%	6,6%	2,9%	5,5%
Psychological problems	0,0%	0,8%	5,7%	3,8%	5,2%	5,3%	2,9%	4,2%	0,0%	6,9%	3,5%	6,4%	4,6%	6,0%	2,9%	4,9%
Other answers	5,3%	6,9%	7,9%	9,4%	10,4%	11,1%	18,0%	10,4%	0,0%	4,1%	6,5%	7,8%	6,7%	8,4%	14,3%	7,6%
DON'T KNOW	0,0%	1,5%	0,0%	0,0%	0,0%	1,1%	1,7%	0,5%	0,0%	0,0%	0,4%	0,4%	0,4%	0,0%	1,0%	0,4%
NO ANSWER	0,0%	1,5%	1,8%	0,9%	1,7%	2,1%	4,1%	1,9%	0,0%	1,4%	1,2%	0,7%	1,7%	1,2%	1,0%	1,1%
Total (N)	30	104	271	269	221	146	171	1212	19	110	294	308	227	136	137	1231

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


¹⁹ Only for those who have worried about their sex life

Q43c. On this occasion, did you seek help about what had happened?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	23,7%	30,0%	30,0%	28,6%	26,0%	31,7%	33,1%	29,4%	38,5%	43,4%	40,4%	37,0%	38,3%	31,3%	36,2%	37,9%
No	76,3%	68,5%	69,6%	70,5%	71,4%	65,6%	63,4%	68,8%	61,5%	55,2%	59,2%	62,6%	60,4%	68,1%	62,9%	61,3%
NO ANSWER	0,0%	1,5%	0,4%	0,9%	2,6%	2,6%	3,5%	1,7%	0,0%	1,4%	0,4%	0,4%	1,3%	0,6%	1,0%	0,7%
Total (N)	30	104	271	269	221	146	171	1212	19	110	294	308	227	136	137	1231



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 58: Those who sought help because they felt worried about their sex life, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 59: Those who sought help because they felt worried about their sex life, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q43d. Who or by what means did you seek help from? (Choose a maximum of three answers)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Mother	33,3%	20,5%	14,7%	4,5%	3,3%	0,0%	0,0%	7,3%	30,0%	25,4%	20,0%	7,7%	4,3%	1,9%	2,6%	11,3%
Father	11,1%	2,6%	8,8%	1,5%	1,7%	0,0%	0,0%	3,0%	10,0%	1,6%	1,0%	1,0%	1,1%	0,0%	0,0%	1,0%
Brother	0,0%	12,8%	4,4%	4,5%	1,7%	0,0%	0,0%	3,4%	0,0%	1,6%	1,0%	1,9%	0,0%	0,0%	0,0%	0,9%
Sister	0,0%	5,1%	1,5%	1,5%	0,0%	0,0%	0,0%	1,1%	10,0%	11,1%	8,6%	5,8%	4,3%	15,4%	10,5%	8,2%
Spouse / partner	0,0%	5,1%	4,4%	9,0%	20,0%	6,7%	12,3%	9,4%	20,0%	9,5%	15,2%	19,2%	7,6%	7,7%	0,0%	12,0%
Other relatives	0,0%	5,1%	2,9%	0,0%	1,7%	3,3%	1,8%	2,1%	10,0%	1,6%	1,0%	1,0%	0,0%	0,0%	10,5%	1,9%
Teachers at school	0,0%	2,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Male friends	55,6%	48,7%	47,1%	22,4%	21,7%	5,0%	3,5%	25,6%	0,0%	15,9%	11,4%	5,8%	2,2%	0,0%	5,3%	6,9%
Female friends	0,0%	7,7%	13,2%	3,0%	5,0%	0,0%	0,0%	5,1%	50,0%	34,9%	22,9%	20,2%	13,0%	17,3%	10,5%	20,3%
Professionals	11,1%	28,2%	38,2%	58,2%	55,0%	86,7%	91,2%	58,5%	30,0%	52,4%	54,3%	51,9%	77,2%	67,3%	71,1%	60,3%
Women's associations	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	1,6%	1,0%	6,7%	2,2%	3,8%	0,0%	2,8%
Self-help groups	0,0%	0,0%	2,9%	0,0%	0,0%	0,0%	0,0%	0,7%	0,0%	0,0%	1,9%	0,0%	1,1%	3,8%	0,0%	1,0%
Television, video, radio	0,0%	0,0%	0,0%	0,0%	1,7%	0,0%	0,0%	0,3%	0,0%	0,0%	0,0%	1,0%	0,0%	1,9%	0,0%	0,4%
Books, magazines, newspapers	0,0%	0,0%	5,9%	1,5%	11,7%	3,3%	0,0%	4,0%	0,0%	1,6%	1,0%	2,9%	3,3%	3,8%	2,6%	2,3%
Internet	11,1%	5,1%	4,4%	4,5%	3,3%	0,0%	0,0%	3,2%	0,0%	1,6%	1,9%	2,9%	1,1%	0,0%	0,0%	1,6%
Other	0,0%	0,0%	2,9%	4,5%	3,3%	0,0%	0,0%	2,2%	10,0%	1,6%	0,0%	1,0%	3,3%	1,9%	2,6%	1,6%
None	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	2,6%	0,3%
DON'T KNOW	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	2,6%	0,3%
Total (N)	7	31	81	77	57	46	57	356	8	48	119	114	86	42	50	467

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q43e. What was the specialty or profession of the professionals that were consulted?²⁰ (Choose a maximum of three answers)

Professional 1:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Family medicine	100,0%	27,3%	38,5%	43,6%	39,4%	36,5%	40,4%	39,6%	66,7%	21,2%	14,0%	24,1%	32,4%	25,7%	51,9%	27,5%
Psychology	0,0%	18,2%	38,5%	15,4%	18,2%	11,5%	1,9%	15,2%	0,0%	24,2%	28,1%	35,2%	28,2%	17,1%	7,4%	25,3%
Psychiatry	0,0%	0,0%	7,7%	5,1%	6,1%	5,8%	3,8%	5,2%	0,0%	0,0%	3,5%	0,0%	4,2%	5,7%	3,7%	2,8%
Sexology	0,0%	0,0%	7,7%	7,7%	0,0%	9,6%	7,7%	6,5%	0,0%	3,0%	5,3%	14,8%	1,4%	2,9%	0,0%	5,2%
Gynecology	0,0%	18,2%	3,8%	7,7%	9,1%	3,8%	0,0%	5,1%	0,0%	45,5%	42,1%	16,7%	22,5%	34,3%	29,6%	29,7%
Urology	0,0%	18,2%	3,8%	12,8%	15,2%	28,8%	42,3%	22,4%	0,0%	0,0%	1,8%	0,0%	2,8%	2,9%	0,0%	1,4%
Pharmacy	0,0%	9,1%	0,0%	0,0%	3,0%	0,0%	0,0%	0,8%	0,0%	0,0%	0,0%	1,9%	1,4%	0,0%	0,0%	0,7%
Nursing	0,0%	0,0%	0,0%	2,6%	0,0%	0,0%	0,0%	0,6%	0,0%	0,0%	0,0%	0,0%	1,4%	0,0%	3,7%	0,8%
Social Work	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	33,3%	0,0%	1,8%	0,0%	0,0%	2,9%	0,0%	1,0%
Other	0,0%	9,1%	0,0%	5,1%	6,1%	3,8%	3,8%	4,1%	0,0%	6,1%	3,5%	5,6%	4,2%	8,6%	3,7%	4,8%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	3,0%	0,0%	0,0%	0,5%	0,0%	0,0%	0,0%	1,9%	1,4%	0,0%	0,0%	0,7%
Total (N)	1	8	31	45	32	40	52	209	3	25	64	59	67	29	35	282

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Level of satisfaction with professional 1:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very satisfied	100,0%	45,5%	50,0%	38,5%	36,4%	30,8%	26,9%	36,1%	66,7%	39,4%	45,6%	40,7%	31,0%	37,1%	40,7%	39,3%
Quite satisfied	0,0%	36,4%	34,6%	43,6%	42,4%	40,4%	42,3%	40,7%	0,0%	48,5%	43,9%	38,9%	38,0%	34,3%	33,3%	39,2%
A little satisfied	0,0%	9,1%	15,4%	10,3%	15,2%	19,2%	13,5%	14,2%	33,3%	12,1%	8,8%	9,3%	16,9%	17,1%	11,1%	12,4%
Not satisfied	0,0%	9,1%	0,0%	7,7%	0,0%	9,6%	15,4%	7,7%	0,0%	0,0%	1,8%	9,3%	12,7%	11,4%	14,8%	8,4%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	6,1%	0,0%	1,9%	1,4%	0,0%	0,0%	0,0%	1,9%	1,4%	0,0%	0,0%	0,7%
Total (N)	1	8	31	45	32	40	52	209	3	25	64	59	67	29	35	282

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

²⁰ See annex 1 for the sequence of questions 43f, p43g, p43h

The consultation with professional 1 took place:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Public healthcare	100,0%	45,5%	65,4%	64,1%	48,5%	76,9%	80,8%	67,9%	100,0%	63,6%	47,4%	46,3%	60,6%	62,9%	77,8%	57,5%
Private healthcare	0,0%	45,5%	26,9%	35,9%	45,5%	21,2%	19,2%	29,3%	0,0%	30,3%	47,4%	50,0%	33,8%	28,6%	18,5%	37,3%
Associations or Non-governmental organisation	0,0%	0,0%	7,7%	0,0%	0,0%	0,0%	0,0%	1,1%	0,0%	6,1%	1,8%	0,0%	1,4%	5,7%	0,0%	1,9%
Other	0,0%	9,1%	0,0%	0,0%	0,0%	1,9%	0,0%	0,8%	0,0%	0,0%	3,5%	1,9%	2,8%	2,9%	3,7%	2,6%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	6,1%	0,0%	0,0%	0,9%	0,0%	0,0%	0,0%	1,9%	1,4%	0,0%	0,0%	0,7%
Total (N)	1	8	31	45	32	40	52	209	3	25	64	59	67	29	35	282

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Specifically took place at:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Health center	100,0%	18,2%	38,5%	38,5%	33,3%	34,6%	36,5%	35,9%	66,7%	27,3%	24,6%	25,9%	36,6%	25,7%	40,7%	30,4%
Outpatient or specialty center	0,0%	27,3%	23,1%	10,3%	15,2%	19,2%	30,8%	20,4%	0,0%	24,2%	21,1%	14,8%	21,1%	20,0%	18,5%	19,5%
Hospital	0,0%	18,2%	11,5%	17,9%	15,2%	25,0%	15,4%	17,2%	0,0%	12,1%	8,8%	11,1%	8,5%	20,0%	14,8%	11,3%
NO ANSWER	0,0%	36,4%	26,9%	33,3%	36,4%	21,2%	17,3%	26,5%	33,3%	36,4%	45,6%	48,1%	33,8%	34,3%	25,9%	38,8%
Total (N)	1	8	31	45	32	40	52	209	3	25	64	59	67	29	35	282

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Professional 2:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Family medicine	0,0%	0,0%	0,0%	0,0%	0,0%	13,6%	0,0%	3,8%	0,0%	12,5%	7,7%	0,0%	8,7%	23,1%	0,0%	7,4%
Psychology	0,0%	50,0%	0,0%	33,3%	30,0%	13,6%	12,5%	18,7%	0,0%	12,5%	23,1%	30,8%	21,7%	7,7%	7,7%	18,2%
Psychiatry	0,0%	0,0%	40,0%	0,0%	10,0%	18,2%	6,3%	12,1%	0,0%	12,5%	7,7%	23,1%	13,0%	7,7%	0,0%	10,5%
Sexology	0,0%	0,0%	40,0%	22,2%	0,0%	4,5%	6,3%	10,5%	0,0%	25,0%	0,0%	15,4%	8,7%	15,4%	0,0%	8,6%
Gynecology	0,0%	0,0%	0,0%	0,0%	0,0%	4,5%	6,3%	2,9%	0,0%	25,0%	46,2%	23,1%	43,5%	30,8%	61,5%	41,2%
Urology	0,0%	50,0%	20,0%	33,3%	60,0%	27,3%	62,5%	42,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	7,7%	1,5%
Pharmacy	0,0%	0,0%	0,0%	11,1%	0,0%	0,0%	0,0%	1,9%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	7,7%	1,5%
Nursing	100,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	1,3%	0,0%	0,0%	7,7%	0,0%	0,0%	0,0%	0,0%	1,3%
Social Work	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	12,5%	0,0%	7,7%	0,0%	0,0%	0,0%	2,2%
Other answers	0,0%	0,0%	0,0%	0,0%	0,0%	18,2%	6,3%	6,7%	0,0%	0,0%	7,7%	0,0%	4,3%	15,4%	15,4%	7,5%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	1	2	5	10	10	17	16	61	0	6	15	14	22	11	16	84

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Level of satisfaction with professional 2:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very satisfied	100,0%	0,0%	20,0%	55,6%	30,0%	22,7%	31,3%	31,8%	0,0%	62,5%	69,2%	50,0%	34,8%	61,5%	46,2%	51,0%
Quite satisfied	0,0%	50,0%	60,0%	44,4%	50,0%	59,1%	43,8%	50,3%	0,0%	37,5%	15,4%	33,3%	30,4%	15,4%	38,5%	28,5%
A little satisfied	0,0%	50,0%	0,0%	0,0%	10,0%	13,6%	18,8%	11,5%	0,0%	0,0%	7,7%	8,3%	17,4%	23,1%	7,7%	11,7%
Not satisfied	0,0%	0,0%	20,0%	0,0%	10,0%	4,5%	6,3%	6,4%	0,0%	0,0%	7,7%	8,3%	17,4%	0,0%	7,7%	8,8%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	1	2	5	10	10	17	16	61	0	6	15	13	22	11	16	83

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

The consultation with professional 2 took place:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Public healthcare	100,0%	50,0%	40,0%	55,6%	80,0%	63,6%	68,8%	64,0%	0,0%	62,5%	53,8%	53,8%	65,2%	69,2%	84,6%	65,5%
Private healthcare	0,0%	50,0%	60,0%	44,4%	20,0%	36,4%	25,0%	34,4%	0,0%	37,5%	46,2%	38,5%	34,8%	30,8%	15,4%	33,2%
Associations or Non-governmental organisation	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	7,7%	0,0%	0,0%	0,0%	1,3%
Other	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	6,3%	1,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	1	2	5	10	10	17	16	61	0	6	15	14	22	11	17	85

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Specifically took place at:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Health center	0,0%	0,0%	40,0%	0,0%	11,1%	18,8%	15,4%	15,8%	0,0%	40,0%	50,0%	25,0%	18,8%	18,2%	18,2%	26,4%
Outpatient or specialty center	0,0%	100,0%	60,0%	66,7%	55,6%	25,0%	61,5%	51,3%	0,0%	60,0%	40,0%	50,0%	68,8%	27,3%	72,7%	55,3%
Hospital	100,0%	0,0%	0,0%	33,3%	33,3%	56,3%	23,1%	32,9%	0,0%	0,0%	10,0%	25,0%	12,5%	54,5%	9,1%	18,3%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	1	1	6	7	9	12	13	49	0	4	11	9	15	9	14	62

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Professional 3:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Family medicine	0,0%	0,0%	0,0%	0,0%	25,0%	0,0%	25,0%	12,9%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Psychology	0,0%	0,0%	0,0%	0,0%	0,0%	12,5%	0,0%	5,1%	0,0%	0,0%	100,0%	0,0%	0,0%	50,0%	0,0%	9,8%
Psychiatry	0,0%	0,0%	0,0%	0,0%	25,0%	25,0%	0,0%	16,5%	0,0%	0,0%	0,0%	20,0%	0,0%	0,0%	0,0%	5,5%
Sexology	0,0%	0,0%	0,0%	0,0%	0,0%	12,5%	0,0%	5,1%	0,0%	0,0%	0,0%	0,0%	16,7%	0,0%	0,0%	4,8%
Gynecology	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	60,0%	0,0%	0,0%	50,0%	29,6%
Urology	0,0%	0,0%	0,0%	0,0%	0,0%	12,5%	25,0%	11,7%	0,0%	0,0%	0,0%	0,0%	33,3%	0,0%	25,0%	16,1%
Pharmacy	0,0%	0,0%	0,0%	100,0%	25,0%	0,0%	25,0%	20,5%	0,0%	100,0%	0,0%	20,0%	16,7%	50,0%	0,0%	18,2%
Nursing	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Social Work	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Other answers	0,0%	0,0%	0,0%	0,0%	25,0%	37,5%	25,0%	28,2%	0,0%	0,0%	0,0%	0,0%	33,3%	0,0%	25,0%	16,1%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	0	0	0	1	4	6	4	15	0	1	1	5	6	2	5	20

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Level of satisfaction with professional 3:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very satisfied	0,0%	0,0%	0,0%	100,0%	50,0%	25,0%	25,0%	37,0%	0,0%	100,0%	100,0%	75,0%	0,0%	100,0%	75,0%	57,1%
Quite satisfied	0,0%	0,0%	0,0%	0,0%	50,0%	37,5%	50,0%	41,1%	0,0%	0,0%	0,0%	25,0%	33,3%	0,0%	25,0%	22,8%
A little satisfied	0,0%	0,0%	0,0%	0,0%	0,0%	37,5%	25,0%	21,9%	0,0%	0,0%	0,0%	0,0%	50,0%	0,0%	0,0%	15,1%
Not satisfied	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	16,7%	0,0%	0,0%	5,0%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	0	0	0	1	4	6	4	15	0	1	1	4	6	1	5	18

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

The consultation with professional 3 took place:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Public healthcare	0,0%	0,0%	0,0%	100,0%	25,0%	62,5%	75,0%	59,1%	0,0%	100,0%	100,0%	80,0%	66,7%	0,0%	50,0%	63,7%
Private healthcare	0,0%	0,0%	0,0%	0,0%	75,0%	37,5%	25,0%	40,9%	0,0%	0,0%	0,0%	20,0%	33,3%	50,0%	50,0%	32,2%
Associations or Non-governmental organisation	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	50,0%	0,0%	4,1%
Other	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	0	0	0	1	4	6	4	15	0	1	1	5	6	2	5	20

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Specifically took place at:

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Health center	0,0%	0,0%	100,0%	0,0%	50,0%	20,0%	50,0%	40,6%	0,0%	0,0%	0,0%	33,3%	40,0%	0,0%	33,3%	31,0%
Outpatient or specialty center	0,0%	0,0%	0,0%	100,0%	0,0%	20,0%	25,0%	24,1%	0,0%	100,0%	100,0%	33,3%	40,0%	0,0%	33,3%	44,8%
Hospital	0,0%	0,0%	0,0%	0,0%	50,0%	60,0%	25,0%	35,3%	0,0%	0,0%	0,0%	33,3%	20,0%	0,0%	33,3%	24,2%
NO ANSWER	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Total (N)	0	0	1	1	2	4	4	12	0	1	1	3	5	0	4	14


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q44. In the last twelve months would you say your health has been very good, good, regular, bad or very bad?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very good	46,7%	43,5%	31,2%	23,2%	16,9%	11,7%	8,6%	22,7%	40,4%	34,2%	30,0%	21,3%	13,0%	11,0%	7,2%	18,9%
Good	48,2%	48,3%	60,0%	63,3%	62,2%	59,2%	44,4%	56,7%	50,0%	53,8%	55,9%	58,9%	56,0%	49,2%	33,4%	50,2%
Regular	4,6%	7,3%	7,3%	11,4%	17,3%	23,6%	35,6%	16,5%	7,8%	11,1%	11,9%	15,2%	25,4%	30,8%	43,1%	23,7%
Bad	0,0%	0,7%	1,0%	1,4%	2,7%	5,0%	8,9%	3,2%	0,0%	0,3%	2,0%	2,4%	4,1%	6,2%	12,7%	5,1%
Very bad	0,0%	0,2%	0,2%	0,5%	0,4%	0,5%	1,8%	0,6%	0,0%	0,2%	0,1%	1,9%	1,2%	2,2%	3,0%	1,5%
DON'T KNOW	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	0,5%	0,0%	0,2%	0,2%	0,4%	0,1%	0,6%	0,3%	1,2%	0,5%	0,1%	0,5%	0,2%	0,6%	0,6%	0,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 60: Perceived state of health in the last twelve months of those surveyed, according to sex




Graph 61: Perceived state of health in the last twelve months of those surveyed, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 62: Perceived state of health in the last twelve months of those surveyed, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q45. What would you say about your state of health in relation to your sexuality? It has been very good, good, regular, bad, or very bad?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Very good	28,2%	35,2%	28,9%	22,7%	12,1%	8,1%	4,6%	18,8%	18,1%	29,1%	26,3%	19,6%	10,0%	6,2%	2,7%	14,8%
Good	50,8%	54,1%	62,3%	64,2%	69,0%	59,9%	35,3%	57,7%	56,6%	58,7%	60,3%	64,2%	59,9%	48,3%	27,8%	51,9%
Regular	7,7%	7,2%	6,4%	8,4%	13,7%	21,8%	26,2%	13,4%	4,8%	6,7%	9,4%	11,9%	17,7%	21,6%	21,9%	15,1%
Bad	2,1%	1,5%	0,7%	1,4%	2,6%	5,2%	17,3%	4,7%	1,8%	1,3%	1,8%	2,0%	4,9%	8,4%	11,3%	5,2%
Very bad	0,5%	0,2%	0,5%	1,3%	0,7%	1,7%	6,2%	1,8%	0,6%	0,0%	0,8%	0,9%	2,8%	3,7%	6,9%	2,8%
DON'T KNOW	6,2%	0,9%	0,2%	0,5%	0,4%	0,9%	4,0%	1,3%	9,0%	1,6%	0,5%	0,4%	1,1%	4,9%	13,0%	4,2%
NO ANSWER	4,6%	1,0%	1,0%	1,5%	1,5%	2,4%	6,5%	2,4%	9,0%	2,6%	0,9%	1,1%	3,7%	6,8%	16,5%	5,9%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 63: Perceived state of health relative to sexuality of those surveyed, according to sex





Graph 64: Perceived state of health relative to sexuality of those surveyed, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 65: Perceived state of health relative to sexuality of those surveyed, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q46. At present, do you suffer from any of the following conditions or diseases that I am going read? (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Disorders of sleep, eating, depression, anxiety, etc....	1,5%	7,2%	8,6%	11,1%	14,1%	11,8%	14,0%	10,9%	7,8%	9,5%	15,8%	18,7%	26,8%	29,8%	29,6%	22,1%
Cardiovascular disease (e.g., hypertension, heart problems)	0,0%	1,9%	2,1%	3,3%	9,1%	26,9%	37,4%	12,5%	0,0%	0,7%	1,5%	2,2%	10,7%	23,8%	45,2%	15,5%
Endocrine disease (diabetes, hormonal disorders)	0,5%	0,2%	0,9%	0,9%	4,0%	9,2%	15,3%	4,8%	1,8%	0,8%	2,9%	5,3%	10,0%	13,8%	18,0%	9,0%
Neurological Diseases (e.g., multiple sclerosis)	0,0%	0,7%	0,2%	0,2%	1,4%	1,9%	2,2%	1,0%	1,2%	1,1%	1,3%	1,4%	2,3%	2,7%	3,9%	2,2%
Problems with the metabolism of fats (e.g., Cholesterol)	0,5%	0,9%	2,1%	4,0%	8,6%	14,3%	15,2%	7,1%	0,0%	1,0%	2,8%	3,2%	6,6%	15,2%	22,1%	9,1%
Musculoskeletal disorders and rheumatologic disorders (e.g., arthritis, herniated discs)	0,5%	0,9%	2,1%	3,3%	8,4%	9,9%	22,6%	7,6%	0,6%	1,1%	3,7%	7,8%	14,4%	23,5%	42,1%	16,8%
Diseases of the digestive system	0,5%	0,7%	2,7%	3,2%	5,3%	3,8%	7,1%	3,8%	0,0%	3,1%	2,9%	5,4%	6,0%	7,1%	7,2%	5,3%
Cancer	0,0%	0,0%	0,0%	0,1%	0,1%	1,0%	2,7%	0,6%	0,0%	0,2%	0,2%	0,7%	1,8%	2,6%	2,1%	1,3%
Other illness	2,1%	3,6%	2,9%	4,9%	4,8%	7,8%	11,4%	5,7%	3,0%	5,4%	5,6%	5,2%	5,2%	5,3%	7,2%	5,7%
No illness	93,8%	86,2%	80,7%	75,3%	58,6%	43,7%	26,1%	63,1%	86,1%	80,6%	72,5%	64,9%	48,2%	33,9%	15,6%	50,9%
NO ANSWER	0,5%	0,0%	0,2%	0,2%	0,6%	0,3%	0,8%	0,4%	1,2%	0,7%	0,7%	0,4%	0,1%	0,3%	0,4%	0,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


Q46a. Does this disorder or disease impede your daily activities? ²¹

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, completely	0,0%	1,2%	2,4%	5,8%	5,5%	6,8%	8,1%	6,1%	0,0%	0,9%	4,8%	5,7%	3,5%	5,9%	8,8%	6,2%
Yes, to some extent	9,1%	32,1%	24,8%	27,4%	23,6%	25,6%	39,0%	30,1%	33,3%	34,8%	39,7%	34,5%	34,0%	32,9%	45,6%	38,9%
No	90,9%	64,2%	65,5%	64,4%	63,9%	62,8%	48,3%	58,8%	66,7%	53,9%	52,0%	56,1%	59,4%	56,8%	40,6%	50,3%
NO ANSWER	0,0%	2,5%	7,3%	2,4%	7,0%	4,8%	4,6%	5,0%	0,0%	10,4%	3,5%	3,7%	3,1%	4,5%	5,1%	4,5%
Total (N)	8	65	197	239	316	339	600	1764	16	88	259	324	401	417	939	2444


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

²¹ Data only from those who suffer some disease or disorder

Graph 66: Limited in daily activities due to disease or disorder, according to sex




Graph 67: Limited in daily activities due to disease or disorder, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 68: Limited in daily activities due to disease or disorder, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q46b. Does it prevent you from having sexual relations?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes, completely	0,0%	2,5%	1,2%	3,8%	2,7%	7,3%	10,4%	6,2%	0,0%	0,9%	3,5%	5,7%	4,7%	5,1%	4,4%	4,5%
Yes, to some extent	9,1%	19,8%	13,9%	19,7%	14,2%	16,9%	19,0%	17,3%	9,5%	21,7%	28,4%	27,4%	25,5%	20,4%	12,8%	20,0%
No	90,9%	67,9%	75,8%	71,6%	72,1%	64,2%	36,9%	58,9%	57,1%	62,6%	61,1%	58,8%	54,0%	45,6%	19,2%	40,9%
Do not have sexual relations (DO NOT READ)	0,0%	7,4%	1,8%	2,4%	3,6%	5,9%	26,3%	11,5%	28,6%	4,3%	2,2%	3,4%	12,0%	23,1%	54,6%	27,9%
NO ANSWER	0,0%	2,5%	7,3%	2,4%	7,3%	5,7%	7,4%	6,2%	4,8%	10,4%	4,8%	4,7%	3,8%	5,9%	9,0%	6,6%
Total (N)	8	65	197	239	316	339	600	1764	16	88	259	324	401	417	939	2444

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 69: Limited from enjoying sexual relations due to disease or disorder, according to sex




Graph 70: Limited from enjoying sexual relations due to disease or disorder, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 71: Limited from enjoying sexual relations due to disease or disorder, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q47. Do you take any medication on an on-going basis, everyday or almost every day? (Data from the entire population surveyed.)


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	5,6%	7,8%	9,0%	16,5%	29,9%	56,2%	75,1%	30,8%	9,0%	16,3%	20,7%	28,4%	42,4%	64,8%	84,6%	44,6%
No	93,8%	91,8%	90,2%	82,9%	69,0%	43,4%	24,3%	68,5%	89,2%	83,2%	78,3%	70,6%	55,9%	34,7%	14,8%	54,5%
NO ANSWER	0,5%	0,3%	0,8%	0,6%	1,1%	0,4%	0,6%	0,7%	1,8%	0,5%	0,9%	0,9%	1,7%	0,5%	0,6%	0,9%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 72: Takes medication on a on-going basis, everyday or almost everyday, according to sex





Graph 73: Takes medication on a on-going basis, everyday or almost everyday, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 74: Takes medication on a on-going basis, everyday or almost everyday, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q47a. What or which ones? ²² (Choose all that apply)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Pain Medicine	0,0%	15,2%	11,5%	16,4%	14,9%	11,4%	17,8%	15,2%	6,7%	14,0%	19,2%	21,9%	24,1%	23,7%	34,2%	27,2%
Supplements like vitamins, minerals, proteins	27,3%	13,0%	7,7%	6,4%	1,2%	2,7%	3,2%	3,8%	6,7%	12,0%	16,9%	9,1%	6,9%	5,4%	6,8%	7,9%
Laxatives	0,0%	0,0%	0,0%	0,0%	0,0%	0,5%	1,0%	0,5%	0,0%	2,0%	0,0%	1,2%	1,1%	1,0%	2,3%	1,6%
Allergy Medications	45,5%	23,9%	11,5%	11,4%	3,7%	2,3%	1,8%	4,7%	53,3%	14,0%	11,9%	7,0%	6,3%	3,8%	2,2%	5,2%
Tranquilizers, relaxants, sleeping pills	0,0%	13,0%	12,8%	15,7%	11,6%	7,5%	12,2%	11,4%	0,0%	8,0%	13,0%	25,6%	26,1%	23,3%	22,5%	22,1%
Medicines for rheumatism, osteoarthritis, arthritis, bones	0,0%	2,2%	6,4%	5,0%	9,1%	9,6%	18,8%	12,4%	0,0%	2,0%	5,1%	14,0%	18,4%	24,9%	37,0%	25,1%
Heart medications	0,0%	2,2%	1,3%	2,9%	7,4%	17,5%	26,4%	16,5%	0,0%	0,0%	1,7%	1,2%	6,0%	6,2%	18,8%	10,2%
Drugs for blood pressure	0,0%	0,0%	6,4%	15,0%	27,3%	44,6%	46,8%	35,9%	0,0%	0,0%	4,0%	6,6%	21,0%	36,4%	51,0%	32,5%
Drugs for stomach and / or digestive disorders	0,0%	8,7%	16,7%	15,7%	12,4%	7,3%	11,4%	11,3%	0,0%	9,0%	10,2%	11,6%	11,2%	9,7%	11,4%	10,9%
Antidepressants	0,0%	2,2%	12,8%	6,4%	8,7%	4,6%	2,9%	5,1%	0,0%	9,0%	10,7%	19,4%	19,3%	14,1%	7,7%	12,2%
Stimulants	9,1%	0,0%	0,0%	0,0%	0,4%	0,0%	0,2%	0,2%	0,0%	0,0%	0,0%	0,4%	0,3%	0,8%	0,0%	0,2%
Weight-loss medicines	0,0%	0,0%	0,0%	0,7%	0,8%	0,9%	0,5%	0,6%	0,0%	1,0%	1,7%	0,8%	1,4%	0,4%	0,3%	0,7%
Drugs to lower cholesterol	0,0%	4,3%	6,4%	6,4%	15,7%	23,0%	22,5%	18,2%	0,0%	1,0%	3,4%	4,5%	13,5%	18,7%	24,3%	16,5%
Diabetes medicine	9,1%	4,3%	3,8%	5,0%	11,6%	15,5%	19,8%	14,5%	0,0%	0,0%	3,4%	2,9%	8,0%	13,1%	16,8%	11,3%
Drugs for thyroid disorders	0,0%	2,2%	1,3%	2,9%	2,1%	0,7%	1,3%	1,5%	0,0%	5,0%	5,6%	10,3%	9,8%	8,7%	4,3%	6,7%
Other types of medicine	18,2%	19,6%	16,7%	16,4%	16,1%	13,2%	14,6%	15,0%	33,3%	47,0%	32,8%	19,0%	12,4%	8,3%	9,4%	14,3%
NO ANSWER	0,0%	2,2%	0,0%	0,7%	0,4%	0,9%	1,1%	0,9%	0,0%	0,0%	1,1%	0,8%	0,3%	0,4%	0,1%	0,4%
Total (N)	8	37	93	160	231	336	610	1475	12	76	198	263	328	409	944	2230

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

²² Data only for those who take medication on a on-going basis

Q48. A series of questions about how often the following situations occur in everyday life.

48.1. Do you share the housework with the person you live with?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Never	16,9%	10,2%	5,9%	6,6%	8,1%	9,9%	17,0%	9,6%	5,4%	4,1%	7,0%	11,2%	14,9%	22,7%	17,7%	13,1%
Almost never	16,9%	13,1%	6,2%	7,4%	10,5%	12,3%	11,7%	9,9%	9,6%	6,0%	7,1%	9,2%	8,8%	9,7%	8,8%	8,4%
Sometimes	35,4%	33,3%	23,7%	21,6%	24,1%	28,2%	20,7%	24,7%	25,9%	21,6%	16,6%	22,7%	21,8%	16,2%	14,6%	18,7%
Almost always	16,9%	17,6%	18,8%	21,9%	19,4%	17,7%	19,2%	19,3%	22,9%	19,6%	21,1%	16,7%	16,7%	11,7%	10,7%	16,0%
Always	13,8%	24,1%	39,5%	36,5%	30,9%	23,7%	22,0%	30,2%	36,1%	47,1%	44,6%	36,1%	34,3%	30,8%	27,8%	35,9%
Does not apply (lives alone or has no family)	0,0%	1,5%	5,4%	5,5%	6,8%	8,2%	8,8%	6,0%	0,0%	1,3%	3,4%	3,9%	3,3%	8,1%	19,5%	7,4%
NO ANSWER	0,0%	0,2%	0,3%	0,5%	0,2%	0,1%	0,6%	0,3%	0,0%	0,3%	0,1%	0,4%	0,2%	0,8%	0,9%	0,5%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

48.2. Do you dedicate time to take care of yourself and feel good?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Never	1,5%	2,4%	2,3%	2,7%	2,6%	2,8%	3,7%	2,7%	0,6%	0,8%	1,6%	2,1%	3,0%	3,2%	4,3%	2,6%
Almost never	4,1%	9,4%	7,7%	12,2%	13,3%	14,2%	13,5%	11,4%	5,4%	6,2%	10,7%	12,5%	14,1%	14,4%	15,5%	12,5%
Sometimes	25,6%	23,0%	30,6%	31,2%	35,2%	30,6%	32,5%	30,9%	20,5%	22,4%	27,3%	33,7%	36,1%	33,0%	34,1%	31,4%
Almost always	41,5%	35,2%	30,1%	30,4%	26,7%	28,7%	26,8%	29,7%	38,6%	34,0%	30,9%	28,4%	23,8%	25,9%	25,8%	28,1%
Always	26,7%	29,9%	29,1%	23,0%	21,5%	23,3%	22,1%	24,7%	34,9%	36,1%	29,4%	23,0%	22,7%	22,7%	19,4%	24,9%
Does not apply (lives alone or has no family)	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	0,5%	0,2%	0,1%	0,5%	0,7%	0,4%	1,3%	0,5%	0,0%	0,5%	0,1%	0,2%	0,2%	0,8%	0,9%	0,5%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

48.3. Do you financially help support your family?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Never	65,6%	28,8%	5,8%	2,2%	2,1%	1,5%	2,3%	7,5%	76,5%	35,8%	11,8%	13,3%	18,4%	27,6%	26,8%	22,3%
Almost never	7,2%	8,5%	3,0%	1,8%	0,5%	0,8%	0,7%	2,4%	4,8%	9,0%	5,2%	3,8%	3,8%	5,3%	4,6%	4,9%
Sometimes	9,7%	15,9%	6,9%	3,2%	2,0%	0,6%	1,2%	4,6%	7,2%	12,6%	8,9%	8,6%	7,0%	7,5%	4,8%	7,7%
Almost always	7,2%	13,1%	10,1%	6,5%	3,3%	3,2%	5,2%	6,8%	1,8%	12,4%	12,4%	12,1%	9,9%	7,3%	8,1%	10,1%
Always	6,7%	29,5%	68,4%	81,0%	85,4%	86,3%	81,3%	72,4%	3,6%	27,3%	57,7%	57,9%	57,4%	42,9%	35,1%	46,6%
Does not apply (lives alone or has no family)	3,6%	3,8%	5,5%	4,7%	5,9%	7,3%	8,3%	5,9%	6,0%	2,3%	3,5%	3,8%	3,4%	8,2%	19,8%	7,7%
NO ANSWER	0,0%	0,3%	0,2%	0,6%	0,7%	0,3%	1,0%	0,5%	0,0%	0,7%	0,5%	0,6%	0,1%	1,2%	0,8%	0,6%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

48.4 Do you put the care of others before your own?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Never	15,9%	7,8%	5,2%	4,2%	3,7%	4,4%	6,6%	5,5%	6,6%	5,2%	2,3%	2,7%	3,0%	3,1%	3,5%	3,2%
Almost never	15,4%	10,6%	8,0%	5,3%	6,7%	6,3%	7,6%	7,4%	16,3%	9,2%	6,7%	4,1%	3,2%	4,9%	5,0%	5,5%
Sometimes	42,1%	44,4%	35,3%	29,2%	26,2%	27,9%	27,9%	31,5%	48,8%	41,8%	28,9%	21,5%	19,3%	15,9%	18,1%	23,7%
Almost always	15,4%	20,6%	24,6%	29,2%	29,4%	30,3%	27,7%	26,9%	13,9%	22,5%	26,6%	26,4%	26,8%	26,0%	25,8%	25,6%
Always	10,3%	15,7%	26,4%	31,0%	32,5%	30,3%	27,1%	27,3%	12,7%	20,6%	34,8%	44,7%	47,2%	49,1%	45,5%	40,8%
Does not apply (lives alone or has no family)	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	1,0%	0,9%	0,6%	1,1%	1,6%	0,8%	3,1%	1,3%	1,8%	0,7%	0,7%	0,6%	0,5%	1,0%	2,1%	1,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

48.5 Do you have people that worry about what happens to you?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Never	1,0%	1,7%	1,7%	1,6%	1,9%	2,2%	1,8%	1,8%	1,2%	0,2%	1,6%	1,6%	1,6%	1,9%	2,3%	1,7%
Almost never	0,0%	2,2%	1,5%	2,4%	3,1%	2,3%	2,7%	2,2%	1,2%	1,1%	1,8%	2,7%	2,8%	3,4%	2,2%	2,3%
Sometimes	6,7%	5,8%	5,8%	5,4%	5,8%	5,9%	5,8%	5,8%	1,2%	5,4%	4,0%	5,8%	9,6%	8,2%	7,4%	6,5%
Almost always	19,0%	19,8%	15,6%	16,4%	17,5%	16,9%	14,4%	16,5%	21,7%	17,5%	18,0%	19,5%	20,0%	18,9%	19,6%	19,1%
Always	73,3%	69,6%	74,9%	73,6%	71,0%	72,1%	74,4%	73,0%	72,3%	75,3%	74,5%	70,2%	65,6%	66,2%	67,6%	69,7%
Does not apply (lives alone or has no family)	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
NO ANSWER	0,0%	0,9%	0,5%	0,6%	0,7%	0,6%	1,0%	0,7%	2,4%	0,5%	0,1%	0,2%	0,4%	1,3%	0,9%	0,6%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q49. Which one of the following two sentences is closer to the way you are?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Looking for adventure and risk	54,4%	57,8%	34,9%	25,7%	17,3%	12,8%	5,0%	25,2%	41,0%	35,8%	19,8%	15,0%	12,4%	8,5%	4,9%	15,1%
Avoid anything that puts your safety in danger	40,5%	39,4%	60,8%	69,5%	78,1%	83,1%	91,2%	70,6%	55,4%	59,3%	74,4%	80,5%	83,5%	88,5%	92,5%	80,9%
NO ANSWER	5,1%	2,7%	4,3%	4,8%	4,6%	4,1%	3,9%	4,2%	3,6%	4,9%	5,9%	4,5%	4,0%	3,0%	2,6%	4,1%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 75: Best describes the way of being, according to sex




Graph 76: Best describes the way of being, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 77: Best describes the way of being, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q49a. Among the following?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Like to make your own decisions	64,6%	63,5%	57,2%	55,0%	48,9%	47,9%	45,3%	53,1%	57,2%	51,5%	49,8%	47,5%	44,5%	44,7%	33,7%	44,7%
Need the approval of others	32,3%	30,5%	36,8%	38,5%	44,4%	47,8%	48,2%	40,9%	39,2%	42,3%	43,7%	46,1%	49,8%	51,4%	61,1%	49,7%
NO ANSWER	3,1%	6,0%	6,0%	6,5%	6,7%	4,4%	6,5%	6,0%	3,6%	6,2%	6,6%	6,5%	5,7%	3,9%	5,1%	5,6%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 78: Best describes the way of being, according to sex





Graph 79: Best describes the way of being, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 80: Best describes the way of being, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

SOCIODEMOGRAPHIC QUESTIONS

Q50. How do you define yourself on the subject of religion: Catholic, a believer of another religion, a non-believer or an atheist?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Catholic	53,8%	52,7%	57,5%	63,8%	70,4%	80,0%	86,8%	68,1%	66,3%	58,0%	65,9%	73,3%	78,5%	86,2%	96,5%	77,9%
Believer of another religion	7,2%	6,5%	8,3%	6,9%	3,8%	2,6%	1,0%	5,1%	9,0%	7,0%	6,6%	5,2%	4,4%	3,2%	1,2%	4,4%
Non-believer	24,6%	25,9%	20,2%	19,0%	17,9%	11,5%	8,5%	17,2%	15,1%	20,9%	16,3%	13,5%	9,9%	7,0%	1,3%	10,7%
Atheist	10,3%	13,5%	12,3%	8,6%	5,6%	4,9%	3,0%	8,0%	8,4%	10,8%	8,7%	5,4%	4,4%	2,6%	0,7%	5,0%
NO ANSWER	4,1%	1,4%	1,7%	1,6%	2,3%	1,0%	0,7%	1,6%	1,2%	3,3%	2,6%	2,6%	2,8%	1,0%	0,4%	2,0%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q50a. How often do you attend Mass or other religions services, without counting social ceremonies, for example, weddings, communions or funerals?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Almost never	59,7%	75,5%	66,4%	62,9%	63,6%	60,5%	44,3%	60,4%	68,8%	72,4%	59,8%	61,1%	46,6%	37,0%	23,3%	46,3%
Several times a year	19,3%	8,4%	14,2%	16,3%	16,0%	16,3%	18,2%	15,7%	15,2%	14,6%	19,2%	15,0%	23,2%	19,3%	13,3%	17,1%
Once a month	11,8%	6,9%	7,2%	7,5%	9,5%	9,5%	12,0%	9,0%	7,2%	5,3%	10,0%	10,8%	12,6%	15,4%	15,4%	12,3%
Almost every Sunday and religious holidays	7,6%	4,6%	8,3%	8,5%	7,7%	11,0%	23,7%	11,4%	5,6%	5,8%	7,6%	11,1%	14,4%	23,6%	40,7%	20,0%
Several times a week	1,7%	2,9%	3,0%	3,8%	1,8%	1,2%	1,1%	2,3%	2,4%	1,5%	2,4%	1,5%	2,1%	3,5%	6,3%	3,3%
NO ANSWER	0,0%	1,7%	0,9%	1,0%	1,5%	1,6%	0,8%	1,1%	0,8%	0,5%	1,0%	0,6%	1,0%	1,2%	1,0%	0,9%
Total (N)	95	277	678	690	575	498	721	3534	95	304	698	731	642	566	1091	4127

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q51. When talking about politics, there are the commonly used expressions, left and right. On this card are a series of boxes that go from left to right. Which box would you put yourself in?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Left (1-2)	6,2%	9,9%	9,5%	9,2%	9,8%	7,4%	5,4%	8,5%	6,0%	6,9%	8,1%	9,0%	7,7%	6,6%	2,7%	6,6%
3-4	13,3%	22,4%	25,3%	29,4%	34,3%	30,7%	22,5%	27,1%	11,4%	22,4%	24,8%	30,2%	29,3%	25,1%	15,6%	23,9%
5-6	21,5%	26,1%	27,9%	27,8%	24,0%	29,2%	28,5%	27,1%	16,3%	26,0%	26,9%	25,9%	28,7%	28,5%	27,1%	26,9%
7-8	7,2%	10,8%	12,0%	10,0%	10,2%	10,9%	12,1%	10,9%	7,2%	6,4%	7,8%	8,6%	8,0%	8,9%	11,4%	8,8%
Right (9-10)	0,5%	2,2%	2,8%	2,6%	2,5%	2,8%	3,5%	2,7%	2,4%	0,8%	1,6%	1,4%	1,8%	1,5%	2,9%	1,8%
DON'T KNOW	36,9%	16,7%	11,2%	8,7%	7,8%	7,9%	11,5%	11,2%	37,3%	23,0%	14,9%	11,5%	11,6%	14,9%	21,6%	16,6%
NO ANSWER	14,4%	11,9%	11,3%	12,2%	11,5%	11,0%	16,5%	12,5%	19,3%	14,5%	15,8%	13,4%	12,9%	14,4%	18,7%	15,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q52. At present, do you have a steady partner, that is to say, you have an affectionate and/or sexual relationship, in which there is a commitment and/or you share a common plan?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	31,3%	54,3%	75,5%	83,2%	84,3%	86,4%	80,7%	77,2%	36,1%	73,7%	84,7%	87,0%	82,6%	74,0%	53,0%	74,1%
No	68,2%	45,4%	24,5%	16,6%	15,6%	13,3%	18,7%	22,5%	63,3%	26,0%	15,2%	12,9%	17,1%	25,9%	46,9%	25,7%
NO ANSWER	0,5%	0,3%	0,0%	0,2%	0,1%	0,3%	0,6%	0,3%	0,6%	0,3%	0,1%	0,1%	0,4%	0,1%	0,1%	0,2%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 81: Stable couples of the survey population, according to sex



Graph 82: Stable couples of the survey population, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q53. Do you have children?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	0,5%	5,8%	32,5%	68,6%	81,1%	88,6%	91,8%	61,0%	0,6%	14,4%	51,1%	82,8%	89,5%	90,7%	89,7%	71,8%
No	99,0%	94,2%	67,1%	31,2%	18,5%	11,0%	7,7%	38,6%	99,4%	85,6%	48,7%	17,0%	10,4%	9,1%	9,3%	27,9%
NO ANSWER	0,5%	0,0%	0,5%	0,2%	0,4%	0,4%	0,5%	0,4%	0,0%	0,0%	0,2%	0,1%	0,1%	0,1%	0,9%	0,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 83: Children of the survey population, according to sex



Graph 84: Children of the survey population, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q54. Are you currently living ...?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Alone	0,0%	3,1%	9,8%	9,0%	10,1%	10,2%	13,0%	9,3%	0,0%	3,1%	4,8%	4,5%	4,6%	11,5%	27,5%	10,3%
Alone with your children	0,0%	0,0%	0,6%	1,4%	2,5%	2,0%	4,6%	1,8%	0,0%	0,2%	2,5%	6,3%	10,2%	10,3%	14,4%	7,7%
Only with your spouse or partner	0,0%	7,5%	26,9%	14,3%	13,1%	36,0%	58,1%	25,8%	1,8%	12,7%	23,7%	9,9%	14,9%	35,3%	37,3%	22,7%
With your spouse or partner and with children	0,0%	4,3%	26,0%	57,2%	63,8%	43,8%	18,6%	36,4%	0,0%	9,5%	42,0%	69,4%	59,5%	32,1%	13,5%	38,1%
With your parents, with or without siblings or other relatives	96,4%	70,1%	25,7%	10,5%	6,0%	3,5%	0,8%	19,1%	94,6%	61,9%	16,9%	4,8%	3,5%	3,7%	1,1%	13,6%
With your parents, with or without siblings with non-family members	0,5%	0,9%	1,3%	0,9%	1,4%	0,9%	1,0%	1,1%	0,0%	1,6%	1,1%	1,2%	2,2%	0,9%	0,6%	1,2%
Another situation	2,6%	13,7%	9,6%	6,2%	3,1%	3,1%	3,4%	6,2%	3,6%	10,6%	8,7%	3,6%	4,8%	5,7%	5,5%	6,1%
NO ANSWER	0,5%	0,5%	0,1%	0,5%	0,0%	0,5%	0,5%	0,3%	0,0%	0,3%	0,5%	0,2%	0,2%	0,5%	0,1%	0,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q55. What is your marital status?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Married	0,5%	3,2%	33,1%	63,5%	74,2%	81,7%	79,8%	55,9%	1,8%	9,2%	47,3%	70,7%	73,0%	69,3%	51,8%	54,7%
Unmarried	98,5%	96,4%	63,8%	29,6%	14,4%	6,9%	3,9%	36,0%	97,6%	90,2%	48,9%	17,9%	9,3%	5,4%	5,7%	27,0%
Widowed	0,5%	0,0%	0,0%	0,2%	0,7%	3,3%	12,6%	2,7%	0,0%	0,2%	0,6%	1,2%	4,3%	14,2%	40,0%	11,7%
Separated	0,0%	0,3%	1,2%	3,9%	4,4%	2,3%	1,7%	2,4%	0,0%	0,2%	1,5%	4,6%	6,0%	4,8%	1,1%	2,9%
Divorced	0,0%	0,0%	1,8%	2,7%	6,0%	5,6%	1,9%	2,9%	0,0%	0,2%	1,5%	5,5%	7,0%	6,1%	1,4%	3,5%
NO ANSWER	0,5%	0,0%	0,1%	0,1%	0,1%	0,1%	0,1%	0,1%	0,6%	0,2%	0,1%	0,1%	0,5%	0,3%	0,0%	0,2%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q56. How many people currently live in the household (including yourself) and excluding domestic staff?

	Age Males							Age Females						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Average	3,78	2,97	3,25	3,30	2,83	2,27	3,05	3,88	3,25	3,53	3,32	2,62	2,12	3,06
N	624	1031	975	774	604	821	4829	594	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q59. Have you been to school or completed some form of studies?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
No, I'm illiterate	0,0%	0,0%	0,0%	0,1%	0,6%	1,7%	4,0%	1,0%	0,0%	0,0%	0,2%	0,0%	0,5%	3,0%	5,0%	1,6%
No, but I know how to read and write	0,5%	0,2%	0,3%	0,5%	1,5%	4,9%	14,9%	3,6%	1,2%	0,2%	0,2%	0,1%	1,1%	6,8%	14,1%	4,3%
Yes, I have gone to school	99,0%	99,3%	99,5%	98,9%	97,7%	93,3%	80,9%	95,1%	97,6%	99,7%	99,2%	99,4%	98,0%	90,1%	80,5%	93,7%
NO ANSWER	0,5%	0,5%	0,1%	0,5%	0,2%	0,1%	0,2%	0,3%	1,2%	0,2%	0,4%	0,5%	0,4%	0,1%	0,4%	0,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q59a. What is the highest level of education you have studied (whether or not you finished)?²³

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Less than 5 years of schooling	0,0%	0,2%	0,3%	0,5%	1,9%	4,1%	9,7%	2,4%	0,0%	0,2%	0,1%	0,4%	1,5%	6,3%	12,5%	3,5%
Primary Education (LOGSE)	20,2%	11,3%	4,5%	6,5%	19,6%	38,7%	54,3%	20,0%	16,0%	7,0%	3,4%	7,2%	24,6%	46,8%	63,3%	25,0%
Secondary Education (O-levels)	65,3%	31,8%	29,3%	29,5%	24,9%	12,8%	7,9%	25,0%	67,3%	30,2%	21,8%	28,8%	28,5%	17,9%	8,1%	23,2%
Intermediate Vocational Training	2,6%	12,5%	9,2%	7,9%	8,0%	5,1%	4,0%	7,6%	3,1%	8,9%	7,9%	8,2%	7,7%	5,6%	3,0%	6,7%
Bachelor (A-levels or High School)	9,3%	28,5%	18,1%	16,1%	17,7%	11,9%	7,5%	16,1%	13,0%	28,4%	17,7%	15,1%	14,1%	6,9%	4,1%	13,6%
Advanced Vocational Training	1,0%	7,6%	13,9%	13,9%	8,0%	8,4%	3,9%	9,7%	0,6%	8,5%	16,9%	9,9%	5,1%	3,4%	1,4%	7,8%
Associate Architect and Engineer	0,0%	1,0%	3,5%	2,3%	1,5%	2,9%	1,6%	2,2%	0,0%	0,7%	0,9%	0,7%	0,2%	0,0%	0,3%	0,5%
Associate Degree	0,0%	4,3%	7,0%	6,5%	5,1%	6,2%	4,2%	5,6%	0,0%	11,0%	13,3%	13,4%	9,2%	6,0%	4,3%	9,5%
Architect and Engineer	0,0%	0,2%	2,6%	2,1%	0,9%	1,8%	1,6%	1,6%	0,0%	0,0%	0,9%	0,6%	0,4%	0,0%	0,0%	0,4%
University Graduate (Bachelor Degree)	0,0%	2,1%	10,8%	12,6%	11,4%	6,6%	4,0%	8,5%	0,0%	4,9%	15,3%	13,8%	7,7%	6,3%	1,9%	8,7%
Post-Graduate Studies or specialization (Masters Degree or Doctorate)	0,0%	0,2%	0,7%	1,5%	0,9%	1,0%	0,9%	0,9%	0,0%	0,0%	1,4%	1,4%	0,9%	0,9%	0,6%	0,9%
NO ANSWER	1,6%	0,3%	0,1%	0,5%	0,3%	0,7%	0,3%	0,4%	0,0%	0,3%	0,1%	0,5%	0,1%	0,0%	0,4%	0,3%
Total (N)	154	465	1028	965	757	564	664	4597	125	466	957	927	760	570	899	4704

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)


²³ Data only for those who have gone to school

Q60. Who is the person who contributes more to the household income?


	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
The person being interviewed	0,5%	17,4%	55,4%	74,0%	76,3%	86,3%	90,2%	66,8%	0,0%	7,5%	21,1%	22,6%	23,0%	26,0%	38,5%	24,4%
Another person	98,5%	76,8%	30,3%	13,4%	10,2%	5,5%	4,3%	22,9%	97,6%	85,8%	64,3%	62,9%	62,7%	63,5%	55,5%	64,6%
(DO NOT READ) The person being interviewed and another person	0,5%	5,5%	13,8%	12,4%	13,0%	7,9%	5,0%	9,9%	2,4%	6,2%	13,9%	14,2%	13,9%	9,8%	5,4%	10,5%
NO ANSWER	0,5%	0,3%	0,6%	0,2%	0,5%	0,3%	0,5%	0,4%	0,0%	0,5%	0,7%	0,4%	0,4%	0,6%	0,6%	0,5%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 85: Person who contributes more to the household income, according to sex




Graph 86: Person who contributes more to the household income, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 87: Person who contributes more to the household income, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q60a. And that person is ...?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Your spouse or partner	1,0%	3,6%	22,1%	48,2%	65,1%	69,8%	36,1%	21,2%	2,5%	19,2%	65,4%	81,9%	85,4%	80,1%	72,5%	66,4%
Your father	69,3%	65,8%	51,5%	22,8%	3,6%	4,7%	0,0%	48,7%	72,2%	52,2%	16,2%	2,8%	0,8%	2,2%	1,3%	13,5%
Your mother	12,5%	15,1%	9,5%	10,5%	10,8%	4,7%	0,0%	11,5%	12,3%	14,9%	4,6%	1,3%	1,4%	0,4%	0,8%	3,8%
Your son	0,0%	0,2%	1,1%	1,8%	1,2%	2,3%	13,9%	1,2%	0,0%	0,2%	1,3%	0,9%	1,2%	2,2%	6,3%	2,1%
Your daughter	0,0%	0,2%	0,0%	0,0%	2,4%	4,7%	27,8%	1,3%	0,0%	0,0%	0,0%	0,2%	0,6%	2,2%	4,6%	1,3%
Another person	6,3%	5,8%	6,9%	6,1%	4,8%	7,0%	13,9%	6,4%	4,3%	4,4%	2,4%	1,1%	0,4%	2,4%	2,7%	2,2%
NO ANSWER	10,9%	9,3%	8,8%	10,5%	12,0%	7,0%	8,3%	9,6%	8,6%	9,1%	10,2%	11,8%	10,3%	10,3%	11,8%	10,6%
Total (N)	153	360	313	131	79	33	36	1105	124	401	620	586	486	402	621	3240


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q61. Which of the following situations are you in now?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Working	16,4%	45,4%	76,6%	80,3%	77,9%	48,8%	1,9%	56,4%	10,8%	43,5%	68,5%	65,7%	56,3%	30,5%	1,6%	42,6%
Retired or pensioner (Have previously worked)	1,0%	0,9%	0,7%	1,6%	8,1%	41,0%	97,3%	23,6%	0,0%	0,5%	0,1%	1,3%	4,1%	18,8%	47,1%	13,8%
Pensioner (have not worked before, housewife, etc...)	0,0%	0,2%	0,0%	0,2%	0,2%	0,4%	0,2%	0,2%	0,0%	0,2%	0,5%	0,4%	2,0%	6,8%	24,6%	6,8%
Unemployed and have worked before	5,1%	19,1%	17,8%	17,1%	13,1%	8,6%	0,2%	12,5%	2,4%	15,4%	17,6%	16,2%	13,3%	7,0%	0,0%	10,8%
Unemployed and seeking your first job	5,6%	1,9%	1,0%	0,1%	0,0%	0,0%	0,0%	0,6%	1,8%	3,3%	1,2%	0,2%	0,2%	0,1%	0,1%	0,7%
Studying	69,7%	30,5%	3,2%	0,2%	0,0%	0,0%	0,0%	6,0%	81,3%	30,9%	2,9%	0,4%	0,2%	0,1%	0,1%	5,6%
Do unpaid housework	1,0%	0,5%	0,1%	0,1%	0,0%	0,0%	0,0%	0,1%	1,8%	5,4%	8,5%	15,3%	22,3%	35,6%	25,6%	18,7%
Another situation	0,0%	0,7%	0,2%	0,2%	0,5%	1,2%	0,1%	0,4%	0,0%	0,5%	0,7%	0,4%	1,3%	0,8%	0,6%	0,7%
NO ANSWER	1,0%	0,9%	0,2%	0,0%	0,1%	0,1%	0,1%	0,2%	1,8%	0,5%	0,0%	0,2%	0,1%	0,3%	0,2%	0,2%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013


Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 88: Situation the person surveyed is in, according to sex



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 89: Situation the person surveyed is in, according to sex and age




Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q61a. How many hours do you work per week? (For those who have answered "working" in the previous question)


	Age Males							Age Females						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Average	39,58	42,23	43,62	43,34	43,37	48,79	42,80	34,48	36,88	35,66	36,62	36,51	35,67	36,19
N	221	718	719	546	261	14	2480	190	595	564	387	171	16	1923

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 90: Hours worked per week by the person interviewed who works, according to sex




Graph 91: Hours worked per week by the person interviewed who works, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Graph 92: Hours worked per week by the person interviewed who works, according to sex and age



Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q62. What is/was your current/last occupation or profession? (Refers to the main occupation for which is/was held by you)

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Business management and Public administration	7,2%	4,9%	5,0%	7,3%	6,9%	9,3%	8,0%	6,9%	11,4%	3,9%	4,8%	6,5%	8,2%	8,4%	9,7%	7,3%
Technical and scientific professionals and intellectuals	8,7%	9,0%	10,9%	13,7%	13,5%	10,1%	5,3%	10,6%	7,8%	10,6%	16,7%	16,3%	12,3%	9,4%	6,3%	11,9%
Technical and professional support	13,3%	10,4%	11,2%	13,1%	11,0%	12,0%	6,9%	10,9%	8,4%	11,8%	18,4%	17,4%	12,8%	9,7%	7,8%	13,0%
Administrative employees	3,6%	0,9%	2,5%	1,9%	3,0%	2,9%	2,8%	2,4%	0,6%	4,6%	6,6%	5,6%	3,3%	4,0%	2,5%	4,3%
Service workers, hospitality sector and personal services	7,7%	14,8%	11,1%	10,4%	10,2%	5,8%	5,2%	9,4%	13,9%	31,0%	21,9%	16,7%	19,4%	12,6%	9,1%	17,2%
Skilled Agriculture and Fisheries workers	8,7%	4,1%	3,9%	4,5%	5,3%	6,7%	16,1%	6,8%	3,0%	3,8%	2,3%	3,2%	4,5%	8,4%	16,2%	6,8%
Craftsmen and qualified industry workers	27,2%	26,6%	29,0%	24,3%	23,1%	25,6%	25,7%	25,8%	25,9%	11,4%	7,5%	8,6%	10,6%	16,9%	18,3%	12,6%
Machine Operators and assemblers	8,2%	12,5%	14,3%	15,1%	16,8%	16,6%	20,2%	15,8%	12,0%	7,4%	5,2%	5,6%	8,5%	12,5%	14,2%	9,1%
Unskilled workers	11,3%	14,7%	10,1%	8,7%	8,8%	9,1%	7,2%	9,5%	13,3%	13,7%	15,0%	18,9%	19,3%	16,0%	12,7%	15,8%
Armed Forces	1,0%	0,7%	1,5%	0,2%	0,6%	0,6%	1,3%	0,9%	2,4%	0,5%	0,6%	0,2%	0,2%	0,5%	1,4%	0,7%
NO ANSWER	3,1%	1,4%	0,5%	0,9%	0,9%	1,2%	1,3%	1,0%	1,2%	1,3%	1,1%	0,9%	0,9%	1,7%	1,8%	1,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q63. You (or the person who contributes more to household income) works, or worked as a...?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Employee, permanent job (salary, commission, wage, etc...)	48,2%	48,8%	52,7%	58,4%	64,3%	67,0%	65,7%	59,2%	57,2%	49,0%	50,8%	54,1%	57,0%	62,2%	57,2%	55,2%
Temporary or interim employee (salary, commission, wage)	22,6%	37,0%	32,6%	25,3%	17,7%	10,8%	8,8%	22,1%	16,3%	36,4%	35,5%	30,1%	23,4%	15,5%	12,5%	24,6%
Business person or professional with employees	11,3%	4,9%	4,5%	6,1%	4,9%	6,0%	6,5%	5,7%	13,3%	5,2%	3,6%	4,5%	5,6%	5,8%	6,0%	5,3%
Self-employed professional or worker (without employees)	13,8%	6,1%	8,9%	9,4%	12,1%	15,4%	17,6%	11,7%	10,8%	7,0%	7,1%	8,9%	10,7%	12,8%	21,0%	11,9%
Help family (unpaid)	2,1%	1,2%	0,2%	0,0%	0,1%	0,0%	0,1%	0,3%	0,0%	0,5%	0,8%	0,2%	1,0%	1,0%	0,8%	0,7%
Member of a cooperative	0,0%	0,0%	0,1%	0,0%	0,6%	0,1%	0,5%	0,2%	0,0%	0,2%	0,2%	0,8%	0,2%	0,0%	0,8%	0,4%
Another situation	0,0%	1,2%	0,3%	0,1%	0,1%	0,1%	0,0%	0,2%	1,8%	0,8%	1,3%	1,1%	1,3%	1,3%	0,6%	1,1%
NO ANSWER	2,1%	0,7%	0,6%	0,6%	0,1%	0,6%	0,7%	0,6%	0,6%	0,8%	0,6%	0,4%	0,7%	1,4%	1,2%	0,8%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q63a. Do/Did you (or the person who contributes more to the household income) work in: Public Administration, a public company, a private company a non-profit organization, or domestic service?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Public administration	16,7%	11,3%	10,2%	14,5%	18,4%	12,7%	11,5%	13,2%	13,1%	9,8%	12,6%	18,0%	20,5%	15,8%	14,9%	15,5%
Public company	5,1%	3,0%	2,4%	3,0%	5,6%	3,6%	3,7%	3,5%	4,1%	3,8%	3,5%	4,3%	5,0%	5,8%	5,7%	4,7%
Private company	75,4%	83,9%	86,0%	80,5%	75,0%	81,9%	82,5%	81,5%	79,5%	80,9%	77,6%	72,1%	67,7%	72,6%	73,2%	73,9%
Non-profit organization	0,0%	0,0%	0,3%	0,3%	0,3%	0,7%	0,0%	0,2%	0,0%	0,6%	0,9%	0,1%	0,3%	0,2%	0,3%	0,4%
Domestic service	0,7%	1,0%	0,3%	0,3%	0,3%	0,5%	0,6%	0,5%	3,3%	3,4%	4,7%	5,0%	5,5%	5,0%	4,7%	4,8%
Others	0,0%	0,0%	0,3%	0,4%	0,2%	0,5%	0,3%	0,3%	0,0%	0,0%	0,0%	0,1%	0,5%	0,3%	0,5%	0,2%
NO ANSWER	2,2%	0,8%	0,5%	1,1%	0,3%	0,2%	1,3%	0,8%	0,0%	1,5%	0,5%	0,3%	0,6%	0,3%	0,7%	0,6%
Total (N)	110	402	881	817	635	469	612	3926	93	400	832	784	623	492	778	4002

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q64. What are the primary activities of the company or organization where you, (or the person who contributed more to the household income) work or worked?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Agriculture, livestock, hunting, forestry	9,2%	4,4%	3,8%	5,1%	4,9%	6,7%	17,0%	7,1%	5,4%	4,6%	2,8%	4,3%	4,8%	9,1%	16,8%	7,5%
Fishing, aquaculture	1,0%	0,3%	0,2%	1,1%	0,9%	0,8%	1,1%	0,7%	0,0%	0,3%	0,2%	0,0%	0,2%	0,4%	1,4%	0,5%
Extraction of energy products	1,0%	0,0%	0,1%	0,4%	0,5%	0,6%	1,7%	0,6%	0,6%	0,3%	0,0%	0,1%	0,7%	0,5%	1,2%	0,5%
Extraction of other minerals	0,0%	0,2%	0,5%	0,1%	0,4%	0,3%	0,6%	0,3%	0,6%	0,2%	0,0%	0,0%	0,1%	0,1%	0,4%	0,1%
Food, beverage, and tobacco industry	1,5%	3,2%	3,5%	2,7%	2,7%	2,6%	4,6%	3,2%	1,8%	2,6%	2,5%	3,1%	2,6%	3,6%	3,4%	2,9%
Textile clothing industry	1,0%	1,0%	0,6%	0,5%	0,9%	2,2%	1,6%	1,0%	1,2%	1,0%	0,9%	2,0%	2,6%	2,8%	6,2%	2,8%
Leather and footwear industry	0,0%	0,0%	0,1%	0,4%	0,5%	0,5%	0,5%	0,3%	0,0%	0,7%	0,5%	0,2%	0,6%	0,9%	0,9%	0,6%
Manufacture of wood and cork	1,0%	0,5%	0,7%	0,8%	0,5%	0,3%	0,8%	0,7%	0,6%	0,2%	0,0%	0,1%	0,0%	0,5%	0,6%	0,2%
Paper Industry	0,0%	1,0%	1,0%	1,6%	1,1%	0,8%	1,8%	1,2%	0,0%	0,5%	1,2%	1,4%	1,1%	0,9%	1,6%	1,2%
Petroleum refining, coking and nuclear fuel	0,0%	0,0%	0,1%	0,1%	0,1%	0,4%	0,2%	0,2%	0,0%	0,0%	0,2%	0,0%	0,2%	0,0%	0,0%	0,1%
Chemical industry	0,5%	0,9%	1,3%	0,7%	1,4%	1,4%	1,1%	1,1%	0,6%	0,3%	1,1%	0,5%	1,2%	0,9%	1,1%	0,9%
Manufacture of rubber and plastic products	0,0%	1,0%	0,9%	0,6%	0,9%	0,9%	1,0%	0,8%	0,0%	0,2%	0,7%	0,2%	0,5%	1,3%	0,2%	0,5%
Manufacture of non-metallic mineral products	0,5%	0,2%	1,6%	0,7%	1,7%	1,7%	1,2%	1,2%	0,6%	0,0%	0,6%	0,5%	0,6%	0,8%	0,9%	0,6%
Metallurgy and manufacturing metal products	3,6%	2,9%	3,6%	3,9%	2,2%	5,1%	5,7%	3,9%	2,4%	2,1%	1,3%	0,9%	2,2%	3,2%	2,8%	2,1%
Manufacture of mechanical equipment: office and computer	0,5%	0,9%	1,3%	0,8%	1,2%	1,4%	1,7%	1,2%	0,0%	0,2%	0,6%	0,7%	0,2%	0,8%	0,1%	0,4%
Electronic equipment and material industry	0,0%	0,9%	1,0%	0,8%	0,4%	0,4%	0,6%	0,7%	0,0%	0,0%	0,5%	0,4%	0,9%	0,5%	0,9%	0,6%
Manufacture of all types of transport equipment	3,1%	1,4%	2,0%	1,8%	2,8%	4,1%	3,1%	2,5%	1,2%	2,0%	0,8%	1,3%	1,7%	2,4%	3,0%	1,9%
Manufacture of furniture	2,6%	3,8%	2,8%	1,5%	1,9%	2,7%	1,8%	2,3%	1,8%	0,7%	0,9%	0,7%	1,3%	1,0%	1,4%	1,1%
Production and distribution of Electric energy, gas, and water	0,5%	2,2%	1,6%	1,4%	2,0%	2,4%	1,1%	1,7%	1,2%	1,0%	0,4%	0,5%	1,0%	1,0%	1,4%	0,9%
Construction, climate control, and electrical installations	22,1%	19,1%	22,4%	21,3%	17,4%	15,4%	13,8%	18,7%	20,5%	9,3%	7,6%	6,5%	6,1%	8,5%	9,3%	8,1%

Following...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Business: pharmacies and all types of repairs	11,3%	12,6%	12,1%	9,4%	7,8%	9,2%	8,1%	9,9%	14,5%	19,8%	14,9%	13,9%	12,3%	9,9%	11,8%	13,4%
Hospitality	5,6%	8,4%	6,1%	5,5%	6,2%	4,5%	3,5%	5,6%	7,8%	11,6%	10,5%	8,1%	7,9%	6,1%	3,4%	7,6%
Transport, storage, postal, communications	5,6%	8,9%	8,0%	7,9%	10,0%	7,6%	7,9%	8,2%	9,0%	3,4%	5,0%	5,5%	4,8%	6,6%	5,8%	5,4%
Financial consulting	4,1%	0,7%	1,3%	1,8%	1,9%	4,5%	3,4%	2,3%	1,8%	2,5%	3,2%	2,7%	2,2%	2,2%	2,1%	2,5%
Real estate, information technology, consulting	5,1%	5,8%	6,4%	8,8%	6,5%	5,8%	2,4%	6,0%	4,8%	6,9%	11,0%	10,5%	9,1%	7,2%	2,6%	7,7%
Public administration, defense, social security	5,1%	5,8%	6,6%	7,7%	8,6%	5,9%	7,0%	7,0%	4,8%	4,6%	6,0%	6,9%	8,7%	6,3%	6,4%	6,5%
Education	5,1%	2,9%	2,8%	4,9%	6,7%	4,6%	1,7%	4,0%	2,4%	7,2%	7,1%	8,8%	6,0%	5,4%	2,6%	5,9%
Health and veterinary activities	4,1%	4,6%	2,4%	2,0%	2,6%	1,4%	1,1%	2,3%	5,4%	6,4%	6,8%	8,6%	9,1%	6,7%	3,7%	6,7%
Sanitation and similar activities	0,5%	0,2%	0,8%	1,4%	0,4%	0,6%	0,0%	0,6%	0,0%	0,3%	0,6%	0,2%	0,4%	0,4%	0,2%	0,3%
Various association activities	0,0%	0,0%	0,6%	0,1%	0,4%	0,8%	0,1%	0,3%	0,0%	0,7%	0,8%	0,7%	0,0%	0,1%	0,4%	0,4%
Recreation, culture and sports activities	0,5%	2,4%	1,5%	1,4%	1,2%	1,2%	0,8%	1,3%	0,6%	1,6%	1,1%	1,6%	0,2%	0,8%	0,5%	0,9%
Diverse personal service activities	0,5%	0,9%	0,5%	0,7%	0,6%	0,8%	0,6%	0,6%	2,4%	3,4%	2,8%	1,8%	2,0%	1,2%	1,3%	2,0%
Private households with employed domestic staff	0,5%	1,2%	0,6%	0,7%	0,6%	1,5%	0,8%	0,8%	4,2%	3,9%	6,2%	5,8%	7,0%	5,4%	4,4%	5,5%
DON'T KNOW	1,0%	0,2%	0,2%	0,0%	0,4%	0,0%	0,1%	0,2%	1,2%	0,2%	0,1%	0,1%	0,5%	0,0%	0,1%	0,2%
NO ANSWER	2,6%	1,7%	1,0%	1,3%	1,9%	1,3%	1,4%	1,4%	2,4%	1,6%	1,2%	1,4%	1,2%	2,3%	1,1%	1,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q65. During the last four weeks, have you done any of the activities you are going to read (without receiving money in exchange)?

Q66. Approximately, how many hours a week have been dedicated to these tasks, (average weekly hours)?

65.1 Have you provided assistance or care to an elderly or disabled person?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	12,3%	15,5%	14,7%	16,0%	24,6%	19,6%	14,7%	17,2%	12,7%	20,4%	18,4%	24,9%	32,4%	30,9%	17,2%	23,1%
No	87,2%	84,0%	84,4%	83,3%	74,8%	80,3%	84,8%	82,2%	87,3%	79,1%	80,4%	74,0%	66,7%	68,9%	82,6%	76,2%
NO ANSWER	0,5%	0,5%	0,9%	0,7%	0,6%	0,1%	0,5%	0,6%	0,0%	0,5%	1,2%	1,1%	0,9%	0,1%	0,2%	0,7%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

66.1 Have provided assistance or care to an elderly or disabled person

	Age Males							Age Females						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Average	9,40	10,85	14,63	14,78	18,39	26,86	15,55	10,41	13,11	15,01	21,99	25,50	26,99	19,40
N	86	147	138	171	104	105	752	103	159	215	234	172	159	1042

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

65.2 Have you cared for someone under 15 years old?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	27,7%	27,0%	38,7%	55,6%	33,8%	17,4%	17,5%	33,6%	38,0%	40,2%	56,8%	70,4%	37,1%	29,6%	22,8%	43,2%
No	71,8%	72,7%	60,6%	43,8%	65,3%	82,6%	82,1%	65,9%	62,0%	59,5%	42,6%	29,1%	62,2%	70,1%	77,0%	56,3%
NO ANSWER	0,5%	0,3%	0,7%	0,6%	0,9%	0,0%	0,4%	0,5%	0,0%	0,3%	0,6%	0,5%	0,7%	0,3%	0,2%	0,4%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

66.2 Have cared for someone under 15 years old

	Age Males							Age Females						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Average	10,97	22,70	24,53	21,71	16,83	14,01	20,73	23,18	43,00	41,24	29,60	19,68	18,60	33,41
N	159	370	493	234	96	135	1487	218	475	575	254	172	236	1931

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

65.3 Have you done household chores like cleaning, cooking, ironing, etc...?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Yes	61,0%	76,6%	84,6%	83,9%	81,2%	72,6%	64,5%	77,5%	81,9%	90,8%	94,1%	96,9%	96,2%	96,4%	91,4%	94,0%
No	39,0%	23,0%	15,0%	16,0%	18,3%	27,1%	35,1%	22,2%	18,1%	9,2%	5,4%	2,8%	3,5%	3,5%	8,4%	5,7%
NO ANSWER	0,0%	0,3%	0,3%	0,1%	0,5%	0,3%	0,4%	0,3%	0,0%	0,0%	0,5%	0,2%	0,2%	0,1%	0,2%	0,2%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

66.3 Have done household chores like cleaning, cooking, ironing, etc.

	Age Males								Age Females							
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total		
Average	7,12	9,20	11,38	11,55	11,25	11,34	10,52	13,11	18,60	24,16	26,74	28,07	25,68	23,05		
N	437	823	756	289	408	490	3501	503	844	847	695	567	908	4364		

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q67. With regard to nationality, have you ...

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Spanish nationality	91,8%	84,6%	83,0%	86,0%	91,6%	96,5%	97,3%	89,6%	84,3%	83,0%	81,1%	86,7%	91,8%	96,3%	97,9%	89,7%
Spanish nationality and another	2,6%	2,9%	2,2%	2,6%	2,0%	0,6%	1,1%	1,9%	3,0%	1,6%	2,1%	2,7%	2,6%	1,3%	0,8%	1,9%
Only another nationality	5,6%	12,3%	14,2%	11,1%	5,9%	2,7%	1,1%	8,1%	12,0%	14,9%	16,6%	10,0%	5,6%	2,3%	0,9%	8,1%
NO ANSWER	0,0%	0,2%	0,6%	0,4%	0,5%	0,1%	0,5%	0,4%	0,6%	0,5%	0,1%	0,6%	0,0%	0,1%	0,4%	0,3%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q68. What is your country of birth?

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Spain	92,3%	84,0%	82,1%	84,0%	90,0%	95,8%	97,0%	88,5%	83,1%	81,5%	79,7%	85,8%	90,2%	95,2%	96,4%	88,4%
Albania	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%
Germany	0,0%	0,2%	0,2%	0,1%	0,4%	0,0%	0,2%	0,2%	0,0%	0,0%	0,2%	0,4%	0,2%	0,0%	0,0%	0,1%
Angola	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Algeria	0,0%	0,2%	0,2%	0,1%	0,1%	0,0%	0,0%	0,1%	0,0%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Argentina	1,0%	0,5%	1,4%	1,1%	0,7%	0,3%	0,1%	0,8%	0,0%	1,6%	1,1%	1,6%	0,7%	0,5%	0,5%	0,9%
Armenia	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Austria	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Bahamas	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Belgium	0,0%	0,0%	0,1%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,1%	0,0%	0,0%
Bolivia	0,5%	0,9%	1,3%	0,6%	0,5%	0,0%	0,1%	0,6%	2,4%	1,3%	2,5%	1,1%	1,0%	0,1%	0,0%	1,0%
Brazil	0,0%	0,2%	0,5%	0,5%	0,2%	0,0%	0,0%	0,3%	0,0%	0,8%	0,6%	0,6%	0,5%	0,0%	0,1%	0,4%
Bulgaria	0,0%	0,0%	0,5%	0,4%	0,1%	0,0%	0,0%	0,2%	0,6%	0,5%	0,4%	0,0%	0,0%	0,0%	0,0%	0,1%
Cape Verde	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,6%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Colombia	1,0%	0,9%	2,0%	0,8%	1,2%	0,5%	0,0%	1,0%	1,8%	1,0%	1,5%	1,9%	1,2%	0,5%	0,1%	1,1%
Korea	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%
Ivory Coast	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Cuba	0,0%	0,3%	0,3%	0,5%	0,5%	0,3%	0,1%	0,3%	0,0%	0,3%	0,1%	0,2%	0,0%	0,1%	0,1%	0,1%
Chile	0,0%	0,2%	0,1%	0,4%	0,2%	0,1%	0,2%	0,2%	0,0%	0,2%	0,1%	0,1%	0,0%	0,0%	0,0%	0,1%
China	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	1,2%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Ecuador	1,0%	1,9%	1,8%	1,4%	1,4%	0,4%	0,0%	1,2%	1,8%	1,1%	2,8%	1,8%	1,2%	0,3%	0,0%	1,2%
El Salvador	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%
Slovakia	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
United States	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
Philippines	0,0%	0,0%	0,0%	0,1%	0,2%	0,1%	0,1%	0,1%	0,0%	0,0%	0,0%	0,1%	0,2%	0,0%	0,1%	0,1%
Finland	0,0%	0,0%	0,1%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
France	0,0%	0,3%	0,2%	0,4%	0,2%	0,1%	0,2%	0,3%	0,0%	0,7%	0,2%	0,2%	0,5%	0,3%	0,7%	0,4%
Gambia	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Georgia	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,3%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Ghana	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Greece	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Guatemala	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%
Guinea	0,0%	0,3%	0,0%	0,2%	0,0%	0,0%	0,0%	0,1%	0,6%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,1%
Holland	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%
Honduras	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Hungary	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
India	0,0%	0,2%	0,0%	0,1%	0,1%	0,0%	0,0%	0,1%	0,0%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Ireland	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Israel	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Italy	0,0%	0,2%	0,5%	0,7%	0,0%	0,0%	0,0%	0,3%	0,0%	0,7%	0,0%	0,1%	0,1%	0,3%	0,1%	0,2%
Latvia	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Lebanon	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Lithuania	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Mali	0,0%	0,0%	0,1%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Morocco	1,0%	2,7%	1,6%	1,5%	0,2%	0,5%	0,1%	1,1%	1,8%	0,8%	0,5%	0,6%	0,2%	0,1%	0,0%	0,4%
Mauritania	0,0%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Mexico	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,3%	0,1%	0,0%	0,0%	0,0%	0,0%	0,1%
Moldavia	0,0%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,2%	0,0%	0,0%	0,0%	0,0%	0,1%
Mozambique	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Nicaragua	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Nigeria	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,5%	0,0%	0,0%	0,0%	0,0%	0,1%
Pakistan	0,5%	0,0%	0,1%	0,1%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Panama	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Paraguay	0,0%	0,7%	0,3%	0,1%	0,1%	0,0%	0,0%	0,2%	0,0%	0,3%	0,5%	0,1%	0,0%	0,0%	0,0%	0,1%
Peru	0,5%	0,7%	0,8%	0,9%	0,2%	0,0%	0,0%	0,5%	0,6%	0,7%	0,6%	0,4%	0,4%	0,1%	0,1%	0,4%
Poland	0,0%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,6%	0,0%	0,0%	0,0%	0,0%	0,1%
Portugal	0,0%	0,2%	0,2%	0,2%	0,0%	0,0%	0,0%	0,1%	0,0%	0,5%	0,1%	0,4%	0,5%	0,0%	0,1%	0,2%

	Age Males								Age Females							
	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total	16 17	18 24	25 34	35 44	45 54	55 64	65+	Total
United Kingdom	0,0%	0,3%	0,0%	0,1%	0,1%	0,4%	0,1%	0,1%	0,0%	0,3%	0,2%	0,2%	0,1%	0,1%	0,0%	0,2%
Czech Republic	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%
Republic of Congo	0,0%	0,2%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Dominican Republic	0,5%	0,9%	0,1%	0,2%	0,4%	0,1%	0,0%	0,2%	0,6%	1,1%	0,5%	0,6%	0,4%	0,0%	0,0%	0,4%
South Africa	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%
Romania	1,0%	1,4%	2,5%	1,2%	0,7%	0,4%	0,0%	1,1%	3,6%	2,5%	2,8%	1,2%	0,5%	0,1%	0,0%	1,2%
Russia	0,0%	0,2%	0,1%	0,1%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,1%	0,1%	0,0%	0,0%
Senegal	0,0%	0,0%	0,3%	0,4%	0,1%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%
Serbia	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Sierra Leone	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Syria	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Sweden	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,0%	0,0%	0,0%	0,1%	0,1%	0,1%
Switzerland	0,0%	0,2%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,2%	0,2%	0,0%	0,0%	0,0%	0,1%
Thailand	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%
Turkey	0,0%	0,0%	0,0%	0,0%	0,1%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%
Ukraine	0,5%	0,0%	0,1%	0,0%	0,0%	0,0%	0,1%	0,1%	0,0%	0,3%	0,1%	0,1%	0,0%	0,0%	0,0%	0,1%
Uruguay	0,0%	0,7%	0,1%	0,4%	0,2%	0,0%	0,1%	0,2%	0,0%	0,2%	0,4%	0,4%	0,1%	0,4%	0,0%	0,2%
Venezuela	0,0%	0,3%	0,3%	0,2%	0,0%	0,1%	0,0%	0,2%	0,0%	0,2%	0,7%	0,2%	0,4%	0,3%	0,1%	0,3%
NO ANSWER	0,0%	0,7%	0,3%	1,8%	1,1%	0,8%	1,0%	0,9%	0,6%	1,6%	1,1%	1,3%	1,0%	0,9%	1,4%	1,2%
Total (N)	156	468	1031	975	775	603	821	4829	126	468	964	931	774	633	1117	5013

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

Q68a. How long have you been living in Spain?

	Age Males							Age Females						
	16 24	25 34	35 44	45 54	55 64	65+	Total	16 24	25 34	35 44	45 54	55 64	65+	Total
Average	4,90	7,06	8,08	9,58	14,51	35,00	8,50	4,97	6,38	8,59	10,59	14,81	29,47	8,59
N	78	172	116	61	19	15	461	85	167	113	60	24	20	468

Source: Data compiled from ENSS 2009 (MSPS – CIS: study No. 2780)

ANNEX 1: QUESTIONNAIRE

Nº STUDY: Nº QUESTIONNAIRE:

2.780

(1)(2)(3)(4) (5)(6)(7)(8)(9)

- Autonomous Community: _____ (10) (11)
- Province: _____ (12) (13)
- Municipality: (name of municipality) _____ (14) (15) (16)
- Size of habitat: _____ (17) (18)
- District: _____ (19) (20)
- Section: _____ (21) (22) (23)
- Interviewer: _____ (24) (25) (26) (27)

Sex of interviewer

- Male..... 1
- Female..... 2 (28)

Age of interviewer: _____ (29) (30)

Good morning/afternoon. The Sociological Research Center in collaboration with the Ministry of Health is conducting a survey on Sexual Health in Spanish society, in order to design health policies that give better answers to the needs of the people. For this reason, we are requesting your cooperation and would like to thank you in advance. This household has been selected by chance using random methods. We absolutely guarantee the anonymity and confidentiality of your responses in strict compliance with the laws related to statistical confidentiality and the protection of personal data. Once the information is recorded in an anonymous way, the individual questionnaires are destroyed immediately.

INTERVIEWER: Note the start time of the interview:

hour: _____ minute: _____
(31)(32) (33)(34)

Q.1 How do you think the available information about sexuality is?

- Very good 1
- Good..... 2
- Regular 3 (35)
- Bad. 4
- Very bad. 5
- No Answer 9

Q.2 If you could have chosen, through whom would you have liked to receive information about sexuality? From your.... (ONLY ONE ANSWER). (SHOW CARD A).

- 1. Mother 01
- 2. Father 02
- 3. Brother 03
- 4. Sister 04
- 5. Spouse/partner 05
- 6. Other relatives..... 06
- 7. Teachers at school 07
- 8. Male friends 08 (36)(37)
- 9. Female friends 09
- 10. Medical staff 10
- 11. Women's associations 11
- 12. Self-help groups 12
- 13. Television/video/radio 13
- 14. Books/magazines/newspapers 14
- 15. Internet 15
- 16. Other (specify) _____ 16
- (DO NOT READ) None 97
- Don't know (DNK)..... 98
- No Answer..... 99

Q.3 In general, what subjects would you have liked to have received more information about? (SHOW CARD B). (MARK ALL THE RESPONDENT SAYS).

- 1. Love and romantic relationships1 (38)
- 2. Contraceptive methods1 (39)
- 3. Prevention of sexually transmitted diseases, HIV/AIDS1 (40)
- 4. Reproduction1 (41)
- 5. Genital anatomy1 (42)
- 6. Problems in sexual relations1 (43)
- 7. Ways to give and get pleasure1 (44)
- 8. Orientation or sexual preference1 (45)
- 9. Pornography1 (46)
- 10. Violence and/or sexual abuse1 (47)
- 11. Prostitution1 (48)
- 12. Other type (specify) _____
- _____ 1 (49)
- (DO NOT READ) None7 (50)
- No Answer9 (51)

Q.4 How do you think the information received has been helpful to cope with your sexuality?

- Very Useful 1
- Useful 2
- Regular 3
- Not very useful 4 (52)
- Not useful 5
- Haven't received any information 6
- Don't know 8
- No Answer 9

Q.5 If you had to seek advice and assistance about your sexuality....

- Would you prefer to be treated by a man.....1
- Would you prefer to be treated by a woman.....2 (53)
- It wouldn't make a difference3
- No Answer9

Q.6 I am going to read a series of statements related to sexuality. I would like you to tell me if you strongly agree, somewhat agree, somewhat disagree, or strongly disagree with each of them.

1. Strongly agree
2. Somewhat agree
3. **(DO NOT READ)** Neither agree nor disagree
4. Somewhat disagree
5. Strongly disagree

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>DNK</u>	<u>No Answer</u>	
- To have sex you have to be in love	1	2	3	4	5	8	9	(54)
- Sexual relations between two women are a personal choice as respectable as sexual relations between a man and a woman	1	2	3	4	5	8	9	(55)
- Men have more sexual desires than women	1	2	3	4	5	8	9	(56)
- Over a lifetime, a person can vary their sexual option and have sex with men or with women	1	2	3	4	5	8	9	(57)
- Really, homosexuality is a disease and it should be treated as such	1	2	3	4	5	8	9	(58)
- Sexual relations between two men is a personal choice as respectable as sexual relations between a man and a woman	1	2	3	4	5	8	9	(59)
- Sexuality is necessary for personal balance	1	2	3	4	5	8	9	(60)

Q.7 Which of the following statements comes closer to your own sexual experiences? (ONLY ONE ANSWER). (SHOW CARD C).

1. Sexuality is mainly a means to seek pleasure and satisfy desires..... 1
2. Sexuality is mainly a means to have children 2 (61)
3. Sexuality is mainly a means to seek communication, pleasure, affection, tenderness, and intimacy..... 3
- Don't know 8
- No Answer 9

Q.8 Nowadays, Sexuality plays a very important, quite important, somewhat important, or is not an important part of your life?

- Very important 1
- Quite important 2
- Somewhat important..... 3 (62)
- Not important at all 4
- Don't know 8
- No Answer. 9

Q.9 At any point in your life have you ever felt discriminated against, have not been allowed to do something? Have you been bothered or made to feel inferior because of any of the following reasons? (MARK ALL THE RESPONDENT SAYS). (SHOW CARD D)

- | | | |
|--|---|------|
| 1. Because of your sex | 1 | (63) |
| 2. Because of your ethnicity or your country of origin | 1 | (64) |
| 3. Because of your level of education or social class | 1 | (65) |
| 4. Because of your sexual option or orientation | 1 | (66) |
| 5. Suffering from a disability | 1 | (67) |
| 6. Suffering from a chronic illness | 1 | (68) |
| 7. Because of your physical appearance | 1 | (69) |
| 8. For other reasons (specify) _____ | | |
| _____ | 1 | (70) |
| - None | 7 | (71) |
| - No Answer | 9 | (72) |

To continue we are going to ask a series of questions about your first sexual relationship. This research, "**sexual relations**", is considered, the **acts that are performed by two or more people for the purpose of getting sexual pleasure**, which does not have to include coitus, or conclude with an orgasm.

To make it more comfortable to answer these questions, we will give you a booklet to fill-in directly (at the end you can put it into this envelope). If you have any trouble reading it, I can do it for you, and if you have any doubts about any concept, you can consult me.

SELF-ADMINISTERED BOOKLET 1

Q.10 Among the following practices below, could you tell me which ones took place during your first sexual relationship? (MARK ALL THE RESPONDENT SAYS). (SHOW CARD E)

- | | | |
|---|---|------|
| 1. Kisses and caresses | 1 | (73) |
| 2. Masturbation in the presence of other person/s | 1 | (74) |
| 3. Mutual Masturbation | 1 | (75) |
| 4. Someone performed oral sex on you..... | 1 | (76) |
| 5. You performed oral sex on another person..... | 1 | (77) |
| 6. Someone performed anal sex on you..... | 1 | (78) |
| 7. You performed anal sex on another person..... | 1 | (79) |
| 8. Someone performed vaginal sex on you..... | 1 | (80) |
| 9. You performed vaginal sex on another person..... | 1 | (81) |
| 10. Group sex | 1 | (82) |
| 11. Cybersex | 1 | (83) |
| 12. Sadomasochistic acts | 1 | (84) |
| 13. Others (specify) _____ | | |
| _____ | 1 | (85) |
| 14. Have not had any kind of sexual relations | 1 | (86) |
| No Answer | 1 | (87) |



ONLY FOR THOSE WHO HAVE NOT HAD SEXUAL RELATIONS

Q.10a What is the main reason that you haven't had sexual relations? (ONLY ONE ANSWER) (SHOW CARD F)

- 1. I have chosen abstinence for religious reasons, ideological, etc.01
- 2. I did not want to 02
- 3. I haven't had the occasion or possibility 03
- 4. I have not found a sexual partner that I've liked 04
- 5. Because of fear 05 (88)(89)
- 6. Due to a lack of confidence..... 06
- 7. Because I have a chronic illness which prevents me..... 07
- 8. Other reason, what? _____ 08
- Don't know 98
- No Answer 99

SKIP TO QUESTION 23

Q.11 Approximately how old were you when you had this first sexual relationship?

_____ Years old (90)(91)

- Don't remember 98
- No Answer 99

Q.12 The person you had your first sexual relationship with was.....

- Your stable partner at the time 1
- Sporadic or occasional partner 2
- Person that you had just met 3
- Person that you paid 4
- Other, (specify) _____ (92)
- _____ 5
- No Answer 9

Q.13 The person you had your first sexual relationship with was.....

- Male 1
- Female 2
- Male Transsexual 3
- Female Transsexual 4 (93)
- Other response, (specify) _____
- _____ 5
- No Answer. 9

Q.14 Do you remember if you or your partner used any form of protection to avoid pregnancy during that first sexual experience? (SHOW CARD G)

- 1. Yes, I used it. 1
- 2. Yes, my partner used it 2
- 3. Yes, we both used them 3 (94)
- 4. We did not use any protection 4
- 5. It wasn't necessary for the type of act.
or because of infertility, age, etc..... 5
- Don't know 8
- No Answer. 9



Q.14a Which one/s? (MARK ALL THE RESPONDENT SAYS) (SHOW CARD H).

1. The Pill	1	(95)
2. Male condom	1	(96)
3. Female condom	1	(97)
4. The morning after Pill	1	(98)
5. Early withdrawal (coitus interruptus)	1	(99)
6. Vasectomy	1	(100)
7. Tubal ligation	1	(101)
8. Other methods (creams, spermicides, diaphragms, IUD's,)	1	(102)
- No Answer.....	9	(103)

Q.15 Did you or your partner use any protection to prevent the possible spread of sexually transmitted diseases, HIV/AIDS, or hepatitis? (SHOW CARD I)

1. Yes, I used it	1	
2. Yes, my partner used it	2	
3. Yes, we both used them	3	(104)
4. We didn't use any protection	4	
5. It wasn't necessary for the type of act.....	5	
Don't know	8	
No Answer	9	

Q.15a Which one/s? (MARK ALL THE REPDNENT SAYS).

1. Male condom	1	(105)
2. Female condom	1	(106)
3. Latex quadrant	1	(107)
4. Other	1	(108)
- No Answer	9	(109)

Q.16 Which of the following situations best describes the reasons that led you to have this first sexual relationship? (TWO ANSWERS MAXIMUM). (SHOW CARD J)

1. I was curious about what it would be like	01	
2. I got carried away by the emotion of the moment	02	
3. It seemed like a lot of people my age were doing it	03	
4. In some way I felt forced to be in this sexual relationship	04	
5. I was in love	05	(110)(111)
6. I wanted to please my partner	06	
7. It was a logical way to continue the relationship.....	07	(112)(113)
8. I had been drinking or taking drugs	08	
9. I wanted to lose my virginity	09	
10. Sexual desires	10	
11. Other, what? _____	11	
- (DO NOT READ) None of the above	97	
- No Answer	99	

Q.17 Which of the two feelings that I am going to read, would best define your mood after your first sexual experience?

a)	- Satisfaction..... 1			d)	- Fear 1		
	- Dissatisfaction 2	(114)			- Tranquility 2	(117)	
	- Neither 7				- Neither 7		
	- No Answer..... 9				- No Answer..... 9		
b)	- Pain 1			e)	- Joy..... 1		
	- Pleasure..... 2	(115)			- Sadness 2	(118)	
	- Neither 7				- Neither 7		
	- No Answer..... 9				- No Answer 9		
c)	- Well-being 1			f)	- Distrust 1		
	- Guilt 2	(116)			- Trust 2	(119)	
	- Neither 7				- Neither 7		
	- No Answer 9				- No Answer..... 9		

Q.18 Thinking now about sexual relations throughout your live, they have been. (ONLY ONE ANSWER) (SHOW CARD K)

1. Only with women.....	1	
2. More often with women, but also on at least one occasion with a man	2	
3. The same with men as with women	3	(120)
4. More often with men, but also on at least one occasion with a woman	4	
5. Only with men	5	
- No Answer.....	9	

Q.19 How would you measure the satisfaction produced in your sexual life by each of the following acts?

1. A lot of satisfaction
2. Quite a bit of satisfaction
3. A little bit of satisfaction
4. No satisfaction at all

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	Not applicable (not done)	<u>DNK</u>	<u>NA</u>	
- Watching shows, movies, Reading magazines, and books with erotic or pornographic content .	1	2	3	4	7	8	9	(121)
- Undressing your partner	1	2	3	4	7	8	9	(122)
- Your partner undresses you	1	2	3	4	7	8	9	(123)
- Caressing your partner's genitals with hands, mouth, tongue	1	2	3	4	7	8	9	(124)
- Your partner caresses your genitals with hands, mouth, tongue	1	2	3	4	7	8	9	(125)
- Caressing your partner's body with hands, mouth, tongue	1	2	3	4	7	8	9	(126)
- Your partner caresses your body with hands, mouth, tongue	1	2	3	4	7	8	9	(127)
- Kissing passionately.....	1	2	3	4	7	8	9	(128)

Q.20 Overall, how satisfied are you with the sexual life you have had?

- Very satisfied	1	
- Quite satisfied	2	
- Neither satisfied nor unsatisfied	3	(129)
- Quite unsatisfied	4	
- Very unsatisfied	5	
- No Answer	9	

Q.21 Which of the following statements most identifies how you feel? (ONLY ONE ANSWER) (SHOW CARD L)

1. I'm only attracted to people of my own sex	1	
2. I'm usually attracted people of my own sex, but at times I'm attracted to people of the opposite sex	2	
3. I'm attracted to people regardless if they are the same sex or the opposite sex.....	3	(130)
4. I'm usually attracted to people of the opposite sex but at times I'm attracted to people of my own sex	4	
5. I'm only attracted to people of the opposite sex	5	
- No Answer.....	9	

Q.22 Throughout your life, have you ever....

	Yes, <u>once</u>	Yes, more <u>than once</u>	No, <u>never</u>	<u>NA</u>	
- Paid to have sexual relations....	1	2	3	9	(131)
- Been paid to have sexual relations	1	2	3	9	(132)
- Suffered sexual abuse and/or rape	1	2	3	9	(133)
- had sex against your will	1	2	3	9	(134)

ONLY IF YOU HAVE ANSWERED YES TO "HAS PAID TO HAVE-SEXUAL REALATIONS", IN Q.22. (If it has happened on more than one occasion then refer to the question as if it were the last time).

Q.22a The person you paid to have sex with was a.....

- Man	1	
- Woman	2	
- Male transsexual	3	(135)
- Female transsexual	4	
- Other answer	5	
- No Answer.....	9	

ONLY IF YOU HAVE ANSWERED YES TO "HAS BEEN PAID TO HAVE SEXUAL RELATIONS" IN Q.22. (If it has happened on more than one occasion then refer to the question as if it were the last time).

Q.22b The person who paid to have sexual relations with you was a.....

- Man	1	
- Woman	2	
- Male transsexual	3	(136)
- Female transsexual	4	
- Other answer	5	
- No Answer.....	9	

ONLY IF YOU HAVE ANSWERED YES TO "HAS SUFFERED SEXUAL ABUSE AND/OR RAPE" IN Q.22.
(If it has happened on more than one occasion then refer to the question as if it were the last time).

Q.22c The person who sexually abused and/or raped you was a.....

- Man 1
- Woman 2.
- Male transexual 3 (137)
- Female transexual 4
- Other answer 5
- No Answer..... 9

Q.22d What type of relationship did you have with this person?

- Stable couple..... 1
- Occassional partner..... 2
- Ex-partner 3
- Family member..... 4 (138)
- A known person..... 5
- An unknown person..... 6
- No Answer..... 9

ONLY IF YOU HAVE ANSWERED YES TO "AGAINST YOUR WILL" IN Q.22. *(If it has happened on more than one occasion then refer to the question as if it were the last time).*

Q.22e The person that made you have sex against your will was a

- Man 1
- Woman 2.
- Male transexual 3 (139)
- Female transexual 4
- Other answer 5
- No Answer..... 9

Q.22f What type of relationship did you have with the person that made you have sex against your will?

- Stable couple..... 1
- Occassional partner..... 2
- Ex-partner 3
- Family member..... 4 (140)
- A known person..... 5
- No Answer..... 9

**TO BE COMPLETED BY THE INTERVIEWER:
 BOOKLET 1:**

- 1. Self-Administered entirely by the PERSON INTERVIEWED at the time of the interview 1
- 2. Read by the interviewer and completed by the person being interviewed 2
- 3. Has not used the booklet: Completed ENTIRELY by the interviewer 3 (141)
- 4 .Parts completed by the person being interviewed and other parts completed by the interviewer.. 4
- 5. Expressed refusal to answer this part of the interview..... 5

THE END OF BOOKLET 1

INTERVIEWER: THANK THE PERSON BEING INTERVIEWED FOR COMPLETING THE BOOKLET AND CONTINUE WITH THE INTERVIEW.

FOR EVERYONE

Q.23 Next, Could you express if you strongly, or somewhat agree, or somewhat disagree, or do not agree with the following statements?

1. Strongly agree
2. Somewhat agree
3. Somewhat disagree
4. Do not agree

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>DNK</u>	<u>NA</u>	
- I consider myself fairly attractive...	1	2	3	4	8	9	(142)
- "Real" sex includes penetration and an orgasm	1	2	3	4	8	9	(143)
- My religious beliefs influence the way I live my sexual life	1	2	3	4	8	9	(144)
- I can only have sex with someone if I am in love	1	2	3	4	8	9	(145)
- I dare not speak about my sexual desires	1	2	3	4	8	9	(146)
- I feel good with myself	1	2	3	4	8	9	(147)

Q.24 To what extent do you know how of your body reacts to receiving and giving pleasure?

- know perfectly.....	1	
- know quite well.....	2	
- know approximately.....	3	
- barely know.....	4	(148)
- Do not know at all	5	
- No Answer.	9	

Q.25 Here we have a list of reasons that people have sex. Which of them are most important to you? List them in order of importance to you. First, second, and third positions? (MAXIMUM THREE ANSWERS). (SHOW CARD M).

	<u>1er.place</u> (149)(150)	<u>2º place</u> (151)(152)	<u>3er.place once</u> (153)(154)
1. The need to met and connect with another person.....	01	01	01
2. To make a conquest	02	02	02
3. To have children	03	03	03
4. To love and to be loved	04	04	04
5. The need to feel dominated	05	05	05
6. To have fun	06	06	06
7. The desire for security	07	07	07
8. To have a healthy life	08	08	08
9. Sexual desire.....	09	09	09
10. To be desired	10	10	10
11. The desire to take a risk	11	11	11
12. To feel powerful	12	12	12
13. The need to experience emotions.....	13	13	13
14. To know your own body.....	14	14	14
15. Because I have to	15	15	15
16. Other reason, (specify) _____	16	16	16
- None of these	17	17	17
- No Answer	18	18	18

Q.26 What physical characteristics, personalities, or material things, do you sexually desire in another person(s)? (MAXIMUM TWO ANSWERS). (INTERVIEWER: DON'T GIVE CONCRETE EXAMPLES, SAY: "SOMETHING ABOUT APPEARANCE, WHAT THE PERSON IS LIKE AND WHAT THEY DO FOR A LIVING").

_____ (155)(156)

_____ (157)(158)

Don't know 98
 No Answer. 99

**INTERVIEWER: ASK QUESTIONS 27 a 42b ONLY
 IF THE PERSON HAS HAD SEXUAL RELATIONS IN THEIR LIFE**

We will continue with a series of questions about your sexual relations during the last twelve months. As I said, this research considers "sexual relations" as the acts performed by two or more people, for the purpose of getting sexual pleasure, which does not have to include coitus coito, or conclude with an orgasm.

To make it more comfortable in answering these questions, we will give you a booklet for you to fill in directly. At the end you can put it in the envelope and close it. If you have trouble reading it, I can read it for you and if you have any doubts about any concept, you can consult me

SELF-ADMINISTERED BOOKLET 2

Q.27 Could you tell me what sexual acts you have done in the last twelve months? (MARK ALL THAT THE PERSON SAYS) . (SHOW CARD N).

- 1. Kisses and caresses 1 (159)
- 2. Masturbation in the presence of other person/s 1 (160)
- 3. Mutual Masturbation 1 (161)
- 4. Someone performed oral sex on you..... 1 (162)
- 5. You performed oral sex on another person..... 1 (163)
- 6. Someone performed anal sex on you..... 1 (164)
- 7. You performed anal sex on another person..... 1 (165)
- 8. Someone performed vaginal sex on you..... 1 (166)
- 9. You performed vaginal sex on another person..... 1 (167)
- 10. Group sex 1 (168)
- 11. Cybersex 1 (169)
- 12. Sadomasochistic acts 1 (170)
- 13. Others (specify) _____

- _____ 1 (171)
- 14. Have not had sexual relations in the last twelve months..... 1 (172)
- No Answer 1 (173)



ONLY FOR THOSE WHO HAVE NOT HAD SEXUAL RELATIONS IN THE LAST TWELVE MONTHS.

Q.27a What is the main reason you have not had sexual relations in the last twelve months? (ONLY ONE ANSWER). (SHOW CARD Q).

- 1. Have chosen abstinence for religious reasons, ideological, etc. 01
- 2. Have not wanted to 02
- 3. Have not had the occasion or possibility 03
- 4. Have not found a sexual companion that I have liked 04
- 5. Because of fear 05
- 6. Because of a bad experience in a previous relationship..... 06
- 7. Due to a lack of sexual desire..... 07
- 8. Due to a lack of confidence 08 (174)(175)
- 9. Because of a chronic illness which prevents me 09
- 10. Because of your partners illness 10
- 11. Widow/er 11
- 12. Because I have not found the ideal partner..... 12
- 13. I don't like to 13
- 14. Another reason. What? _____

14
98
99

Don't know
No Answer

SKIP TO QUESTION 43

Q.28 Generally, in your sexual relations, How often: always, almost always, sometimes or never...?

- 1. Always
- 2. Almost always
- 3. Sometimes
- 4. Never

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>No Answer</u>	
- Do you take the initiative in sexual relations?	1	2	3	4	9	(176)
- Penetration is the final objective final of your sexual activity	1	2	3	4	9	(177)
- Do you try to satisfy the desires of your partner over those of your own?.....	1	2	3	4	9	(178)
- Repress and/or inhibit your sexual desires and pleasures	1	2	3	4	9	(179)
- Think about seductive fantasies or images to increase your desire and excitement	1	2	3	4	9	(180)
- Take any medication, alcohol, or other typo of substance to sexually stimulate yourself	1	2	3	4	9	(181)
- Use sex toys to help you during your sexual relations	1	2	3	4	9	(182)
- Do you believe "the sooner its over, the better ".....	1	2	3	4	9	(183)

Q.29 How often have you had sexual relations in the last twelve months? (SHOW CARD P). (INTERVIEWER) IF THERE ARE DOUBTS, ASK FOR THE MOST FREQUENTLY, FOR EXAMPLE, IF THEY HAVE ONLY HAD SEXUAL RELATIONS FOR HALF A YEAR, REFER THE QUESTION TO THE DURATION OF TIME THEY HAD HAD SEXUAL RELATIONS).

1. Daily	1	
2. Every two or three days	2	
3. Once a week	3	
4. Once every two or three weeks	4	(184)
5. Once a month	5	
6. Less than once a month	6	
7. Another answer, What?	7	
- No Answer	9	

Q.30 Would you like to have sexual relations.....?

- Less often	1	
- With the same frequency.....	2	
- More often	3	(185)
- Is indifferent, does not care.....	4	
- No Answer.....	9	

Q.31 During this time (the last twelve months), which of the two feelings I am going to read to you would best define your mood after having sexual relations?

- | | | | | | | | |
|----|-------------------------|---|-------|----|---------------------|---|-------|
| a) | - Dissatisfaction | 1 | | d) | - Tranquility | 1 | |
| | - Satisfaction..... | 2 | (186) | | - Fear..... | 2 | (189) |
| | - Neither | 7 | | | - Neither | 7 | |
| | - No Answer..... | 9 | | | - No Answer..... | 9 | |
| b) | - Pleasure..... | 1 | | e) | - Sadness..... | 1 | |
| | - Pain..... | 2 | (187) | | - Joy | 2 | (190) |
| | - Neither | 7 | | | - Neither | 7 | |
| | - No Answer..... | 9 | | | - No Answer | 9 | |
| c) | - Guilt..... | 1 | | f) | - Trust | 1 | |
| | - Well-being..... | 2 | (188) | | - Distrust | 2 | (191) |
| | - Neither | 7 | | | - Neither | 7 | |
| | - No Answer | 9 | | | - No Answer..... | 9 | |

Q.32 How many people have you had sexual relations with in the last twelve months?

Mark number _____ (192)(193)
 No Answer 99

Q.33 Was the person you had sexual relations with during the last twelve months your.....?(MARK ALL THAT THE PERSON BEING INTERVIEWED SAYS).

- | | | | |
|--|---|---------------------|-------|
| - Your stable partner | 1 | Go to Q.34 | (194) |
| - Sporadic or occasional partner | 1 | Go to Q.39 | (195) |
| - A person that you have paid | 1 | → Go to Q.43 | (196) |
| - A person that paid you | 1 | | (197) |
| - No Answer..... | 9 | | (198) |

INTERVIEWER: ASK QUESTIONS 34 a 38b ONLY TO THOSE WHO HAD HAD SEXUAL RELATIONS WITH THEIR STABLE PARTNER. IF THEY HAVE HAD MORE THAN ONE STABLE PARTNER IN THE LAST TWELVE MONTHS; REFER QUESTIONS TO THE LAST PARTNER.

Q.34 In general, in sexual relations with your stable partner, you feel.....?

- | | | |
|-------------------------------------|---|-------|
| - A lot of satisfaction | 1 | |
| - Quite a bit of satisfaction | 2 | |
| - Some satisfaction | 3 | (199) |
| - A little satisfacción | 4 | |
| - No satisfaction at all | 5 | |
| - No Answer..... | 9 | |

Q.35 Your stable partner is....?

- | | | |
|----------------------------|---|-------|
| - Male | 1 | |
| - Female | 2 | |
| - Male transsexual | 3 | (200) |
| - Female transsexual | 4 | |
| - Another answer | 5 | |
| - No Answer..... | 9 | |

Q.36 How old is your partner?

_____ years (201)(202)
 No Answer 99

Q.37 How often have you used contraceptive methods during sexual relations with your stable partner in the last twelve months? (*INTERVIEWER: IF THEY SAY THEY HAVE HAD TUBAL LIGATION OR A VASECTOMY, MARK THE OPTION "ALWAYS"*).

- Always 1
- Almost always 2
- Sometimes 3
- Almost never 4 (203)
- Never 5
- It wasn't necessary for the type of act,
infertile, sterile, etc. 6
- No Answer 9

Q.37a What or which ones do you usually use? (MARK ALL THE REPONSES THE PERSON SAY). (SHOW CARD H).

- 1. The Pill 1 (204)
- 2. Male Condom 1 (205)
- 3. Female Condom 1 (206)
- 4. The morning after pill 1 (207)
- 5. Early withdrawal (coitus interruptus) 1 (208)
- 6. Vasectomy 1 (209)
- 7. Tubal Ligation 1 (210)
- 8. IUD..... 1 (211)
- 9. Other methods (spermicidal cream, diaphragm)..... 1 (212)
- No Answer..... 9 (213)

Q.37b Who decides or decided to use this method?

- You 1
- Your partner 2 (214)
- Jointly agreed 3
- No Answer 9

Q.38 How often have you used methods for prevention the spread of sexually transmitted diseases, HIV/AIDS, or hepatitis during sexual relations with your stable partner?

- Always 1
- Almost always 2
- Sometimes 3
- Almost never 4 (215)
- Never 5
- It wasn't necessary for the type of act,..... 6
- No Answer 9

Q.38a What or which ones? (MARK ALL THAT PERSON SAYS).

- Male Condom 1 (216)
- Female Condom 1 (217)
- Latex quadrant 1 (218)
- Other 1 (219)
- No Answer..... 9 (220)

Q.38b Who decides to use this/these methods to prevent sexually transmitted diseases?

- You 1
- Your partner 2 (221)
- You jointly agreed 3
- No Answer 9

I
INTERVIEWER: ASK QUESTIONS 39 a 42b ONLY TO THOSE WHO HAVE HAD SEXUAL RELATIONS WITH A SPORADIC OR OCCASIONAL PARTNER (EVEN IF THEY HAVE A STABLE PARTNER TOO) (see Q.33)..

Q.39 This/these sporadic or occasional partner(s) is/are.....

- Men 1
- Women 2 (222)
- Men and women 3
- Male transsexuals 4
- Female transsexuals 5
- No Answer 9

Q.40 Thinking about the last time you had sexual relations with a sporadic or occasional partner.....You felt...?

- A lot of satisfaction 1
- Quite a bit of satisfaction 2
- Some satisfaction 3 (223)
- A little satisfaction 4
- No satisfaction at all 5
- No Answer 9

Q.41 In this last occasion that you had sexual relations with your sporadic or occasional partner, did you use any method of contraception? (INTERVIEWER: IF THEY SAY THAT THEY HAVE HAD TUBAL LIGATION OR A VASECTOMY, MARK "YES").

- Yes 1 (224)
- No..... 2
- It wasn't necessary for the type of act, infertile, or sterile , etc. 3 → Go to Q.42
- Don't know..... 8
- No Answer. 9

Q.41a What or which ones? (MARK ALL THAT THE PERSON SAYS). (SHOW CARD H).

- 1. The Pill..... 1 (225)
- 2. Male Condom 1 (226)
- 3. Female Condom 1 (227)
- 4. The morning after pill 1 (228)
- 5. Early withdrawal (coitus interruptus) 1 (229)
- 6. Vasectomy 1 (230)
- 7. Tubal Ligation 1 (231)
- 8. IUD..... 1 (232)
- 9. Other methods (spermicidal cream, diaphragm)..... 1 (233)
- No Answer..... 9 (234)

Q.41b Who decided to use this/these methods?

- You 1
- Your sporadic or occasional partner..... 2 (235)
- You jointly agreed 3
- No Answer 9

Q.42 This last time you had sexual relations with your sporadic or occasional partner you used some method to prevent STD's, HIV/AIDS or hepatitis?

- Yes 1 (236)
- No..... 2
- It wasn't necessary for the type of act,..... 3 → Go to Q.43
- Don't know..... 8
- No Answer. 9

Q.42a What or which ones (MARK ALL THAT THE PERSON SAYS).

- Male Condom 1 (237)
- Female Condom 1 (238)
- Latex quadrant 1 (239)
- Other 1 (240)
- No Answer..... 9 (241)

Q.42b. Who decided to use this / these method(s) in the prevention of sexually transmitted diseases?

- You 1
- Your sporadic or occasional partner..... 2 (242)
- We agreed jointly..... 3
- No Answer 9

**TO BE COMPLETED BY THE INTERVIEWER:
BOOKLET 2:**

- 1. Self-Administered entirely by the PERSON INTERVIEWED at the time of the interview 1
- 2. Read by the interviewer and completed by the person being interviewed 2
- 3. Has not used the booklet: Completed ENTIRELY by the interviewer 3 (243)
- 4 .Parts completed by the person being interviewed and other parts completed by the interviewer.. 4
- 5. Expressed refusal to answer this part of the interview..... 5

THE END OF BOOKLET 2

INTERVIEWER: THANK THE PERSON BEING INTERVIEWED FOR COMPLETING THE BOOKLET AND CONTINUE WITH THE INTERVIEW.

FOR EVERYONE

Q.43 At any point in your life have you felt worried by your sex life?

- Yes1 (244)
- No 2
- Do not remember 8 → Go to Q.44
- No Answer..... 9

Q.43a When? (INTERVIEWER: IF THE PERSON HAS BEEN CONCERNED SEVERAL TIMES, THE ANSWER SHOULD REFER TO THE LAST TIME).

- Less than 1 year 1
- Between 1 and 3 years 2
- More than 3 years 3 (245)
- Do not remember 8
- No Answer..... 9

Q.43 Why? (SHOW CARD Q). (MAXIMUM OF THREE ANSWERS).

1. Lack of experience.....	01	
2. Having no sexual partners	02	
3. Because of neglect, abuse or assault.....	03	
4. Previous bad experiences.....	04	
5. Because of a illness.....	05	
6. Because of your partners illness.....	06	
7. Loss of sexual desire.....	07	((246)(247)
8. Fear of pregnancy	08	
9. Insecurity, lack of confidence in oneself	09	
10. Fear of not satisfying my partner	10	(248)(249)
11. Crisis with partner	11	
12. Lack of communication between partners, routine..	12	
13. Job stress	13	(250)(251)
14. Because of excessive workload or domestic chores...	14	
15. Psychological problems.....	15	
16. Other (specify) _____		
	16	
- Don't know	98	
- No Answer	99	

Q43c. On this occasion, did you seek help about what had happened?

Yes	1	
- No	2	Go to Q.44 (252)
- No Answer.....	9	

Q43d. Who or by what means did you seek help from? (Choose a maximum of three answers) (SHOW CARD R).

1. Mother	01	
2. Father	02	
3. Brother.....	03	
4. Sister	04	
5. Spouse / partner	05	
6. Other relatives	06	
7. Teachers at school	07	
8. Male friends.....	08	(253)(254)
9. Female friends	09	
10. Professionals	10	
11. Women's associations	11	
12. Self-help groups	12	
13. TV / video / radio	13	
14. Books / magazines / newspapers	14	
15. Internet	15	
16. Other (specify) _____		
	16	
- None	97	
- Don't know	98	
- No Answer	99	



Q.43e What was the specialty or profession of the professionals that were consulted? (Choose a maximum of three answers) (SHOW CARD S).

	<u>Professional 1</u> (255)(256)	<u>Professional 2</u> (257)(258)	<u>Professional 3</u> (259)(260)
1. Family Medicine	01	01	01
2. Psychology	02	02	02
3. Psychiatry	03	03	03
4. Sexology	04	04	04
5. Gynecology	05	05	05
6. Urology	06	06	06
7. Pharmacy	07	07	07
8. Nursing	08	08	08
9. Social work	09	09	09
10. Other (specify) _____			
_____	10	10	10
- No Answer	99	99	99

Q.43f What was your level of satisfaction with the service or consultation?

	<u>Professional 1</u> (261)	<u>Professional 2</u> (262)	<u>Professional 3</u> (263)
- Very satisfied	1	1	1
- Fairly satisfied	2	2	2
- Somewhat satisfied.....	3	3	3
- Not satisfied	4	4	4
- No Answer	9	9	9

Q.43g Where did the consultation take place?

	<u>Professional 1</u> (264)	<u>Professional 2</u> (265)	<u>Professional 3</u> (266)
- Public health care.....	1	1	1
- Private health care.....	2	2	2
- Associations or NGOs.....	3	3	3
- Other (specify) _____			
_____	4	4	4
- No Answer	9	9	9

Q43h.1 Specifically what was it?

	<u>Professional 1</u> (267)	<u>Professional 2</u> (268)	<u>Professional 3</u> (269)
- Health.....	1	1	1
- Outpatient or facility is specialized.....	2	2	2
- Hospital.....	3	3	3
- No Answer	9	9	9

FOR EVERYONE

Q44. In the last twelve months would you say your health has been very good, good, regular, bad or very bad?

- Very good 1
- Well..... 2
- Regular 3
- Bad. 4 (270)
- Very bad. 5
- Don't know 8
- No Answer 9

Q45. What would you say about your state of health in relation to your sexuality? It has been very good, good, regular, bad, or very bad?

- Very good 1
- Well..... 2
- Regular 3
- Bad. 4 (271)
- Very bad. 5
- Don't know 8
- No Answer 9

Q46. At present, do you suffer from any of the following conditions or diseases that I am going read? (CHECK ALL THAT THE RESPONDENT SAYS). (SHOW CARD T).

- 1. Mental sleep, eating, depression, anxiety, etc..... 1 (272)
- 2. Cardiovascular disease (e.g. hypertension, heart problems)..... 1 (273)
- 3. Endocrine disease (diabetes, hormonal disorder) 1 (274)
- 4. Neurological diseases (e.g. multiple sclerosis) 1 (275)
- 5. Problems with the metabolism of fats (e.g. cholesterol) 1 (276)
- 6. Musculoskeletal disorders or rheumatologic disorders (e.g., arthritis, herniated discs) 1 (277)
- 7. Diseases of the digestive system..... 1 (278)
- 8. Cancer 1 (279)
- 9. Another disease, what? _____ 1 (280)
- _____ 1 (281)
- No disease..... 1 (281)
- No Answer..... 1 (282)

ONLY FOR THOSE WHO SUFFER FROM ANY TYPE OF DISORDER OR DISEASE

Q46a. Does this disorder or disease impede your daily activities?

- Yes, completely 1
- Yes, to some extent 2 (283)
- No 3
- No Answer..... 9

Q46b. Does it prevent you from having sexual relations?

- Yes, completely 1
- Yes, to some extent 2 (284)
- No 3
- (DO NOT READ)
- Do not have sexual relations..... 4
- No Answer..... 9

FOR EVERYONE

Q47. Do you take any medication on an on-going basis, everyday or almost every day?

Yes	1	
- No	2	(285)
- No Answer.....	9	

Q47a. What or which ones? (CHECK ALL THAT THE RESPONDENT SAYS). (SHOW CARD U).

1. Pain Medicine.....	1	(286)
2. Supplements like vitamins, minerals, proteins.....	1	(287)
3. Laxatives.....	1	(288)
4. Allergy Medications.....	1	(289)
5. Tranquilizers, relaxants, sleeping pills.....	1	(290)
6. Medicines for rheumatism, arthritis, osteoarthritis, bones.....	1	(291)
7. Heart medications.....	1	(292)
8. Medicines for blood pressure.....	1	(293)
9. Drugs for stomach and / or digestive disorders.....	1	(294)
10. Antidepressants	1	(295)
11. Stimulants.....	1	(296)
12. Weight-loss medicine	1	(297)
13. Drugs to lower cholesterol.....	1	(298)
14. Diabetes Medicine	1	(299)
15. Drugs for thyroid disorders	1	(300)
16. Other type, what? _____		
_____	1	(301)
- No Answer	1	(302)

Q.48 I am going to ask you some questions about how often the following situations occur in everyday life. (SHOW CARD V).

- 1. Never
- 2. Almost never
- 3. Sometimes
- 4. Almost always
- 5. Always
- 7. Not applicable (lives alone or has no family)

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>No Answer</u>	
- Do you share the housework with the person you live with?	1	2	3	4	5	7	(303)
- Do you dedicate time to take care of yourself and feel good?	1	2	3	4	5	7	(304)
- Do you financially help support your family?	1	2	3	4	5	7	(305)
- Do you put the care of others before your own?	1	2	3	4	5	7	(306)
- Do you have people that worry about what happens to you?	1	2	3	4	5	7	(307)

Q49. Which one of the following two sentences is closer to the way you are?

- Looking for adventure and risk, you want an exciting life	1	
- Avoid anything that puts their safety in danger.....	2	(308)
- No Answer.....	9	

Q49a. And among the following?

- Like to make your own decisions regardless of what others think	1	
- Needs the approval of others in order to make decisions	2	(309)
- No Answer.....	9	

Q50. How do you define yourself on the subject of religion: Catholic, a believer of another religion, a non-believer or an atheist?

- Catholic..... 1
- Believer of another religion..... 2
- Non-believer 3 (310)
- Atheist..... 4
- No Answer 9

Q50a. How often do you attend Mass or other religions services, without counting social ceremonies, for example, weddings, communions or funerals?

- Almost never 1
- Several times a year 2
- Once a month 3 (311)
- Almost all Sundays and religious holidays 4
- Several times a week 5
- No Answer..... 9

Q51. When talking about politics, there are the commonly used expressions, left and right. On this card are a series of boxes that go from left to right. Which box would you put yourself in? (SHOW CARD WITH SCALE) (ASK RESPONDENT TO CHECK THE CORRESPONDING BOX)

(312)(313)

Left

Right

										Don't know	No Answer
01	02	03	04	05	06	07	08	09	10	98	99

Q52. At present, do you have a steady partner, that is to say, you have an affectionate and/or sexual relationship, in which there is a commitment and/or you share a common plan?

- Yes1
- No.....2 (314)
- No Answer.....9

Q53. Do you have children? which there is a commitment and/or you share a common plan?

- Yes1
- No.....2 (315)
- No Answer.....9

Q54. Are you currently living ...? (SHOW CARD W).

- 1. Alone at 1
- 2. Alone with your children..... 2
- 3. Only with your spouse or partner..... 3
- 4. With your spouse or partner with children..... 4 (316)
- 5. With your parents with or without siblings or other relatives 5
- 6. With your parents with or without siblings and other non-family members 6
- 7. Another situation..... 7
- No Answer..... 9

Q.55 What is your marital status?

- Married..... 1
- Single..... 2
- Widowed..... 3 (317)
- Separated..... 4
- Divorced..... 5
- No Answer..... 9

Q56. How many people currently live in the household (including yourself) and excluding domestic staff?

Number of people: _____ (318) (319)
No Answer..... 99

Q.57 What is the sex listed on your birth certificate?

- Male..... 1 (320)
- Female..... 2

Q.58 How old were you on your last birthday?

_____ (321)(322)
No Answer..... 99

Q59. Have you been to school or completed some form of studies? (INTERVIEWER: If not, ask if they can read and write.)

- No, I am illiterate..... 1
 - No, but I can read and write..... 2
 - Yes, I have gone to school..... 3
 - No Answer..... 9
- Go to **Q.60**
- Go to **Q.60**

Q59a. What is the highest level of education you have studied (whether or not you finished)? Please specify as much as possible, sayingg the course that was when finished (or interrupted), and also the name of these studies: (ex: 3 years of primary education, Primary, Bachelor, Master Industrial , Pre-University, 4 of GBS, BA,Ph. D., FP1, etc.).

(INTERVIEWER: If you are still studying, write down the last course you have completed. If you have not completed primary, record number of years spent at school).

COURSE _____
NAME (studies) _____
LEVEL (Encode by T. STUDIES) _____ (324)(325)

Q60. Who is the person who contributes more to the household income?

- The person being interviewed..... 1
- Another person..... 2
- (DO NOT READ) The respondent and another person..... 3 (326)
- No Answer..... 9

P.60a And that person is (SHOW CARD X).

- Your spouse or partner..... 1
- His father..... 2
- Your mother..... 3
- Your son..... 4 (327)
- Your daughter..... 5
- Another person..... 6
- No Answer..... 9

Q61. Which of the following situations are you in now? (SHOW CARD Y).

- Working..... 1
- Retired or pensioner (have previously worked) 2
- Pensioner (have not worked before, housewife)..... 3
- Unemployed and have worked before..... 4
- Unemployed and seeking your first job..... 5
- Studying..... 6
- Perform unpaid housework..... 7
- Another situation, which? _____
- _____ 8
- No Answer..... 9

Q61a. How many hours do you work per week?

Hours: _____ (327) (328) minutes: _____ (329) (330)

No Answer..... 99

INTERVIEWER: REFER TO THE QUESTIONS 62, 63, 63A AND 64:
 - THE CURRENT JOB (IF 1 ON P.61)
 - IN YOUR LAST JOB (IF 2 OR 4 ON P.61)
 - THE WORK OF THE PERSON WHO CONTRIBUTES MORE TO THE HOUSEHOLD INCOME. (IF 3,5,6,7 OR 8 P.61)

Q62. And what is/was your current/last occupation or profession? (Specify as much as possible the activities EXAMPLE: clinical assistant, insurance agent, beautician, forester, occupational therapist, clothing patterns, etc.). Refer to your primary occupation: that which you (or the person who contributes more to household income)

_____ (333) (334) (335)

No Answer..... 999

Q63. You (or the person who contributes more to household income) works, or worked as a...? (SHOW CARD Z).

- Employee, permanent job (salary, commission, wage, etc...) 1
- Temporary or interim employee (a salary, commission, wages, etc.)..... 2
- Business person or professional with employees 3
- Self-employed professional or worker (without employees) 4 (336)
- Help family (unpaid work in the family company or business) 5
- Member of a cooperative..... 6
- Another situation, what? _____
- _____ 8
- No Answer..... 9

Q63a. Do/Did you (or the person who contributes more to the household income) work in: Public Administration, a public company, a private company a non-profit organization, or domestic service?

- Public Administration..... 1
- Public company..... 2
- Private company..... 3
- Non-profit organization..... 4
- Domestic staff 5
- Other (specify) _____
- _____ 6
- No Answer..... 9

INTERVIEWER: If it is an government job
Also mark the Group (A, B, C, D, E) and level of job(1-30).
 Level _____ Panel _____

FOR EVERYONE

Q64. What are the primary activities of the company or organization where you, (or the person who contributed more to the household income) work or worked? (Examples: sporting goods, factory, post office, car rental, electricity, repairs, leather industry, etc..).

(List) _____ (338) (339)

No Answer..... 99

Q65. During the last four weeks, have you done any of the activities you are going to read (without receiving money in exchange)?

	<u>Yes</u>	<u>No</u>	<u>No Answer</u>	
- Has provided assistance or care to someone who is elderly or disabled	1	2	9	(340)
- Have you cared for someone under 15 years old	1	2	9	(341)
- Have you done household chores such as cleaning, cooking, ironing, etc	1	2	9	(342)

ONLY FOR THOSE WHO HAVE ANSWERED "1" IN ANY OF THE CATEGORIES IN Q.65.

Q.66. And could you tell me how many hours a week have been dedicated to these tasks, (average weekly hours)?

	<u>Number of hours</u>	<u>Reminds hours</u>	<u>No Answer</u>	
- Has provided assistance or care for an elderly or disabled person	_____	98	99	(343) (344)
- Has cared for a person under 15 years	_____	98	99	(345) (346)
- Has done chores in the home like cleaning, cooking, ironing, etc	_____	98	99	(347) (348)

Q.67 With regard to nationality, have you

- Spanish nationality.....	1	
- Spanish nationality and another.....	2	
- Only another nationality.....	3	(349)
- No Answer	9	

Q.68 And what is your country of birth?

- Spain.....	001	
- Other, what? _____		(350) (351) (352)

- No Answer 999

Q.68a How long have you been living in Spain?

years: _____ (353) (354) months: _____ (355) (356)

No Answer 99

Q.69 Would you mind giving me your phone number? (INTERVIEWER: EXPLAIN THAT IS ABLE TO MAKE CIS THE CHECK MAY TELEPHONE THE INTERVIEW HAS BEEN MADE).

- Gives phone number	1	phone number _____
- No phone.....	2	
- Does not have a telephone number.....	3	(357)
- No Answer.....	9	

INTERVIEWER: Record the time End of interview:
hours (358) (359) _____ minutes (360) (361) _____

TO BE COMPLETED BY THE / THE INTERVIEWER:

A. COMPLETE SURVEY

Q.70 Conducted the interview at...:

- The lobby or entrance 1
- The door of the house 2
- Inside the house 3 (362)
- In another place,
What? _____ 4

Q.71 And about the booklets, in what place?

	<u>Booklet 1</u> (363)	<u>Booklet 2</u> (364)
- The lobby or entrance.....	1	1
- The door of the house.....	2	2
- Inside the house	3	3
- In another place, What? _____	4	4
- Do not know the booklet where is (when they left it)	5	5

Q.72 The interviewee

- Has been intimidated / annoyed by the fact that interviewer was a man / woman..... 1 (365)
- Has been intimidated / annoyed by the age of the interviewer..... 1 (366)
- Has expressed a desire to stop the interview..... 1 (367)
- Has been uncomfortable with the subject of the interview 1 (368)
- Has been in a rush to finish the interview..... 1 (369)

Q.73 And about cards

- The respondent used them all..... 1
- Only used the sentences..... 2
- Only used the scale..... 3 (370)
- Read the cards because the interviewee could not..... 4

Q.74 "the interview was conducted in the presence of third personal?"

- Yes..... 1 (371)
- No..... 2

Q.74a Who was /were the other person(s)?

- Father 1 (372)
- Mother..... 1 (373)
- Partner 1 (374)
- Son(s) 1 (375)
- Daughter(s) 1 (376)
- Neighbor(s) 1 (377)
- Other relatives..... 1 (378)
- Don't know 1 (379)

Q.75 Were the third parties actively involved in the conducting of the interview?

- Yes..... 1 (380)
- No..... 2

Q.76 Were there any specific questions that caused discomfort? (RECORD NUMBER OF QUESTIONS. MAXIMUM 10).

(381) (382) (383) (384) (385) (386) (387) (388) (389) (390) (391) (392)
 (393) (394) (395) (396) (397) (398) (399) (400) (401) (402) (403) (404)
 (405) (406) (407) (408) (409) (410)

Q.77 Did you have any questions or have to explain any concept? (RECORD NUMBER OF QUESTIONS. MAXIMUM 10).

(409) (410) (411)	(412) (413) (414)	(415) (416) (417)	(418) (419) (420)
(421) (422) (423)	(424) (425) (426)	(427) (428) (429)	(430) (431) (432)
(433) (434) (435)	(436) (437) (438)		

ASSESSMENT OF THE INTERVIEW (complete questionnaire):

Q.78 Development of the interview:

- Very good	1	
- Good.....	2	
- Normal	3	(341)
- Bad.	4	
- Very bad.	5	

Q.79 Sincerity of the respondent:

- Much	1	
- Enough.....	2	
- Little.....	3	(342)
- None.	4	

INTERVIEWER: Record the time:
 hours (443) (444) _____ minutes (445) (446) _____

B INCOMPLETE QUESTIONNAIRE / DISCONTINUED

Q.80 What do you think that the main reason that caused the abandonment of the interview?

- Uncomfortable with the topic of the survey	01	
- Uncomfortable with a specific question	02	
- Lack of interest in the subject	03	
- Unknowledgeable about the subject.....	04	(447)
- Lack of time.....	05	
- Quit due to the request from a third party	06	
- Would not do the self-administered booklet.....	07	(448)
- Uncomfortable with sex of interviewer.....	08	
- Uncomfortable by the age of interviewer.....	09	
- Another reason, what? _____		
_____	10	
Don't know	98	

Q.80a The sex of the third person:

- Male.....	1	
- Female.....	2	(449)

Q.81 Could you say the approximate age of the person being interviewed? What about sex?

- 16 to 24	1	
- 25 to 34	2	
- 35 to 44	3	(450)
- 45 to 54	4	
- 55 to 64	5	
- Over 65	6	

- Male.....	1	
- Female.....	2	(451)

C. FOR ALL INTERVIEWS (COMPLETE or INCOMPLETE).

Q.82 Sex quota for the interview:

- Male..... 1
- Female..... 2 (452)

<i>INTERVIEWER: Record the time:</i> <i>hours (443) (444) _____ minutes (445) (446) _____</i>
--

ANNEX 2: GLOSSARY

ANNEX 2: GLOSSARY

The following is the glossary that was provided to the field network to carry out the definitive study:

Erotic desire: sexual attraction and interest that allows a person to initiate or respond to sexual activity, and encourage that person to seek sexual pleasure.

Disability: physical, mental, intellectual, or sensory deficiencies which in the long-term can pose a barrier to prevent people with disabilities from full and effective participation in society on an equal basis with others.

Sexual experience: the history of a person's sexual life.

Sexual fantasy: thoughts and mental images with sexual content that the person considers erotic, and that appears voluntarily or involuntarily in order to stimulate feelings or sexual practices.

Sexual identity: the sense of belonging to either sex, that is, the conviction of being man or woman, regardless of the biological sex or the appearance of the genitals.

Gender identity: The identification of a person as man or woman depending on external indicators, such as social behaviour, clothing, or hair style. That is, the identification of a person which society considers masculine or feminine.

Sexual Orientation: refers to the sexual inclination or desire of every person; it can be addressed to women, men or both sexes.

Sexual option: It is taking a position in regard to sexual orientation in a social context, beyond the orientation of desire, not necessarily taking into account the orientation. Examples: a) a man who is sexually attracted to men or women, but who decides to have sex only with women, because they dare not to have sex with men for social or ideological convictions, b) a woman who feels sexually attracted to men and women, but decides to have sex only with women, because she thinks it is a way to oppose the sexist and patriarchal society.

Stable partner: A person with whom you maintain an affective-sexual relationship in which there is a commitment and/or a shared common project.

Sporadic partner: A person with whom you maintain a sexual or affective-sexual relationship, in which there is no commitment or a common project.

Sexual relations: A set of practices and behaviours that are performed by two or more people of the same or different sex, which contain components of excitement and sexual desire, in order to obtain sexual pleasure, which does not have to conclude with coitus.

Sexuality (definition of the World Health Organization 1974): Sexuality is an energy that motivates people to seek affection, contact, pleasure, tenderness and intimacy. It influences the thoughts, feelings, actions and interactions, and therefore influences physical and mental health

Sexual satisfaction: A positive feeling that fulfils the desire, or responds to needs in sexual matters.

Transsexuality: refers to people who wish to live and be accepted as members of the opposite gender. It may be that this aspiration is added to the desire to change one's own body (through hormones or surgery) making it as close as possible to the preferred gender. Example: A Transsexual Woman is a person born as a man (with male genitalia) and wants to live and be accepted as a woman and usually has the physical appearance of a women.

SEXUAL PRACTICES:

Coitus: the penetration of an erect penis into the vagina and/or anus.

Cybersex: A virtual experience (through the Internet) to exchange electronic messages with erotic and/ or pornographic content. Performed by two or more people in order to stimulate their sexual desires and fantasies.

Masturbation / mutual masturbation: The stimulation or self-stimulation of the genitals to provide sexual pleasure, whether being able to reach orgasm or not. In the interest of this study, masturbation as part of sexual relations, i.e., in the presence of one or more people, the physical presence or through the internet (and not as an individual sexual activity).

Vaginal sex: The introduction of a penis or a sexual toy into the vagina of the partner.

Oral Sex: The stimulation of the genitals with the mouth and tongue (cunnilingus or fellatio).

Anal sex: Introduction of the penis or a sexual toy into the anus and rectum.

Group Sex: Several people of the same or opposite sex, having different sexual relations among themselves at the same time.

Sadomasochistic practices: Sexual practices agreed upon in which pleasure and satisfaction is obtained by causing and receiving pain and/or humiliation.